

ø152 x H20 / 50 (mm)
Rth 1.13 - 0.7 °C/W
Power Pd 44 - 71 W

[MORE PRODUCT DETAILS](#)

ModuLED Giga | Philips Fortimo Modular Passive Star LED Cooler ø152mm


Mounting Instruction

PHILIPS

The third Philips Fortimo LED SLM generation is the ideal solution for spot lighting fixtures and highly efficient compact down light luminaires. It is specifically designed for the retail market showcasing retail merchandise in bright and vivid light. This generation is equipped with new Chip-On-Board (COB) LED technology. This technology enables the creation of the most efficient point source Philips LED system available.

Mounting indicator marks overview

MechaTronix recommends the use of a high thermal conductive interface between the LED module and the LED cooler. Either thermal grease, a thermal pad or a phase change thermal pad thickness 0.1-0.15mm is recommended. Thermal pads or phase change thermal pads can be pre-applied from MechaTronix.




Philips Fortimo SLM Gen 4 / Crisp White Spotlight Modules

Model names

- Fortimo LED SLM 3000lm xxx L15 G4
- Fortimo LED SLM 3000lm 930 CW L15 G4
- Fortimo LED SLM 4500lm xxx L19 G4
- Fortimo LED SLM 3800lm 930 CW L19 G4

Mounting

- Direct mounting with 3 self tapping screws M3 x 8mm
- Green indicator marks




Philips Fortimo SLM 1208 Gen 6 / Premium White / Crisp White / Food application Spotlight Modules

Model names

- Fortimo SLM C xxx xxx 1208 L15 2024 G6

Mounting

- Direct mounting with 3 self tapping screws M3 x 8mm
- Yellow indicator marks
- With Zhaga Book 3 LED holder Philips Fortimo SLM H xx 2024 G1
- Mounting with 2 screws M3 x 6mm
- Green indicator marks



Philips Fortimo SLM 1211 - 1216 Gen 6 / Premium White / Crisp White / Food application Spotlight Modules

Model names

- Fortimo SLM C xxx xxx 1211 L19 2828 G6
- Fortimo SLM C xxx xxx 1216 L23 2828 G6

Mounting

- Direct mounting with 3 self tapping screws M3 x 8mm
- Blue indicator marks
- With Zhaga Book 3 LED holder Philips Fortimo SLM H xx 2828 G1
- Mounting with 2 screws M3 x 6mm
- Green indicator marks

