



**QQHM2.E227340  
Power Supplies, Medical and Dental - Component**

[Page Bottom](#)

**Power Supplies, Medical and Dental - Component**

[See General Information for Power Supplies, Medical and Dental - Component](#)

**MEAN WELL ENTERPRISES CO LTD**  
28 WUQUAN 3RD RD WUGU DIST  
NEW TAIPEI, 248 TAIWAN

E227340

| Model No.   | Rated Input |       |    | Max Output |           |       |        | SP                | EP  | FC | GC |
|---|-------------|-------|----|------------|-----------|-------|--------|-------------------|-----|----|----|
|   | Volts       | Hz    | SC | V          | A         | VA    | OC     |                   |     |    |    |
| <b>GEM18x05-zzz (^)</b>   |             |       |    |            |           |       |        |                   |     |    |    |
|   | 100-240Vac  | 50/60 | 0  | 5-6dc      | 3.00-2.50 | 15    | 16     | ES60601-1         | 20B | 0  | 2  |
| <b>GEM18x07-zzz (^)</b>   |             |       |    |            |           |       |        |                   |     |    |    |
|   | 100-240Vac  | 50/60 | 0  | 6-8dc      | 2.50-1.87 | 15    | 16     | ES60601-1         | 20B | 0  | 2  |
| <b>GEM18x09-zzz (^)[*r]</b>   |             |       |    |            |           |       |        |                   |     |    |    |
|   | 100-240Vac  | 50/60 | 0  | 8-11dc     | 2.25-1.64 | 18.04 | 16     | ES60601-1         | 20B | 0  | 2  |
| <b>GEM18x12-zzz (^)[*r]</b>   |             |       |    |            |           |       |        |                   |     |    |    |
|   | 100-240Vac  | 50/60 | 0  | 11-13dc    | 1.64-1.38 | 18.04 | 16     | ES60601-1         | 20B | 0  | 2  |
| <b>GEM18x15-zzz (^)[*r]</b>   |             |       |    |            |           |       |        |                   |     |    |    |
|   | 100-240Vac  | 50/60 | 0  | 13-16dc    | 1.38-1.13 | 18.08 | 16     | ES60601-1         | 20B | 0  | 2  |
| <b>GEM18x18-zzz (^)[*r]</b>   |             |       |    |            |           |       |        |                   |     |    |    |
|   | 100-240Vac  | 50/60 | 0  | 16-21dc    | 1.13-0.86 | 18.08 | 16     | ES60601-1         | 20B | 0  | 2  |
| <b>GEM18x24-zzz (^)[*r]</b>   |             |       |    |            |           |       |        |                   |     |    |    |
|   | 100-240Vac  | 50/60 | 0  | 21-27dc    | 0.86-0.67 | 18.09 | 16     | ES60601-1         | 20B | 0  | 2  |
| <b>GEM18x28-zzz (^)[*r]</b>   |             |       |    |            |           |       |        |                   |     |    |    |
|   | 100-240Vac  | 50/60 | 0  | 27-33dc    | 0.67-0.55 | 18.15 | 16     | ES60601-1         | 20B | 0  | 2  |
| <b>GEM18x48-zzz (^)[*r]</b>   |             |       |    |            |           |       |        |                   |     |    |    |
|   | 100-240Vac  | 50/60 | 0  | 33-58dc    | 0.55-0.32 | 18.56 | 16     | ES60601-1         | 20B | 0  | 2  |
| <b>GMS36U15 @ (A1\$)[*r]</b>  |             |       |    |            |           |       |        |                   |     |    |    |
|   | 100-240Vac  | 50/60 | 0  | 15dc       | 2.4       | -     | 16     | ES60601 & A1:2012 | 20B | 0  | 2  |
| <b>GMS36U48 @ (A1\$)[*r]</b>  |             |       |    |            |           |       |        |                   |     |    |    |
|   | 100-240Vac  | 50/60 | 0  | 48dc       | 0.75      | -     | 16     | ES60601 & A1:2012 | 20B | 0  | 2  |
| <b>GSM06Ux-zzz (x can be 05, 06, 07, 09, 12, 15, 18, 24; -zzz can be 0-9, A-Z or Blank for marketing purpose)</b> |             |       |    |            |           |       |        |                   |     |    |    |
|   | 100-240ac   | 50/60 | 0  | 27dc       | 1.2       | 6.24  | 16, 22 | ES60601-1         | 20B | 8  | 2  |
| <b>GSM120A12 (A1\$)[*r]</b>   |             |       |    |            |           |       |        |                   |     |    |    |
|   | 100-240ac   | 50/60 | 0  | -          | -         | -     | -      | ES60601-1 A1      | 20B | 0  | 1  |
|   |             |       |    | 12dc       | 8.5       | 102   | 16     |                   |     |    |    |
| <b>GSM120A15 (A1\$)[*r]</b>   |             |       |    |            |           |       |        |                   |     |    |    |

|                             |            |       |   |       |      |         |    |  |     |   |   |
|-----------------------------|------------|-------|---|-------|------|---------|----|--|-----|---|---|
|                             | 100-240ac  | 50/60 | 0 | 15dc  | 7.0  | 105     | -  | ES60601-1 A1                                       | 20B | 0 | 1 |
| <b>GSM120A20 (A1\$)*r]</b>  |            |       |   |       |      |         |    |  |     |   |   |
|                             | 100-240ac  | 50/60 | 0 | 20dc  | 6.0  | 120     | 16 | ES60601-1 A1                                       | 20B | 0 | 1 |
| <b>GSM120A24 (A1\$)*r]</b>  |            |       |   |       |      |         |    |  |     |   |   |
|                             | 100-240ac  | 50/60 | 0 | 24dc  | 5.0  | 120     | 16 | ES60601-1 A1                                       | 20B | 0 | 1 |
| <b>GSM120A48 (A1\$)*r]</b>  |            |       |   |       |      |         |    |  |     |   |   |
|                             | 100-240ac  | 50/60 | 0 | 24dc  | 5.0  | 120     | 16 | ES60601-1 A1                                       | 20B | 0 | 1 |
| <b>GSM120B12 (A1\$)*r]</b>  |            |       |   |       |      |         |    |  |     |   |   |
|                             | 100-240ac  | 50/60 | 0 | 12    | 8.5  | 102     | 16 | ES60601-1 A1                                       | 20B | 0 | 2 |
| <b>GSM120B15 (A1\$)*r]</b>  |            |       |   |       |      |         |    |  |     |   |   |
|                             | 100-240ac  | 50/60 | 0 | 15    | 7.0  | 10.5    | 16 | ES60601-1 A1                                       | 20B | 0 | 2 |
| <b>GSM120B20 (A1\$)*r]</b>  |            |       |   |       |      |         |    |  |     |   |   |
|                             | 100-240ac  | 50/60 | 0 | 20    | 6.0  | 120     | 16 | ES60601-1 A1                                       | 20B | 0 | 2 |
| <b>GSM120B24 (A1\$)*r]</b>  |            |       |   |       |      |         |    |  |     |   |   |
|                             | 100-240ac  | 50/60 | 0 | 24    | 5.0  | 120     | 16 | ES60601-1 A1                                       | 20B | 0 | 2 |
| <b>GSM120B48 (A1\$)*r]</b>  |            |       |   |       |      |         |    |  |     |   |   |
|                             | 100-240ac  | 50/60 | 0 | 48    | 2.5  | 120     | 16 | ES60601-1 A1                                       | 20B | 0 | 2 |
| <b>GSM160B12(A1\$)*r]</b>   |            |       |   |       |      |         |    |  |     |   |   |
|                             | 100-240ac  | 50/60 | 0 | 12dc  | 11.5 | 138 Max | 16 | ANSI/AAMI ES60601-1 (2005 + C1:09 + A2:10 + A1:12) | 20B | 0 | 2 |
| <b>GSM160B15(A1\$)*r]</b>   |            |       |   |       |      |         |    |  |     |   |   |
|                             | 100-240ac  | 50/60 | 0 | 15dc  | 9.6  | 144 Max | 16 | ANSI/AAMI ES60601-1 (2005 + C1:09 + A2:10 + A1:12) | 20B | 0 | 2 |
| <b>GSM160B20(A1\$)*r]</b>   |            |       |   |       |      |         |    |  |     |   |   |
|                             | 100-240ac  | 50/60 | 0 | 20dc  | 8    | 160 Max | 16 | ANSI/AAMI ES60601-1 (2005 + C1:09 + A2:10 + A1:12) | 20B | 0 | 2 |
| <b>GSM160B24(A1\$)*r]</b>   |            |       |   |       |      |         |    |  |     |   |   |
|                             | 100-240ac  | 50/60 | 0 | 24dc  | 6.67 | 160 Max | 16 | ANSI/AAMI ES60601-1 (2005 + C1:09 + A2:10 + A1:12) | 20B | 0 | 2 |
| <b>GSM160B48(A1\$)*r]</b>   |            |       |   |       |      |         |    |  |     |   |   |
|                             | 100-240ac  | 50/60 | 0 | 48dc  | 3.34 | 160 Max | 16 | ANSI/AAMI ES60601-1 (2005 + C1:09 + A2:10 + A1:12) | 20B | 0 | 2 |
| <b>GSM18B05 @ (A1\$)*r]</b> |            |       |   |       |      |         |    |  |     |   |   |
|                             | 100-240Vac | 50/60 | 0 | 5dc   | 3    | -       | 16 | ES60601 & A1:2012                                  | 20B | 0 | 2 |
| <b>GSM18B07 @ (A1\$)*r]</b> |            |       |   |       |      |         |    |  |     |   |   |
|                             | 100-240Vac | 50/60 | 0 | 7.5dc | 2    | -       | 16 | ES60601 & A1:2012                                  | 20B | 0 | 2 |
| <b>GSM18B09 @ (A1\$)*r]</b> |            |       |   |       |      |         |    |  |     |   |   |
|                             | 100-240Vac | 50/60 | 0 | 9dc   | 2    | -       | 16 | ES60601 & A1:2012                                  | 20B | 0 | 2 |
| <b>GSM18B12 @ (A1\$)*r]</b> |            |       |   |       |      |         |    |  |     |   |   |
|                             | 100-240Vac | 50/60 | 0 | 12dc  | 1.5  | -       | 16 | ES60601 & A1:2012                                  | 20B | 0 | 2 |
| <b>GSM18B15 @ (A1\$)*r]</b> |            |       |   |       |      |         |    |  |     |   |   |
|                             | 100-240Vac | 50/60 | 0 | 15dc  | 1.2  | -       | 16 | ES60601 & A1:2012                                  | 20B | 0 | 2 |
| <b>GSM18B18 @ (A1\$)*r]</b> |            |       |   |       |      |         |    |  |     |   |   |
|                             |            | 50/60 | 0 | 18dc  | 1    | -       | 16 | ES60601 & A1:2012                                  | 20B | 0 | 2 |

|                              |            |       |   |       |       |   |    |                   |     |   |   |  |  |
|------------------------------|------------|-------|---|-------|-------|---|----|-------------------|-----|---|---|--|--|
|                              | 100-240Vac |       |   |       |       |   |    |                   |     |   |   |  |  |
| <b>GSM18B24 @ (A1\$)[*r]</b> |            |       |   |       |       |   |    |                   |     |   |   |  |  |
|                              | 100-240Vac | 50/60 | 0 | 24dc  | 0.75  | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |  |
| <b>GSM18B48 @ (A1\$)[*r]</b> |            |       |   |       |       |   |    |                   |     |   |   |  |  |
|                              | 100-240Vac | 50/60 | 0 | 48dc  | 0.375 | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |  |
| <b>GSM18U05 @ (A1\$)[*r]</b> |            |       |   |       |       |   |    |                   |     |   |   |  |  |
|                              | 100-240Vac | 50/60 | 0 | 5dc   | 3     | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |  |
| <b>GSM18U07 @ (A1\$)[*r]</b> |            |       |   |       |       |   |    |                   |     |   |   |  |  |
|                              | 100-240Vac | 50/60 | 0 | 7.5dc | 2     | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |  |
| <b>GSM18U09 @ (A1\$)[*r]</b> |            |       |   |       |       |   |    |                   |     |   |   |  |  |
|                              | 100-240Vac | 50/60 | 0 | 9dc   | 2     | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |  |
| <b>GSM18U12 @ (A1\$)[*r]</b> |            |       |   |       |       |   |    |                   |     |   |   |  |  |
|                              | 100-240Vac | 50/60 | 0 | 12dc  | 1.5   | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |  |
| <b>GSM18U15 @ (A1\$)[*r]</b> |            |       |   |       |       |   |    |                   |     |   |   |  |  |
|                              | 100-240Vac | 50/60 | 0 | 15dc  | 1.2   | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |  |
| <b>GSM18U18 @ (A1\$)[*r]</b> |            |       |   |       |       |   |    |                   |     |   |   |  |  |
|                              | 100-240Vac | 50/60 | 0 | 18dc  | 1     | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |  |
| <b>GSM18U24 @ (A1\$)[*r]</b> |            |       |   |       |       |   |    |                   |     |   |   |  |  |
|                              | 100-240Vac | 50/60 | 0 | 24dc  | 0.75  | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |  |
| <b>GSM18U48 @ (A1\$)[*r]</b> |            |       |   |       |       |   |    |                   |     |   |   |  |  |
|                              | 100-240Vac | 50/60 | 0 | 48dc  | 0.375 | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |  |
| <b>GSM220B12 (A1\$)</b>      |            |       |   |       |       |   |    |                   |     |   |   |  |  |
|                              | 100-240ac  | 50/60 | 0 | -     | -     | - | -  | ES60601-1 A1      | 20B | 0 | 2 |  |  |
| <b>GSM220B15 (A1\$)</b>      |            |       |   |       |       |   |    |                   |     |   |   |  |  |
|                              | 100-240ac  | 50/60 | 0 | -     | -     | - | -  | ES60601-1 A1      | 20B | 0 | 2 |  |  |
| <b>GSM220B20 (A1\$)</b>      |            |       |   |       |       |   |    |                   |     |   |   |  |  |
|                              | 100-240ac  | 50/60 | 0 | -     | -     | - | -  | ES60601-1 A1      | 20B | 0 | 2 |  |  |
| <b>GSM220B24 (A1\$)</b>      |            |       |   |       |       |   |    |                   |     |   |   |  |  |
|                              | 100-240ac  | 50/60 | 0 | -     | -     | - | -  | ES60601-1 A1      | 20B | 0 | 2 |  |  |
| <b>GSM220B48 (A1\$)</b>      |            |       |   |       |       |   |    |                   |     |   |   |  |  |
|                              | 100-240ac  | 50/60 | 0 | -     | -     | - | -  | ES60601-1 A1      | 20B | 0 | 2 |  |  |
| <b>GSM25B05 @ (A1\$)[*r]</b> |            |       |   |       |       |   |    |                   |     |   |   |  |  |
|                              | 100-240Vac | 50/60 | 0 | 5dc   | 4     | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |  |
| <b>GSM25B07 @ (A1\$)[*r]</b> |            |       |   |       |       |   |    |                   |     |   |   |  |  |
|                              | 100-240Vac | 50/60 | 0 | 7.5dc | 2.93  | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |  |
| <b>GSM25B09 @ (A1\$)[*r]</b> |            |       |   |       |       |   |    |                   |     |   |   |  |  |
|                              | 100-240Vac | 50/60 | 0 | 9dc   | 2.77  | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |  |
| <b>GSM25B12 @ (A1\$)[*r]</b> |            |       |   |       |       |   |    |                   |     |   |   |  |  |
|                              |            | 50/60 | 0 | 12dc  | 2.08  | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |  |

|                              |            |       |   |       |      |   |    |                   |     |   |   |  |
|------------------------------|------------|-------|---|-------|------|---|----|-------------------|-----|---|---|--|
|                              | 100-240Vac |       |   |       |      |   |    |                   |     |   |   |  |
| <b>GSM25B15 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                   |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 15dc  | 1.66 | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |
| <b>GSM25B18 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                   |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 18dc  | 1.38 | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |
| <b>GSM25B24 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                   |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 24dc  | 1.04 | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |
| <b>GSM25B48 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                   |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 48dc  | 0.52 | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |
| <b>GSM25U05 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                   |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 5dc   | 4    | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |
| <b>GSM25U07 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                   |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 7.5dc | 2.93 | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |
| <b>GSM25U09 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                   |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 9dc   | 2.77 | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |
| <b>GSM25U12 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                   |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 12dc  | 2.08 | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |
| <b>GSM25U15 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                   |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 15dc  | 1.66 | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |
| <b>GSM25U18 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                   |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 18dc  | 1.38 | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |
| <b>GSM25U24 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                   |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 24dc  | 1.04 | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |
| <b>GSM25U48 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                   |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 48dc  | 0.52 | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |
| <b>GSM36B05 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                   |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 5dc   | 4.5  | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |
| <b>GSM36B07 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                   |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 7dc   | 4.32 | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |
| <b>GSM36B09 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                   |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 9dc   | 4    | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |
| <b>GSM36B12 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                   |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 12dc  | 3    | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |
| <b>GSM36B15 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                   |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 15dc  | 2.4  | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |
| <b>GSM36B18 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                   |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 18dc  | 2    | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |
| <b>GSM36B24 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                   |     |   |   |  |
|                              |            | 50/60 | 0 | 24dc  | 1.5  | - | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |

|                              |            |       |   |       |      |       |    |                   |     |   |   |  |
|------------------------------|------------|-------|---|-------|------|-------|----|-------------------|-----|---|---|--|
|                              | 100-240Vac |       |   |       |      |       |    |                   |     |   |   |  |
| <b>GSM36B48 @ (A1\$)[*r]</b> |            |       |   |       |      |       |    |                   |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 48dc  | 0.75 | -     | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |
| <b>GSM36U05 @ (A1\$)[*r]</b> |            |       |   |       |      |       |    |                   |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 5dc   | 4.5  | -     | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |
| <b>GSM36U07 @ (A1\$)[*r]</b> |            |       |   |       |      |       |    |                   |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 7dc   | 4.32 | -     | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |
| <b>GSM36U09 @ (A1\$)[*r]</b> |            |       |   |       |      |       |    |                   |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 9dc   | 4    | -     | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |
| <b>GSM36U12 @ (A1\$)[*r]</b> |            |       |   |       |      |       |    |                   |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 12dc  | 3    | -     | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |
| <b>GSM36U18 @ (A1\$)[*r]</b> |            |       |   |       |      |       |    |                   |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 18dc  | 2    | -     | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |
| <b>GSM36U24 @ (A1\$)[*r]</b> |            |       |   |       |      |       |    |                   |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 24dc  | 1.5  | -     | 16 | ES60601 & A1:2012 | 20B | 0 | 2 |  |
| <b>GSM40A05</b>              |            |       |   |       |      |       |    |                   |     |   |   |  |
|                              | 100-240ac  | 50/60 | 0 | 5dc   | 5    | 24    | 16 | ES60601-1         | 20B | 0 | 1 |  |
| <b>GSM40A05(A1\$)[*r]</b>    |            |       |   |       |      |       |    |                   |     |   |   |  |
|                              | 100-240ac  | 50/60 | 0 | 5dc   | 5    | 25    | 16 | ES60601 A1:2012   | 20B | 0 | 1 |  |
| <b>GSM40A07</b>              |            |       |   |       |      |       |    |                   |     |   |   |  |
|                              | 100-240ac  | 50/60 | 0 | 7.5dc | 5.34 | 40.05 | 16 | ES60601-1         | 20B | 0 | 1 |  |
| <b>GSM40A07(A1\$)[*r]</b>    |            |       |   |       |      |       |    |                   |     |   |   |  |
|                              | 100-240ac  | 50/60 | 0 | 7.5dc | 5.34 | 40.05 | 16 | ES60601 A1:2012   | 20B | 0 | 1 |  |
| <b>GSM40A09</b>              |            |       |   |       |      |       |    |                   |     |   |   |  |
|                              | 100-240ac  | 50/60 | 0 | 9dc   | 4.45 | 40.05 | 16 | ES60601-1         | 20B | 0 | 1 |  |
| <b>GSM40A09(A1\$)[*r]</b>    |            |       |   |       |      |       |    |                   |     |   |   |  |
|                              | 100-240ac  | 50/60 | 0 | 9dc   | 4.45 | 40.05 | 16 | ES60601 A1:2012   | 20B | 0 | 1 |  |
| <b>GSM40A12</b>              |            |       |   |       |      |       |    |                   |     |   |   |  |
|                              | 100-240ac  | 50/60 | 0 | 12dc  | 3.34 | 40.08 | 16 | ES60601-1         | 20B | 0 | 1 |  |
| <b>GSM40A12(A1\$)[*r]</b>    |            |       |   |       |      |       |    |                   |     |   |   |  |
|                              | 100-240ac  | 50/60 | 0 | 12dc  | 3.34 | 40.08 | 16 | ES60601 A1:2012   | 20B | 0 | 1 |  |
| <b>GSM40A15</b>              |            |       |   |       |      |       |    |                   |     |   |   |  |
|                              | 100-240ac  | 50/60 | 0 | 15dc  | 2.67 | 40.05 | 16 | ES60601-1         | 20B | 0 | 1 |  |
| <b>GSM40A15(A1\$)[*r]</b>    |            |       |   |       |      |       |    |                   |     |   |   |  |
|                              | 100-240ac  | 50/60 | 0 | 15dc  | 2.67 | 40.05 | 16 | ES60601 A1:2012   | 20B | 0 | 1 |  |
| <b>GSM40A18</b>              |            |       |   |       |      |       |    |                   |     |   |   |  |
|                              | 100-240ac  | 50/60 | 0 | 18dc  | 2.22 | 39.96 | 16 | ES60601-1         | 20B | 0 | 1 |  |
| <b>GSM40A18(A1\$)[*r]</b>    |            |       |   |       |      |       |    |                   |     |   |   |  |
|                              |            | 50/60 | 0 | 18dc  | 2.22 | 39.96 | 16 | ES60601 A1:2012   | 20B | 0 | 1 |  |

|                          |            |       |   |       |      |       |    |                 |     |   |   |  |
|--------------------------|------------|-------|---|-------|------|-------|----|-----------------|-----|---|---|--|
|                          | 100-240ac  |       |   |       |      |       |    |                 |     |   |   |  |
| <b>GSM40A24</b>          |            |       |   |       |      |       |    |                 |     |   |   |  |
|                          | 100-240ac  | 50/60 | 0 | 24dc  | 1.67 | 40.08 | 16 | ES60601-1       | 20B | 0 | 1 |  |
| <b>GSM40A24(A1\$)*r]</b> |            |       |   |       |      |       |    |                 |     |   |   |  |
|                          | 100-240ac  | 50/60 | 0 | 24dc  | 1.67 | 40.08 | 16 | ES60601 A1:2012 | 20B | 0 | 1 |  |
| <b>GSM40A48</b>          |            |       |   |       |      |       |    |                 |     |   |   |  |
|                          | 100-240ac  | 50/60 | 0 | 48dc  | 0.84 | 40.32 | 16 | ES60601-1       | 20B | 0 | 1 |  |
| <b>GSM40A48(A1\$)*r]</b> |            |       |   |       |      |       |    |                 |     |   |   |  |
|                          | 100-240ac  | 50/60 | 0 | 48dc  | 0.84 | 40.32 | 16 | ES60601 A1:2012 | 20B | 0 | 1 |  |
| <b>GSM40B05</b>          |            |       |   |       |      |       |    |                 |     |   |   |  |
|                          | 100-240Vac | 50/60 | 0 | 5dc   | 5    | 25    | 16 | ES60601-1 A1    | 20B | 0 | 2 |  |
| <b>GSM40B07</b>          |            |       |   |       |      |       |    |                 |     |   |   |  |
|                          | 100-240Vac | 50/60 | 0 | 7.5dc | 5.34 | 40    | 16 | ES60601-1 A1    | 20B | 0 | 2 |  |
| <b>GSM40B09</b>          |            |       |   |       |      |       |    |                 |     |   |   |  |
|                          | 100-240Vac | 50/60 | 0 | 9dc   | 4.45 | 40    | 16 | ES60601-1 A1    | 20B | 0 | 2 |  |
| <b>GSM40B12</b>          |            |       |   |       |      |       |    |                 |     |   |   |  |
|                          | 100-240Vac | 50/60 | 0 | 12dc  | 3.34 | 40    | 16 | ES60601-1 A1    | 20B | 0 | 2 |  |
| <b>GSM40B15</b>          |            |       |   |       |      |       |    |                 |     |   |   |  |
|                          | 100-240Vac | 50/60 | 0 | 15dc  | 2.67 | 40    | 16 | ES60601-1 A1    | 20B | 0 | 2 |  |
| <b>GSM40B18</b>          |            |       |   |       |      |       |    |                 |     |   |   |  |
|                          | 100-240Vac | 50/60 | 0 | 18dc  | 2.22 | 40    | 16 | ES60601-1 A1    | 20B | 0 | 2 |  |
| <b>GSM40B24</b>          |            |       |   |       |      |       |    |                 |     |   |   |  |
|                          | 100-240Vac | 50/60 | 0 | 24dc  | 1.67 | 40    | 16 | ES60601-1 A1    | 20B | 0 | 2 |  |
| <b>GSM40B48</b>          |            |       |   |       |      |       |    |                 |     |   |   |  |
|                          | 100-240Vac | 50/60 | 0 | 48dc  | 0.84 | 40    | 16 | ES60601-1 A1    | 20B | 0 | 2 |  |
| <b>GSM60A05</b>          |            |       |   |       |      |       |    |                 |     |   |   |  |
|                          | 100-240ac  | 50/60 | 0 | 5dc   | 6    | 30    | 16 | ES60601-1       | 20B | 0 | 1 |  |
| <b>GSM60A05(A1\$)*r]</b> |            |       |   |       |      |       |    |                 |     |   |   |  |
|                          | 100-240ac  | 50/60 | 0 | 5dc   | 6    | 30    | 16 | ES60601 A1:2012 | 20B | 0 | 1 |  |
| <b>GSM60A07</b>          |            |       |   |       |      |       |    |                 |     |   |   |  |
|                          | 100-240ac  | 50/60 | 0 | 7.5dc | 6    | 45    | 16 | ES60601-1       | 20B | 0 | 1 |  |
| <b>GSM60A07(A1\$)*r]</b> |            |       |   |       |      |       |    |                 |     |   |   |  |
|                          | 100-240ac  | 50/60 | 0 | 7.5dc | 6    | 45    | 16 | ES60601 A1:2012 | 20B | 0 | 1 |  |
| <b>GSM60A09</b>          |            |       |   |       |      |       |    |                 |     |   |   |  |
|                          | 100-240ac  | 50/60 | 0 | 9dc   | 6    | 54    | 16 | ES60601-1       | 20B | 0 | 1 |  |
| <b>GSM60A09(A1\$)*r]</b> |            |       |   |       |      |       |    |                 |     |   |   |  |
|                          | 100-240ac  | 50/60 | 0 | 9dc   | 6    | 54    | 16 | ES60601 A1:2012 | 20B | 0 | 1 |  |
| <b>GSM60A12</b>          |            |       |   |       |      |       |    |                 |     |   |   |  |
|                          |            | 50/60 | 0 | 12dc  | 5    | 60    | 16 | ES60601-1       | 20B | 0 | 1 |  |

|                            |            |       |   |       |      |       |    |                 |     |   |   |  |
|----------------------------|------------|-------|---|-------|------|-------|----|-----------------|-----|---|---|--|
|                            | 100-240ac  |       |   |       |      |       |    |                 |     |   |   |  |
| <b>GSM60A12(A1\$)[*r]</b>  |            |       |   |       |      |       |    |                 |     |   |   |  |
|                            | 100-240ac  | 50/60 | 0 | 12dc  | 5    | 60    | 16 | ES60601 A1:2012 | 20B | 0 | 1 |  |
| <b>GSM60A15</b>            |            |       |   |       |      |       |    |                 |     |   |   |  |
|                            | 100-240ac  | 50/60 | 0 | 15dc  | 4    | 60    | 16 | ES60601-1       | 20B | 0 | 1 |  |
| <b>GSM60A18</b>            |            |       |   |       |      |       |    |                 |     |   |   |  |
|                            | 100-240ac  | 50/60 | 0 | 18dc  | 3.33 | 59.94 | 16 | ES60601-1       | 20B | 0 | 1 |  |
| <b>GSM60A18(A1\$)[*r]</b>  |            |       |   |       |      |       |    |                 |     |   |   |  |
|                            | 100-240ac  | 50/60 | 0 | 18dc  | 3.33 | 59.94 | 16 | ES60601 A1:2012 | 20B | 0 | 1 |  |
| <b>GSM60A24</b>            |            |       |   |       |      |       |    |                 |     |   |   |  |
|                            | 100-240ac  | 50/60 | 0 | 24dc  | 2.5  | 60    | 16 | ES60601-1       | 20B | 0 | 1 |  |
| <b>GSM60A24(A1\$)[*r]</b>  |            |       |   |       |      |       |    |                 |     |   |   |  |
|                            | 100-240ac  | 50/60 | 0 | 24dc  | 2.5  | 60    | 16 | ES60601 A1:2012 | 20B | 0 | 1 |  |
| <b>GSM60A48</b>            |            |       |   |       |      |       |    |                 |     |   |   |  |
|                            | 100-240ac  | 50/60 | 0 | 48dc  | 1.25 | 60    | 16 | ES60601-1       | 20B | 0 | 1 |  |
| <b>GSM60A48(A1\$)[*r]</b>  |            |       |   |       |      |       |    |                 |     |   |   |  |
|                            | 100-240ac  | 50/60 | 0 | 48dc  | 1.25 | 60    | 16 | ES60601 A1:2012 | 20B | 0 | 1 |  |
| <b>GSM60B05</b>            |            |       |   |       |      |       |    |                 |     |   |   |  |
|                            | 100-240Vac | 50/60 | 0 | 5dc   | 6    | 30    | 16 | ES60601-1 A1    | 20B | 0 | 2 |  |
| <b>GSM60B07</b>            |            |       |   |       |      |       |    |                 |     |   |   |  |
|                            | 100-240Vac | 50/60 | 0 | 7.5dc | 6    | 45    | 16 | ES60601-1 A1    | 20B | 0 | 2 |  |
| <b>GSM60B09</b>            |            |       |   |       |      |       |    |                 |     |   |   |  |
|                            | 100-240Vac | 50/60 | 0 | 9dc   | 6    | 54    | 16 | ES60601-1 A1    | 20B | 0 | 2 |  |
| <b>GSM60B12</b>            |            |       |   |       |      |       |    |                 |     |   |   |  |
|                            | 100-240Vac | 50/60 | 0 | 12dc  | 5    | 60    | 16 | ES60601-1 A1    | 20B | 0 | 2 |  |
| <b>GSM60B15</b>            |            |       |   |       |      |       |    |                 |     |   |   |  |
|                            | 100-240Vac | 50/60 | 0 | 15dc  | 4    | 60    | 16 | ES60601-1 A1    | 20B | 0 | 2 |  |
| <b>GSM60B18</b>            |            |       |   |       |      |       |    |                 |     |   |   |  |
|                            | 100-240Vac | 50/60 | 0 | 18dc  | 3.33 | 60    | 16 | ES60601-1 A1    | 20B | 0 | 2 |  |
| <b>GSM60B24</b>            |            |       |   |       |      |       |    |                 |     |   |   |  |
|                            | 100-240Vac | 50/60 | 0 | 24dc  | 2.5  | 60    | 16 | ES60601-1 A1    | 20B | 0 | 2 |  |
| <b>GSM60B48</b>            |            |       |   |       |      |       |    |                 |     |   |   |  |
|                            | 100-240Vac | 50/60 | 0 | 48dc  | 1.25 | 60    | 16 | ES60601-1 A1    | 20B | 0 | 2 |  |
| <b>GSM90A12 (A1\$)[*r]</b> |            |       |   |       |      |       |    |                 |     |   |   |  |
|                            | 100-240Vac | 50/60 | 0 | 12dc  | 6.67 | 80W   | 16 | ES60601-1 A1    | 20B | 0 | 1 |  |
| <b>GSM90A15 (A1\$)[*r]</b> |            |       |   |       |      |       |    |                 |     |   |   |  |
|                            | 100-240Vac | 50/60 | 0 | 15dc  | 6    | 90W   | 16 | ES60601-1 A1    | 20B | 0 | 1 |  |
| <b>GSM90A19 (A1\$)[*r]</b> |            |       |   |       |      |       |    |                 |     |   |   |  |
|                            |            | 50/60 | 0 | 19dc  | 4.74 | 90W   | 16 | ES60601-1 A1    | 20B | 0 | 1 |  |

|   |            |       |   |       |           |      |    |              |     |   |   |  |
|---|------------|-------|---|-------|-----------|------|----|--------------|-----|---|---|--|
|   | 100-240Vac |       |   |       |           |      |    |              |     |   |   |  |
| <b>GSM90A24 (A1\$)*r</b>                                |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240Vac | 50/60 | 0 | 24dc  | 3.75      | 90W  | 16 | ES60601-1 A1 | 20B | 0 | 1 |  |
| <b>GSM90A48 (A1\$)*r</b>                                |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240Vac | 50/60 | 0 | 48dc  | 1.87      | 90W  | 16 | ES60601-1 A1 | 20B | 0 | 1 |  |
| <b>GSM90B12 (A1\$)*r</b>                                |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240Vac | 50/60 | 0 | 12dc  | 6.67      | 80   | 16 | ES60601-1 A1 | 20B | 0 | 2 |  |
| <b>GSM90B15 (A1\$)*r</b>                                |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240Vac | 50/60 | 0 | 15dc  | 6..0      | 90   | 16 | ES60601-1 A1 | 20B | 0 | 2 |  |
| <b>GSM90B19 (A1\$)*r</b>                                |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240Vac | 50/60 | 0 | 19dc  | 4.74      | 90   | 16 | ES60601-1 A1 | 20B | 0 | 2 |  |
| <b>GSM90B24 (A1\$)*r</b>                                |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240Vac | 50/60 | 0 | 24dc  | 3.75      | 90   | 16 | ES60601-1 A1 | 20B | 0 | 2 |  |
| <b>GSM90B48 (A1\$)*r</b>                                |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240Vac | 50/60 | 0 | 48dc  | 1.87      | 90   | 16 | ES60601-1 A1 | 20B | 0 | 2 |  |
| <b>MES30A-0, MES30B-0, MES30C-0, MES30D-0-U</b>         |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240ac  | 50-60 | 0 | 3-5   | 5.0       | 25   | 9  | 60601-1      | 2T  | 0 | 1 |  |
| <b>MES30A-1, MES30B-1, MES30C-1, MES30D-1-U</b>         |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240ac  | 50-60 | 0 | 5-6   | 5.0-4.17  | 25   | 9  | 60601-1      | 2T  | 0 | 1 |  |
| <b>MES30A-1-1, MES30B-1-1, MES30C-1-1, MES30D-1-1-U</b> |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240ac  | 50-60 | 0 | 6-8   | 4.17-3.13 | 25   | 9  | 60601-1      | 2T  | 0 | 1 |  |
| <b>MES30A-1-2, MES30B-1-2, MES30C-1-2, MES30D-2-U</b>   |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240ac  | 50-60 | 0 | 8-11  | 3.75-2.73 | 30   | 9  | 60601-1      | 2T  | 0 | 1 |  |
| <b>MES30A-2, MES30C-2[*r]</b>                           |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240ac  | 50-60 | 0 | 8-11  | 3.75-2.73 | 30   | 9  | ES60601-1    | 20B | 0 | 1 |  |
| <b>MES30A-3, MES30B-3, MES30C-3, MES30D-3-U</b>         |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240ac  | 50-60 | 0 | 11-13 | 2.73-2.30 | 30   | 9  | 60601-1      | 2T  | 0 | 1 |  |
| <b>MES30A-4, MES30B-4, MES30C-4, MES30D-4-U</b>         |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240ac  | 50-60 | 0 | 13-16 | 2.30-1.88 | 30   | 9  | 60601-1      | 2T  | 0 | 1 |  |
| <b>MES30A-5, MES30B-5, MES30C-5, MES30D-5-U</b>         |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240ac  | 50-60 | 0 | 16-21 | 1.88-1.43 | 30   | 9  | 60601-1      | 2T  | 0 | 1 |  |
| <b>MES30A-6, MES30B-6, MES30C-6, MES30D-6-U</b>         |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240ac  | 50-60 | 0 | 21-27 | 1.43-1.11 | 30   | 9  | 60601-1      | 2T  | 0 | 1 |  |
| <b>MES30A-7, MES30B-7, MES30C-7, MES30D-7-U</b>         |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240ac  | 50-60 | 0 | 27-33 | 1.11-0.90 | 30   | 9  | 60601-1      | 2T  | 0 | 1 |  |
| <b>MES30A-8, MES30B-8, MES30C-8, MES30D-8-U</b>         |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240ac  | 50-60 | 0 | 33-48 | 0.9-0.63  | 30   | 9  | 60601-1      | 2T  | 0 | 1 |  |
| <b>MES50X-0 (a)*r</b>                                   |            |       |   |       |           |      |    |              |     |   |   |  |
|   |            | 50/60 | 0 | 3-5   | 7.5       | 37.5 | 9  | 60601-1      | 20B | 8 | 1 |  |



|                            |           |       |   |       |           |      |    |                   |     |   |   |  |
|----------------------------|-----------|-------|---|-------|-----------|------|----|-------------------|-----|---|---|--|
|                            | 100-240ac |       |   |       |           |      |    |                   |     |   |   |  |
| <b>MES50X-1 (a)[*r]</b>    |           |       |   |       |           |      |    |                   |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5-6   | 7.50-6.25 | 37.5 | 9  | 60601-1           | 20B | 8 | 1 |  |
| <b>MES50X-1-1 (a)[*r]</b>  |           |       |   |       |           |      |    |                   |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 6-8   | 6.66-5.00 | 40   | 9  | 60601-1           | 20B | 8 | 1 |  |
| <b>MES50X-2 (a)[*r]</b>    |           |       |   |       |           |      |    |                   |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 8-11  | 5.62-4.09 | 45   | 9  | 60601-1           | 20B | 8 | 1 |  |
| <b>MES50X-3 (a)[*r]</b>    |           |       |   |       |           |      |    |                   |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 11-13 | 4.54-3.84 | 50   | 9  | 60601-1           | 20B | 8 | 1 |  |
| <b>MES50X-4 (a)[*r]</b>    |           |       |   |       |           |      |    |                   |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 13-16 | 3.84-3.12 | 50   | 9  | 60601-1           | 20B | 8 | 1 |  |
| <b>MES50X-5 (a)[*r]</b>    |           |       |   |       |           |      |    |                   |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 16-21 | 3.12-2.38 | 50   | 9  | 60601-1           | 20B | 8 | 1 |  |
| <b>MES50X-6 (a)[*r]</b>    |           |       |   |       |           |      |    |                   |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 21-27 | 2.38-1.85 | 50   | 9  | 60601-1           | 20B | 8 | 1 |  |
| <b>MES50X-7 (a)[*r]</b>    |           |       |   |       |           |      |    |                   |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 27-33 | 1.85-1.51 | 50   | 9  | 60601-1           | 20B | 8 | 1 |  |
| <b>MES50X-8 (a)[*r]</b>    |           |       |   |       |           |      |    |                   |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 33-48 | 1.51-1.04 | 50   | 9  | 60601-1           | 20B | 8 | 1 |  |
| <b>MPD-120A[*r]</b>        |           |       |   |       |           |      |    |                   |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5     | 10        | -    | 9  | 60601-1           | 20B | 0 | 1 |  |
|                            |           |       |   | 12    | 5         | -    | 9  |                   |     |   |   |  |
| <b>MPD-120B[*r]</b>        |           |       |   |       |           |      |    |                   |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5     | 10        | -    | 9  | 60601-1           | 20B | 0 | 1 |  |
|                            |           |       |   | 24    | 2.9       | -    | 9  |                   |     |   |   |  |
| <b>MPD-200A@(A1\$)[*r]</b> |           |       |   |       |           |      |    |                   |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5dc   | 20        | -    | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
|                            |           |       |   | 12dc  | 8         | -    | 16 |                   |     |   |   |  |
| <b>MPD-200B@(A1\$)[*r]</b> |           |       |   |       |           |      |    |                   |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5dc   | 20        | -    | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
|                            |           |       |   | 24dc  | 4         | -    | 16 |                   |     |   |   |  |
| <b>MPD-45A[*r]</b>         |           |       |   |       |           |      |    |                   |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5     | 3.2       | 16.0 | 9  | 2601              | -   | 0 | 0 |  |
|                            |           |       |   | 12    | 2         | 24   | 9  |                   |     |   |   |  |
| <b>MPD-45A@(A1\$)[*r]</b>  |           |       |   |       |           |      |    |                   |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5dc   | 3.2       | -    | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
|                            |           |       |   | 12dc  | 2         | -    | 16 |                   |     |   |   |  |
| <b>MPD-45B[*r]</b>         |           |       |   |       |           |      |    |                   |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5     | 3.2       | 16.0 | 9  | 2601              | -   | 0 | 0 |  |
|                            |           |       |   | 24    | 1.2       | 28.8 | 9  |                   |     |   |   |  |
| <b>MPD-45B@(A1\$)[*r]</b>  |           |       |   |       |           |      |    |                   |     |   |   |  |
|                            |           | 50/60 | 0 | 5dc   | 3.2       | -    | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |

|                            |           |       |   |       |     |      |    |                   |     |   |   |  |
|----------------------------|-----------|-------|---|-------|-----|------|----|-------------------|-----|---|---|--|
|                            | 100-240ac |       |   |       |     |      |    |                   |     |   |   |  |
|                            |           |       |   | 24dc  | 1.2 | -    | 16 |                   |     |   |   |  |
| <b>MPD-65A[*r]</b>         | 100-240ac | 50/60 | 0 | 5     | 5.5 | 27.5 | 9  | 2601              | -   | 0 | 0 |  |
|                            |           |       |   | 12    | 2.8 | 33.6 | 9  |                   |     |   |   |  |
| <b>MPD-65A@(A1\$)[*r]</b>  |           |       |   |       |     |      |    |                   |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5dc   | 5.5 | -    | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
|                            |           |       |   | 12dc  | 2.8 | -    | 16 |                   |     |   |   |  |
| <b>MPD-65B[*r]</b>         | 100-240ac | 50/60 | 0 | 5     | 3.5 | 17.5 | 9  | 2601              | -   | 0 | 0 |  |
|                            |           |       |   | 24    | 2   | 48   | 9  |                   |     |   |   |  |
| <b>MPD-65B@(A1\$)[*r]</b>  |           |       |   |       |     |      |    |                   |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5dc   | 3.5 | -    | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
|                            |           |       |   | 24dc  | 2   | -    | 16 |                   |     |   |   |  |
| <b>MPQ-120B[*r]</b>        |           |       |   |       |     |      |    |                   |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5     | 10  | -    | 9  | 60601-1           | 20B | 0 | 1 |  |
|                            |           |       |   | 12    | 4.2 | -    | 9  |                   |     |   |   |  |
|                            |           |       |   | -5    | 0.6 | -    | 9  |                   |     |   |   |  |
|                            |           |       |   | -12   | 0.6 | -    | 9  |                   |     |   |   |  |
| <b>MPQ-120C[*r]</b>        |           |       |   |       |     |      |    |                   |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5     | 10  | -    | 9  | 60601-1           | 20B | 0 | 1 |  |
|                            |           |       |   | 15    | 3.2 | -    | 9  |                   |     |   |   |  |
|                            |           |       |   | -5    | 0.6 | -    | 9  |                   |     |   |   |  |
|                            |           |       |   | -15   | 0.6 | -    | 9  |                   |     |   |   |  |
| <b>MPQ-120D[*r]</b>        |           |       |   |       |     |      |    |                   |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5     | 10  | -    | 9  | 60601-1           | 20B | 0 | 1 |  |
|                            |           |       |   | 12    | 1   | -    | 9  |                   |     |   |   |  |
|                            |           |       |   | 24    | 2.1 | -    | 9  |                   |     |   |   |  |
|                            |           |       |   | -12   | 0.6 | -    | 9  |                   |     |   |   |  |
| <b>MPQ-120E[*r]</b>        |           |       |   |       |     |      |    |                   |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5     | 10  | -    | 9  | 60601-1           | 20B | 0 | 1 |  |
|                            |           |       |   | 12    | 3   | -    | 9  |                   |     |   |   |  |
|                            |           |       |   | 15    | 0.6 | -    | 9  |                   |     |   |   |  |
|                            |           |       |   | 24    | 0.6 | -    | 9  |                   |     |   |   |  |
| <b>MPQ-200B@(A1\$)[*r]</b> |           |       |   |       |     |      |    |                   |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5dc   | 15  | -    | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
|                            |           |       |   | 12dc  | 7   | -    | 16 |                   |     |   |   |  |
|                            |           |       |   | -5dc  | 2   | -    | 16 |                   |     |   |   |  |
|                            |           |       |   | -12dc | 2   | -    | 16 |                   |     |   |   |  |
| <b>MPQ-200C@(A1\$)[*r]</b> |           |       |   |       |     |      |    |                   |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5dc   | 15  | -    | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
|                            |           |       |   | 15dc  | 5   | -    | 16 |                   |     |   |   |  |
|                            |           |       |   | -5dc  | 2   | -    | 16 |                   |     |   |   |  |
|                            |           |       |   | -15dc | 2   | -    | 16 |                   |     |   |   |  |
| <b>MPQ-200D@(A1\$)[*r]</b> |           |       |   |       |     |      |    |                   |     |   |   |  |

|                              |           |       |   |       |      |    |    |                           |     |   |   |
|------------------------------|-----------|-------|---|-------|------|----|----|---------------------------|-----|---|---|
|                              | 100-240ac | 50/60 | 0 | 5dc   | 15   | -  | 16 | ES60601 & A1:2012         | 20B | 0 | 1 |
|                              |           |       |   | 12dc  | 2    | -  | 16 |                           |     |   |   |
|                              |           |       |   | 24dc  | 3    | -  | 16 |                           |     |   |   |
|                              |           |       |   | -12dc | 2    | -  | 16 |                           |     |   |   |
| <b>MPQ-200F@(A1\$)*r</b>     |           |       |   |       |      |    |    |                           |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 5dc   | 15   | -  | 16 | ES60601 & A1:2012         | 20B | 0 | 1 |
|                              |           |       |   | 15dc  | 2    | -  | 16 |                           |     |   |   |
|                              |           |       |   | -15dc | 2    | -  | 16 |                           |     |   |   |
|                              |           |       |   | 24dc  | 2.7  | -  | 16 |                           |     |   |   |
| <b>MPS-120-12*r</b>          |           |       |   |       |      |    |    |                           |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 12    | 10   | -  | 9  | 60601-1                   | 20B | 0 | 1 |
| <b>MPS-120-15*r</b>          |           |       |   |       |      |    |    |                           |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 15    | 8    | -  | 9  | 60601-1                   | 20B | 0 | 1 |
| <b>MPS-120-24*r</b>          |           |       |   |       |      |    |    |                           |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 24    | 5    | -  | 9  | 60601-1                   | 20B | 0 | 1 |
| <b>MPS-120-3.3*r</b>         |           |       |   |       |      |    |    |                           |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 3.3   | 24   | -  | 9  | 60601-1                   | 20B | 0 | 1 |
| <b>MPS-120-48*r</b>          |           |       |   |       |      |    |    |                           |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 48    | 2.5  | -  | 9  | 60601-1                   | 20B | 0 | 1 |
| <b>MPS-120-5*r</b>           |           |       |   |       |      |    |    |                           |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 5     | 22   | -  | 9  | 60601-1                   | 20B | 0 | 1 |
| <b>MPS-200-12@(A1\$)*r</b>   |           |       |   |       |      |    |    |                           |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 12dc  | 16.7 | -  | 16 | ES60601 & A1:2012         | 20B | 0 | 1 |
| <b>MPS-200-15@(A1\$)*r</b>   |           |       |   |       |      |    |    |                           |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 15dc  | 13.4 | -  | 16 | ES60601 & A1:2012         | 20B | 0 | 1 |
| <b>MPS-200-24@(A1\$)*r</b>   |           |       |   |       |      |    |    |                           |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 24dc  | 8.4  | -  | 16 | ES60601 & A1:2012         | 20B | 0 | 1 |
| <b>MPS-200-3.3@(A1\$)*r</b>  |           |       |   |       |      |    |    |                           |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 3.3dc | 40   | -  | 16 | ES60601 & A1:2012         | 20B | 0 | 1 |
| <b>MPS-200-32PE@(A1\$)*r</b> |           |       |   |       |      |    |    |                           |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 32dc  | 6.3  | -  | 16 | ES60601 & A1:2012         | 20B | 0 | 1 |
| <b>MPS-200-48@(A1\$)*r</b>   |           |       |   |       |      |    |    |                           |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 48dc  | 4.2  | -  | 16 | ES60601 & A1:2012         | 20B | 0 | 1 |
| <b>MPS-200-5@(A1\$)*r</b>    |           |       |   |       |      |    |    |                           |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 5dc   | 40   | -  | 16 | ES60601 & A1:2012         | 20B | 0 | 1 |
| <b>MPS-200-7.5@(A1\$)*r</b>  |           |       |   |       |      |    |    |                           |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 7.5dc | 26.6 | -  | 16 | ES60601 & A1:2012         | 20B | 0 | 1 |
| <b>MPS-30-12*r</b>           |           |       |   |       |      |    |    |                           |     |   |   |
|                              | 100-240ac | 50/60 | 0 | -     | 2.5  | 30 | 9  | NSI/AAMI ES 60601-1: 2005 | 20B | 0 | 0 |
| <b>MPS-30-15*r</b>           |           |       |   |       |      |    |    |                           |     |   |   |

|                               |           |       |   |        |     |      |    |                         |     |   |   |
|-------------------------------|-----------|-------|---|--------|-----|------|----|-------------------------|-----|---|---|
|                               | 100-240ac | 50/60 | 0 | -      | 2   | 30   | 9  | NSI/AAMIES 60601-1:2005 | 20B | 0 | 0 |
| <b>MPS-30-24[*r]</b>          |           |       |   |        |     |      |    |                         |     |   |   |
|                               | 100-240ac | 50/60 | 0 | -      | 1.2 | 28.8 | 9  | NSI/AAMIES 60601-1:2005 | 20B | 0 | 0 |
| <b>MPS-30-27[*r]</b>          |           |       |   |        |     |      |    |                         |     |   |   |
|                               | 100-240ac | 50/60 | 0 | -      | 1.1 | 29.7 | 9  | NSI/AAMIES 60601-1:2005 | 20B | 0 | 0 |
| <b>MPS-30-48[*r]</b>          |           |       |   |        |     |      |    |                         |     |   |   |
|                               | 100-240ac | 50/60 | 0 | -      | 0.6 | 28.8 | 9  | NSI/AAMIES 60601-1:2005 | 20B | 0 | 0 |
| <b>MPS-30-5[*r]</b>           |           |       |   |        |     |      |    |                         |     |   |   |
|                               | 100-240ac | 50/60 | 0 | -      | 6   | 30   | 9  | NSI/AAMIES 60601-1:2005 | 20B | 0 | 0 |
| <b>MPS-30-5SI[*r]</b>         |           |       |   |        |     |      |    |                         |     |   |   |
|                               | 100-240ac | 50/60 | 0 | -      | 6   | 30   | 9  | NSI/AAMIES 60601-1:2005 | 20B | 0 | 0 |
| <b>MPS-45-12[*r]</b>          |           |       |   |        |     |      |    |                         |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 12     | 3.7 | 44.4 | 9  | 2601                    | -   | 0 | 0 |
| <b>MPS-45-12@(A1\$)[*r]</b>   |           |       |   |        |     |      |    |                         |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 12dc   | 3.7 | -    | 16 | ES60601 & A1:2012       | 20B | 0 | 1 |
| <b>MPS-45-13.5[*r]</b>        |           |       |   |        |     |      |    |                         |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 13.5   | 3.3 | 44.6 | 9  | 2601                    | -   | 0 | 0 |
| <b>MPS-45-13.5@(A1\$)[*r]</b> |           |       |   |        |     |      |    |                         |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 13.5dc | 3.3 | -    | 16 | ES60601 & A1:2012       | 20B | 0 | 1 |
| <b>MPS-45-15[*r]</b>          |           |       |   |        |     |      |    |                         |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 15     | 3   | 45   | 9  | 2601                    | -   | 0 | 0 |
| <b>MPS-45-15@(A1\$)[*r]</b>   |           |       |   |        |     |      |    |                         |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 15dc   | 3   | -    | 16 | ES60601 & A1:2012       | 20B | 0 | 1 |
| <b>MPS-45-24[*r]</b>          |           |       |   |        |     |      |    |                         |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 24     | 1.9 | 45.6 | 9  | 2601                    | -   | 0 | 0 |
| <b>MPS-45-24@(A1\$)[*r]</b>   |           |       |   |        |     |      |    |                         |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 24dc   | 1.9 | -    | 16 | ES60601 & A1:2012       | 20B | 0 | 1 |
| <b>MPS-45-27[*r]</b>          |           |       |   |        |     |      |    |                         |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 27     | 1.7 | 45.9 | 9  | 2601                    | -   | 0 | 0 |
| <b>MPS-45-27@(A1\$)[*r]</b>   |           |       |   |        |     |      |    |                         |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 27dc   | 1.7 | -    | 16 | ES60601 & A1:2012       | 20B | 0 | 1 |
| <b>MPS-45-3.3[*r]</b>         |           |       |   |        |     |      |    |                         |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 3.3    | 8   | 26.4 | 9  | 2601                    | -   | 0 | 0 |
| <b>MPS-45-3.3@(A1\$)[*r]</b>  |           |       |   |        |     |      |    |                         |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 3.3dc  | 8   | -    | 16 | ES60601 & A1:2012       | 20B | 0 | 1 |
| <b>MPS-45-48[*r]</b>          |           |       |   |        |     |      |    |                         |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 48     | 1   | 48   | 9  | 2601                    | -   | 0 | 0 |
| <b>MPS-45-48@(A1\$)[*r]</b>   |           |       |   |        |     |      |    |                         |     |   |   |
|                               |           | 50/60 | 0 | 48dc   | 1   | -    | 16 | ES60601 & A1:2012       | 20B | 0 | 1 |

|                               |           |       |   |        |      |      |    |                   |     |   |   |  |
|-------------------------------|-----------|-------|---|--------|------|------|----|-------------------|-----|---|---|--|
|                               | 100-240ac |       |   |        |      |      |    |                   |     |   |   |  |
| <b>MPS-45-5[*r]</b>           |           |       |   |        |      |      |    |                   |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 5      | 8    | 40   | 9  | 2601              | -   | 0 | 0 |  |
| <b>MPS-45-5@(A1\$)[*r]</b>    |           |       |   |        |      |      |    |                   |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 5dc    | 8    | -    | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
| <b>MPS-45-7.5[*r]</b>         |           |       |   |        |      |      |    |                   |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 7.5    | 5.5  | 41.3 | 9  | 2601              | -   | 0 | 0 |  |
| <b>MPS-45-7.5@(A1\$)[*r]</b>  |           |       |   |        |      |      |    |                   |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 7.5dc  | 5.4  | -    | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
| <b>MPS-65-12[*r]</b>          |           |       |   |        |      |      |    |                   |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 12     | 5.2  | 62.4 | 9  | 2601              | -   | 0 | 0 |  |
| <b>MPS-65-12@(A1\$)[*r]</b>   |           |       |   |        |      |      |    |                   |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 12dc   | 5.2  | -    | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
| <b>MPS-65-13.5[*r]</b>        |           |       |   |        |      |      |    |                   |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 13.5   | 4.7  | 63.5 | 9  | 2601              | -   | 0 | 0 |  |
| <b>MPS-65-13.5@(A1\$)[*r]</b> |           |       |   |        |      |      |    |                   |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 13.5dc | 4.7  | -    | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
| <b>MPS-65-15[*r]</b>          |           |       |   |        |      |      |    |                   |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 15     | 4.2  | 63.0 | 9  | 2601              | -   | 0 | 0 |  |
| <b>MPS-65-15@(A1\$)[*r]</b>   |           |       |   |        |      |      |    |                   |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 15dc   | 4.2  | -    | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
| <b>MPS-65-24[*r]</b>          |           |       |   |        |      |      |    |                   |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 24     | 2.7  | 64.8 | 9  | 2601              | -   | 0 | 0 |  |
| <b>MPS-65-24@(A1\$)[*r]</b>   |           |       |   |        |      |      |    |                   |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 24dc   | 2.7  | -    | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
| <b>MPS-65-27[*r]</b>          |           |       |   |        |      |      |    |                   |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 27     | 2.4  | 64.8 | 9  | 2601              | -   | 0 | 0 |  |
| <b>MPS-65-27@(A1\$)[*r]</b>   |           |       |   |        |      |      |    |                   |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 27dc   | 2.4  | -    | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
| <b>MPS-65-3.3[*r]</b>         |           |       |   |        |      |      |    |                   |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 3.3    | 12   | 39.6 | 9  | 2601              | -   | 0 | 0 |  |
| <b>MPS-65-3.3@(A1\$)[*r]</b>  |           |       |   |        |      |      |    |                   |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 3.3dc  | 12   | -    | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
| <b>MPS-65-48[*r]</b>          |           |       |   |        |      |      |    |                   |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 48     | 1.35 | 64.8 | 9  | 2601              | -   | 0 | 0 |  |
| <b>MPS-65-48@(A1\$)[*r]</b>   |           |       |   |        |      |      |    |                   |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 48dc   | 1.35 | -    | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
| <b>MPS-65-5[*r]</b>           |           |       |   |        |      |      |    |                   |     |   |   |  |
|                               |           | 50/60 | 0 | 5      | 12   | 60.0 | 9  | 2601              | -   | 0 | 0 |  |

|                             |           |       |   |       |     |      |    |                   |     |   |   |  |
|-----------------------------|-----------|-------|---|-------|-----|------|----|-------------------|-----|---|---|--|
|                             | 100-240ac |       |   |       |     |      |    |                   |     |   |   |  |
| <b>MPS-65-5@(A1\$)*r]</b>   |           |       |   |       |     |      |    |                   |     |   |   |  |
|                             | 100-240ac | 50/60 | 0 | 5dc   | 12  | -    | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
| <b>MPS-65-7.5)*r]</b>       |           |       |   |       |     |      |    |                   |     |   |   |  |
|                             | 100-240ac | 50/60 | 0 | 7.5   | 8   | 60.0 | 9  | 2601              | -   | 0 | 0 |  |
| <b>MPS-65-7.5@(A1\$)*r]</b> |           |       |   |       |     |      |    |                   |     |   |   |  |
|                             | 100-240ac | 50/60 | 0 | 7.5dc | 8   | 60.0 | 16 | ES60601 & A1:2012 | 20B | 0 | 0 |  |
| <b>MPT-120A)*r]</b>         |           |       |   |       |     |      |    |                   |     |   |   |  |
|                             | 100-240ac | 50/60 | 0 | 5     | 10  | -    | 9  | 60601-1           | 20B | 0 | 1 |  |
|                             |           |       |   | 12    | 4.8 | -    | 9  |                   |     |   |   |  |
|                             |           |       |   | -5    | 0.6 | -    | 9  |                   |     |   |   |  |
| <b>MPT-120B)*r]</b>         |           |       |   |       |     |      |    |                   |     |   |   |  |
|                             | 100-240ac | 50/60 | 0 | 5     | 10  | -    | 9  | 60601-1           | 20B | 0 | 1 |  |
|                             |           |       |   | 12    | 4.4 | -    | 9  |                   |     |   |   |  |
|                             |           |       |   | -12   | 0.6 | -    | 9  |                   |     |   |   |  |
| <b>MPT-120BC88)*r]</b>      |           |       |   |       |     |      |    |                   |     |   |   |  |
|                             | 100-240ac | 50/60 | 0 | 5     | 7   | -    | 9  | 60601-1           | 20B | 0 | 1 |  |
|                             |           |       |   | 12    | 4   | -    | 9  |                   |     |   |   |  |
|                             |           |       |   | 24    | 1   | -    | 9  |                   |     |   |   |  |
| <b>MPT-120C)*r]</b>         |           |       |   |       |     |      |    |                   |     |   |   |  |
|                             | 100-240ac | 50/60 | 0 | 5     | 10  | -    | 9  | 60601-1           | 20B | 0 | 1 |  |
|                             |           |       |   | 15    | 4   | -    | 9  |                   |     |   |   |  |
|                             |           |       |   | -15   | 0.6 | -    | 9  |                   |     |   |   |  |
| <b>MPT-120D)*r]</b>         |           |       |   |       |     |      |    |                   |     |   |   |  |
|                             | 100-240ac | 50/60 | 0 | 5     | 10  | -    | 9  | 60601-1           | 20B | 0 | 1 |  |
|                             |           |       |   | 24    | 2.2 | -    | 9  |                   |     |   |   |  |
|                             |           |       |   | 12    | 0.6 | -    | 9  |                   |     |   |   |  |
| <b>MPT-200A@(A1\$)*r]</b>   |           |       |   |       |     |      |    |                   |     |   |   |  |
|                             | 100-240ac | 50/60 | 0 | 5dc   | 20  | -    | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
|                             |           |       |   | 12dc  | 7.5 | -    | 16 |                   |     |   |   |  |
|                             |           |       |   | -5dc  | 2   | -    | 16 |                   |     |   |   |  |
| <b>MPT-200B@(A1\$)*r]</b>   |           |       |   |       |     |      |    |                   |     |   |   |  |
|                             | 100-240ac | 50/60 | 0 | 5dc   | 20  | -    | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
|                             |           |       |   | 12dc  | 6   | -    | 16 |                   |     |   |   |  |
|                             |           |       |   | -12dc | 2   | -    | 16 |                   |     |   |   |  |
| <b>MPT-200C@(A1\$)*r]</b>   |           |       |   |       |     |      |    |                   |     |   |   |  |
|                             | 100-240ac | 50/60 | 0 | 5dc   | 20  | -    | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
|                             |           |       |   | 15dc  | 4.7 | -    | 16 |                   |     |   |   |  |
|                             |           |       |   | -15dc | 2   | -    | 16 |                   |     |   |   |  |
| <b>MPT-200D@(A1\$)*r]</b>   |           |       |   |       |     |      |    |                   |     |   |   |  |
|                             | 100-240ac | 50/60 | 0 | 5dc   | 20  | -    | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
|                             |           |       |   | 24dc  | 3   | -    | 16 |                   |     |   |   |  |

|                           |               |       |   |       |     |      |    |                   |     |   |   |
|---------------------------|---------------|-------|---|-------|-----|------|----|-------------------|-----|---|---|
|                           |               |       |   | 12dc  | 2   | -    | 16 |                   |     |   |   |
| <b>MPT-45A</b><br>[*r]    | 100-<br>240ac | 50/60 | 0 | 5     | 3.5 | 15   | 9  | 2601              | -   | 0 | 0 |
|                           |               |       |   | 12    | 2   | 24   | 9  |                   |     |   |   |
|                           |               |       |   | 12    | 2   | 24   | 9  |                   |     |   |   |
| <b>MPT-45A@(A1\$)[*r]</b> |               |       |   |       |     |      |    |                   |     |   |   |
|                           | 100-<br>240ac | 50/60 | 0 | 5dc   | 3   | -    | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |
|                           |               |       |   | 12dc  | 2   | -    | 16 |                   |     |   |   |
|                           |               |       |   | -5dc  | 0.3 | -    | 16 |                   |     |   |   |
| <b>MPT-45B</b><br>[*r]    | 100-<br>240ac | 50/60 | 0 | 5     | 3.5 | 15   | 9  | 2601              | -   | 0 | 0 |
|                           |               |       |   | 12    | 2   | 24   | 9  |                   |     |   |   |
|                           |               |       |   | -12   | 0.3 | 3.6  | 9  |                   |     |   |   |
| <b>MPT-45B@(A1\$)[*r]</b> |               |       |   |       |     |      |    |                   |     |   |   |
|                           | 100-<br>240ac | 50/60 | 0 | 5dc   | 3   | -    | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |
|                           |               |       |   | 12dc  | 2   | -    | 16 |                   |     |   |   |
|                           |               |       |   | -12dc | 0.3 | -    | 16 |                   |     |   |   |
| <b>MPT-45C</b><br>[*r]    | 100-<br>240ac | 50/60 | 0 | 5     | 3.5 | 15   | 9  | 2601              | -   | 0 | 0 |
|                           |               |       |   | 15    | 1.6 | 24   | 9  |                   |     |   |   |
|                           |               |       |   | -15   | 0.3 | 4.5  | 9  |                   |     |   |   |
| <b>MPT-45C@(A1\$)[*r]</b> |               |       |   |       |     |      |    |                   |     |   |   |
|                           | 100-<br>240ac | 50/60 | 0 | 5dc   | 3   | -    | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |
|                           |               |       |   | 15dc  | 1.6 | -    | 16 |                   |     |   |   |
|                           |               |       |   | -15dc | 0.3 | -    | 16 |                   |     |   |   |
| <b>MPT-65A</b><br>[*r]    | 100-<br>240ac | 50/60 | 0 | 5     | 5.5 | 27.5 | 9  | 2601              | -   | 0 | 0 |
|                           |               |       |   | 12    | 2.5 | 30   | 9  |                   |     |   |   |
|                           |               |       |   | -5    | 0.5 | 2.5  | 9  |                   |     |   |   |
| <b>MPT-65A@(A1\$)[*r]</b> |               |       |   |       |     |      |    |                   |     |   |   |
|                           | 100-<br>240ac | 50/60 | 0 | 5dc   | 5.5 | -    | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |
|                           |               |       |   | 12dc  | 2.5 | -    | 16 |                   |     |   |   |
|                           |               |       |   | -5dc  | 0.5 | -    | 16 |                   |     |   |   |
| <b>MPT-65B</b><br>[*r]    | 100-<br>240ac | 50/60 | 0 | 5     | 5.5 | 27.5 | 9  | 2601              | -   | 0 | 0 |
|                           |               |       |   | 12    | 2.5 | 30   | 9  |                   |     |   |   |
|                           |               |       |   | -12   | 0.5 | 6    | 9  |                   |     |   |   |
| <b>MPT-65B@(A1\$)[*r]</b> |               |       |   |       |     |      |    |                   |     |   |   |
|                           | 100-<br>240ac | 50/60 | 0 | 5dc   | 5.5 | -    | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |
|                           |               |       |   | 12dc  | 2.5 | -    | 16 |                   |     |   |   |
|                           |               |       |   | -12dc | 0.5 | -    | 16 |                   |     |   |   |
| <b>MPT-65C</b><br>[*r]    | 100-<br>240ac | 50/60 | 0 | 5     | 5.5 | 27.5 | 9  | 2601              | -   | 0 | 0 |
|                           |               |       |   | 15    | 2   | 30   | 9  |                   |     |   |   |
|                           |               |       |   | -15   | 0.5 | 7.5  | 9  |                   |     |   |   |
| <b>MPT-65C@(A1\$)[*r]</b> |               |       |   |       |     |      |    |                   |     |   |   |
|                           | 100-<br>240ac | 50/60 | 0 | 5dc   | 5.5 | -    | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |
|                           |               |       |   | 15dc  | 2   | -    | 16 |                   |     |   |   |
|                           |               |       |   | -15dc | 0.5 | -    | 16 |                   |     |   |   |

|                              |           |       |   |       |      |       |    |                 |     |   |   |
|------------------------------|-----------|-------|---|-------|------|-------|----|-----------------|-----|---|---|
| <b>MSP-100-12(A1\$)[*r]</b>  |           |       |   |       |      |       |    |                 |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 12dc  | 8.5  | 102   | 14 | ES60601 A1:2012 | 20B | 0 | 1 |
| <b>MSP-100-12@[*r]</b>       |           |       |   |       |      |       |    |                 |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 12dc  | 8.5  | 102   | 14 | ES60601-1       | 20B | 0 | 1 |
| <b>MSP-100-15(A1\$)[*r]</b>  |           |       |   |       |      |       |    |                 |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 15dc  | 7    | 105   | 14 | ES60601 A1:2012 | 20B | 0 | 1 |
| <b>MSP-100-15@[*r]</b>       |           |       |   |       |      |       |    |                 |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 15dc  | 7    | 105   | 14 | ES60601-1       | 20B | 0 | 1 |
| <b>MSP-100-24(A1\$)[*r]</b>  |           |       |   |       |      |       |    |                 |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 24dc  | 4.5  | 108   | 14 | ES60601 A1:2012 | 20B | 0 | 1 |
| <b>MSP-100-24@[*r]</b>       |           |       |   |       |      |       |    |                 |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 24dc  | 4.5  | 108   | 14 | ES60601-1       | 20B | 0 | 1 |
| <b>MSP-100-3.3(A1\$)[*r]</b> |           |       |   |       |      |       |    |                 |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 3.3dc | 20   | 66    | 14 | ES60601 A1:2012 | 20B | 0 | 1 |
| <b>MSP-100-3.3@[*r]</b>      |           |       |   |       |      |       |    |                 |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 3.3dc | 20   | 66    | 14 | ES60601-1       | 20B | 0 | 1 |
| <b>MSP-100-36(A1\$)[*r]</b>  |           |       |   |       |      |       |    |                 |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 36dc  | 2.9  | 104.4 | 14 | ES60601 A1:2012 | 20B | 0 | 1 |
| <b>MSP-100-36@[*r]</b>       |           |       |   |       |      |       |    |                 |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 36dc  | 2.9  | 104.4 | 14 | ES60601-1       | 20B | 0 | 1 |
| <b>MSP-100-48(A1\$)[*r]</b>  |           |       |   |       |      |       |    |                 |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 48dc  | 2.2  | 105.6 | 14 | ES60601 A1:2012 | 20B | 0 | 1 |
| <b>MSP-100-48@[*r]</b>       |           |       |   |       |      |       |    |                 |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 48dc  | 2.2  | 105.6 | 14 | ES60601-1       | 20B | 0 | 1 |
| <b>MSP-100-5(A1\$)[*r]</b>   |           |       |   |       |      |       |    |                 |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 5dc   | 17   | 85    | 14 | ES60601 A1:2012 | 20B | 0 | 1 |
| <b>MSP-100-5@[*r]</b>        |           |       |   |       |      |       |    |                 |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 5dc   | 17   | 85    | 14 | ES60601-1       | 20B | 0 | 1 |
| <b>MSP-100-7.5(A1\$)[*r]</b> |           |       |   |       |      |       |    |                 |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 7.5dc | 13.5 | 101.3 | 14 | ES60601 A1:2012 | 20B | 0 | 1 |
| <b>MSP-100-7.5@[*r]</b>      |           |       |   |       |      |       |    |                 |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 7.5dc | 13.5 | 101.3 | 14 | ES60601-1       | 20B | 0 | 1 |
| <b>MSP-200-12(A1\$)[*r]</b>  |           |       |   |       |      |       |    |                 |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 12dc  | 16.7 | -     | 14 | ES60601 A1:2012 | 20B | 0 | 1 |
| <b>MSP-200-12@</b>           |           |       |   |       |      |       |    |                 |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 12dc  | 16.7 | -     | 14 | ES60601-1       | 20B | 0 | 1 |
| <b>MSP-200-15(A1\$)[*r]</b>  |           |       |   |       |      |       |    |                 |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 15dc  | 13.4 | -     | 14 | ES60601 A1:2012 | 20B | 0 | 1 |
| <b>MSP-200-15@</b>           |           |       |   |       |      |       |    |                 |     |   |   |



|                               |           |       |   |       |      |      |    |                   |     |   |   |
|-------------------------------|-----------|-------|---|-------|------|------|----|-------------------|-----|---|---|
|                               | 100-240ac | 50/60 | 0 | 15dc  | 13.4 | -    | 14 | ES60601-1         | 20B | 0 | 1 |
| <b>MSP-200-24(A1\$)[*r]</b>   |           |       |   |       |      |      |    |                   |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 24dc  | 8.4  | -    | 14 | ES60601 A1:2012   | 20B | 0 | 1 |
| <b>MSP-200-24@</b>            |           |       |   |       |      |      |    |                   |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 24dc  | 8.4  | -    | 14 | ES60601-1         | 20B | 0 | 1 |
| <b>MSP-200-3.3(A1\$)[*r]</b>  |           |       |   |       |      |      |    |                   |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 3.3dc | 40   | -    | 14 | ES60601 A1:2012   | 20B | 0 | 1 |
| <b>MSP-200-3.3@</b>           |           |       |   |       |      |      |    |                   |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 3.3dc | 40   | -    | 14 | ES60601-1         | 20B | 0 | 1 |
| <b>MSP-200-36(A1\$)[*r]</b>   |           |       |   |       |      |      |    |                   |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 36dc  | 5.7  | -    | 14 | ES60601 A1:2012   | 20B | 0 | 1 |
| <b>MSP-200-36@</b>            |           |       |   |       |      |      |    |                   |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 36dc  | 5.7  | -    | 14 | ES60601-1         | 20B | 0 | 1 |
| <b>MSP-200-48(A1\$)[*r]</b>   |           |       |   |       |      |      |    |                   |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 48dc  | 4.3  | -    | 14 | ES60601 A1:2012   | 20B | 0 | 1 |
| <b>MSP-200-48@</b>            |           |       |   |       |      |      |    |                   |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 48dc  | 4.3  | -    | 14 | ES60601-1         | 20B | 0 | 1 |
| <b>MSP-200-5(A1\$)[*r]</b>    |           |       |   |       |      |      |    |                   |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 5dc   | 35   | -    | 14 | ES60601 A1:2012   | 20B | 0 | 1 |
| <b>MSP-200-5@</b>             |           |       |   |       |      |      |    |                   |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 5dc   | 35   | -    | 14 | ES60601-1         | 20B | 0 | 1 |
| <b>MSP-200-7.5(A1\$)[*r]</b>  |           |       |   |       |      |      |    |                   |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 7.5dc | 26.7 | -    | 14 | ES60601 A1:2012   | 20B | 0 | 1 |
| <b>MSP-200-7.5@</b>           |           |       |   |       |      |      |    |                   |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 7.5dc | 26.7 | -    | 14 | ES60601-1         | 20B | 0 | 1 |
| <b>MSP-30-12 @(A1\$)[*r]</b>  |           |       |   |       |      |      |    |                   |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 12dc  | 2.5  | 30   | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |
| <b>MSP-30-15 @(A1\$)[*r]</b>  |           |       |   |       |      |      |    |                   |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 15dc  | 2    | 30   | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |
| <b>MSP-30-24 @(A1\$)[*r]</b>  |           |       |   |       |      |      |    |                   |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 24dc  | 1.2  | 28.8 | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |
| <b>MSP-30-27 @(A1\$)[*r]</b>  |           |       |   |       |      |      |    |                   |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 27dc  | 1.1  | 29.7 | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |
| <b>MSP-30-48 @(A1\$)[*r]</b>  |           |       |   |       |      |      |    |                   |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 48dc  | 0.6  | 28.8 | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |
| <b>MSP-30-5@(A1\$)[*r]</b>    |           |       |   |       |      |      |    |                   |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 5dc   | 5    | 25   | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |
| <b>MSP-30-5SI @(A1\$)[*r]</b> |           |       |   |       |      |      |    |                   |     |   |   |
|                               |           | 50/60 | 0 | 5dc   | 5    | 25   | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |

|                                   |            |       |   |       |      |         |        |                   |     |   |   |  |
|-----------------------------------|------------|-------|---|-------|------|---------|--------|-------------------|-----|---|---|--|
|                                   | 100-240ac  |       |   |       |      |         |        |                   |     |   |   |  |
| <b>MSP-300-12@(A1\$)*r]</b>       |            |       |   |       |      |         |        |                   |     |   |   |  |
|                                   | 100-240ac  | 50/60 | 0 | 12    | 27   | 324 (b) | 14, 19 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
| <b>MSP-300-15@(A1\$)*r]</b>       |            |       |   |       |      |         |        |                   |     |   |   |  |
|                                   | 100-240ac  | 50/60 | 0 | 15    | 22   | 330 (b) | 14, 19 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
| <b>MSP-300-24@(A1\$)*r]</b>       |            |       |   |       |      |         |        |                   |     |   |   |  |
|                                   | 100-240ac  | 50/60 | 0 | 24    | 14   | 336 (b) | 14, 19 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
| <b>MSP-300-3.3@(A1\$)*r]</b>      |            |       |   |       |      |         |        |                   |     |   |   |  |
|                                   | 100-240ac  | 50/60 | 0 | 3.3   | 60   | 198 (b) | 14, 19 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
| <b>MSP-300-36@(A1\$)*r]</b>       |            |       |   |       |      |         |        |                   |     |   |   |  |
|                                   | 100-240ac  | 50/60 | 0 | 36    | 9    | 324 (b) | 14, 19 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
| <b>MSP-300-48@(A1\$)*r]</b>       |            |       |   |       |      |         |        |                   |     |   |   |  |
|                                   | 100-240ac  | 50/60 | 0 | 48    | 7    | 336 (b) | 14, 19 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
| <b>MSP-300-5@(A1\$)*r]</b>        |            |       |   |       |      |         |        |                   |     |   |   |  |
|                                   | 100-240ac  | 50/60 | 0 | 5     | 60   | 300 (b) | 14, 19 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
| <b>MSP-300-7.5@(A1\$)*r]</b>      |            |       |   |       |      |         |        |                   |     |   |   |  |
|                                   | 100-240ac  | 50/60 | 0 | 7.5   | 40   | 300 (b) | 14, 19 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
| <b>MSP-450-12@[*r] (A1\$)*r]</b>  |            |       |   |       |      |         |        |                   |     |   |   |  |
|                                   | 100-240Vac | 50/60 | 0 | 12dc  | 37.5 | 450     | 14     | ES60601-1         | 20B | 0 | 1 |  |
| <b>MSP-450-15@[*r] (A1\$)*r]</b>  |            |       |   |       |      |         |        |                   |     |   |   |  |
|                                   | 100-240Vac | 50/60 | 0 | 15dc  | 30   | 450     | 14     | ES60601-1         | 20B | 0 | 1 |  |
| <b>MSP-450-24@[*r] (A1\$)*r]</b>  |            |       |   |       |      |         |        |                   |     |   |   |  |
|                                   | 100-240Vac | 50/60 | 0 | 24dc  | 18.8 | 451.2   | 14     | ES60601-1         | 20B | 0 | 1 |  |
| <b>MSP-450-3.3@[*r] (A1\$)*r]</b> |            |       |   |       |      |         |        |                   |     |   |   |  |
|                                   | 100-240Vac | 50/60 | 0 | 3.3dc | 90   | 297     | 14     | ES60601-1         | 20B | 0 | 1 |  |
| <b>MSP-450-36@[*r] (A1\$)*r]</b>  |            |       |   |       |      |         |        |                   |     |   |   |  |
|                                   | 100-240Vac | 50/60 | 0 | 36dc  | 12.5 | 450     | 14     | ES60601-1         | 20B | 0 | 1 |  |
| <b>MSP-450-48@[*r] (A1\$)*r]</b>  |            |       |   |       |      |         |        |                   |     |   |   |  |
|                                   | 100-240Vac | 50/60 | 0 | 48dc  | 9.5  | 456     | 14     | ES60601-1         | 20B | 0 | 1 |  |
| <b>MSP-450-5@[*r] (A1\$)*r]</b>   |            |       |   |       |      |         |        |                   |     |   |   |  |
|                                   | 100-240Vac | 50/60 | 0 | 5dc   | 90   | 450     | 14     | ES60601-1         | 20B | 0 | 1 |  |
| <b>MSP-450-7.5@[*r]</b>           |            |       |   |       |      |         |        |                   |     |   |   |  |
|                                   | 100-240Vac | 50/60 | 0 | 7.5dc | 60   | 450     | 14     | ES60601-1         | 20B | 0 | 1 |  |
| <b>MSP-600-12 @ (A1\$)*r]</b>     |            |       |   |       |      |         |        |                   |     |   |   |  |
|                                   | 100-240ac  | 50/60 | 0 | 12dc  | 53   | 636     | 14     | ES60601 & A1:2012 | 20B | 0 | 1 |  |
| <b>MSP-600-15 @ (A1\$)*r]</b>     |            |       |   |       |      |         |        |                   |     |   |   |  |
|                                   | 100-240ac  | 50/60 | 0 | 15dc  | 43   | 645     | 14     | ES60601 & A1:2012 | 20B | 0 | 1 |  |
| <b>MSP-600-24 @ (A1\$)*r]</b>     |            |       |   |       |      |         |        |                   |     |   |   |  |
|                                   |            | 50/60 | 0 | 24dc  | 27   | 648     | 14     | ES60601 & A1:2012 | 20B | 0 | 1 |  |

|  |           |       |   |       |      |       |    |   |     |   |   |  |  |
|--|-----------|-------|---|-------|------|-------|----|---|-----|---|---|--|--|
|  | 100-240ac |       |   |       |      |       |    |   |     |   |   |  |  |
| <b>MSP-600-3.3 @ (A1\$)*r]</b>           |           |       |   |       |      |       |    |   |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 3.3dc | 120  | 396   | 14 | ES60601 & A1:2012   | 20B | 0 | 1 |  |  |
| <b>MSP-600-36 @ (A1\$)*r]</b>            |           |       |   |       |      |       |    |   |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 36dc  | 17.5 | 630   | 14 | ES60601 & A1:2012   | 20B | 0 | 1 |  |  |
| <b>MSP-600-48 @ (A1\$)*r]</b>            |           |       |   |       |      |       |    |   |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 48dc  | 13   | 624   | 14 | ES60601 & A1:2012   | 20B | 0 | 1 |  |  |
| <b>MSP-600-5 @ (A1\$)*r]</b>             |           |       |   |       |      |       |    |   |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 5dc   | 120  | 600   | 14 | ES60601 & A1:2012   | 20B | 0 | 1 |  |  |
| <b>MSP-600-7.5 @ (A1\$)*r]</b>           |           |       |   |       |      |       |    |   |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 7.5dc | 80   | 600   | 14 | ES60601 & A1:2012   | 20B | 0 | 1 |  |  |
| <b>PM-05-12, NFM-05-12 @ (A1\$)*r]</b>   |           |       |   |       |      |       |    |   |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 12dc  | 0.42 | 5.04  | 16 | ES60601 & A1:2012   | 20B | 0 | 2 |  |  |
| <b>PM-05-15, NFM-05-15 @ (A1\$)*r]</b>   |           |       |   |       |      |       |    |   |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 15dc  | 0.33 | 4.95  | 16 | ES60601 & A1:2012   | 20B | 0 | 2 |  |  |
| <b>PM-05-24, NFM-05-24 @ (A1\$)*r]</b>   |           |       |   |       |      |       |    |   |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 24dc  | 0.23 | 5.52  | 16 | ES60601 & A1:2012   | 20B | 0 | 2 |  |  |
| <b>PM-05-3.3, NFM-05-3.3 @ (A1\$)*r]</b> |           |       |   |       |      |       |    |   |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 3.3dc | 1.25 | 4.125 | 16 | ES60601 & A1:2012   | 20B | 0 | 2 |  |  |
| <b>PM-05-5, NFM-05-5 @ (A1\$)*r]</b>     |           |       |   |       |      |       |    |   |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 5dc   | 1.0  | 5.0   | 16 | ES60601 & A1:2012   | 20B | 0 | 2 |  |  |
| <b>PM-10-12, NFM-10-12 (A1\$)*r]</b>     |           |       |   |       |      |       |    |   |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 12    | 0.85 | 10.2  | 9  | ANSI/AAM IES 60601-1: 2005;<br>CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |  |  |
| <b>PM-10-15, NFM-10-15 (A1\$)*r]</b>     |           |       |   |       |      |       |    |   |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 15    | 0.67 | 10.05 | 9  | ANSI/AAM IES 60601-1: 2005;<br>CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |  |  |
| <b>PM-10-24, NFM-10-24 (A1\$)*r]</b>     |           |       |   |       |      |       |    |   |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 24    | 0.42 | 10.08 | 9  | ANSI/AAM IES 60601-1: 2005;<br>CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |  |  |
| <b>PM-10-3.3, NFM-10-3.3 (A1\$)*r]</b>   |           |       |   |       |      |       |    |   |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 3.3   | 2.5  | 8.25  | 9  | ANSI/AAM IES 60601-1: 2005;<br>CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |  |  |
| <b>PM-10-5, NFM-10-5 (A1\$)*r]</b>       |           |       |   |       |      |       |    |   |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 5     | 2.0  | 10    | 9  | ANSI/AAM IES 60601-1: 2005;<br>CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |  |  |
| <b>PM-15-12, NFM-15-12 @ (A1\$)*r]</b>   |           |       |   |       |      |       |    |   |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 12dc  | 1.25 | 15    | 16 | ES60601 & A1:2012   | 20B | 0 | 2 |  |  |
| <b>PM-15-15, NFM-15-15 @ (A1\$)*r]</b>   |           |       |   |       |      |       |    |   |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 15dc  | 1.0  | 15    | 16 | ES60601 & A1:2012   | 20B | 0 | 2 |  |  |
| <b>PM-15-24, NFM-15-24 @ (A1\$)*r]</b>   |           |       |   |       |      |       |    |   |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 24dc  | 0.63 | 15.12 | 16 | ES60601 & A1:2012   | 20B | 0 | 2 |  |  |
| <b>PM-15-3.3, NFM-15-3.3 @ (A1\$)*r]</b> |           |       |   |       |      |       |    |   |     |   |   |  |  |
|  |           | 50/60 | 0 | 3.3dc | 3.5  | 11.55 | 16 | ES60601 & A1:2012   | 20B | 0 | 2 |  |  |

|   |            |       |   |       |         |               |    |                           |     |   |   |  |
|---|------------|-------|---|-------|---------|---------------|----|---------------------------|-----|---|---|--|
|   | 100-240ac  |       |   |       |         |               |    |                           |     |   |   |  |
| <b>PM-15-5, NFM-15-5 @ (A1\$)[*r]</b>     |            |       |   |       |         |               |    |                           |     |   |   |  |
|   | 100-240ac  | 50/60 | 0 | 5dc   | 3       | 15            | 16 | ES60601 & A1:2012         | 20B | 0 | 2 |  |
| <b>PM-20-12, NFM-20-12 @ (A1\$)[*r]</b>   |            |       |   |       |         |               |    |                           |     |   |   |  |
|   | 100-240ac  | 50/60 | 0 | 12dc  | 1.8     | 21.6          | 16 | ES60601 & A1:2012         | 20B | 0 | 1 |  |
| <b>PM-20-15, NFM-20-15 @ (A1\$)[*r]</b>   |            |       |   |       |         |               |    |                           |     |   |   |  |
|   | 100-240ac  | 50/60 | 0 | 15dc  | 1.4     | 21.0          | 16 | ES60601 & A1:2012         | 20B | 0 | 1 |  |
| <b>PM-20-24, NFM-20-24 @ (A1\$)[*r]</b>   |            |       |   |       |         |               |    |                           |     |   |   |  |
|   | 100-240ac  | 50/60 | 0 | 24dc  | 0.92    | 22.08         | 16 | ES60601 & A1:2012         | 20B | 0 | 1 |  |
| <b>PM-20-3.3, NFM-20-3.3 @ (A1\$)[*r]</b> |            |       |   |       |         |               |    |                           |     |   |   |  |
|   | 100-240ac  | 50/60 | 0 | 3.3dc | 4.5     | 14.85         | 16 | ES60601 & A1:2012         | 20B | 0 | 1 |  |
| <b>PM-20-5, NFM-20-5 @ (A1\$)[*r]</b>     |            |       |   |       |         |               |    |                           |     |   |   |  |
|   | 100-240ac  | 50/60 | 0 | 5dc   | 4.4     | 22.0          | 16 | ES60601 & A1:2012         | 20B | 0 | 1 |  |
| <b>RPD(G)-160B[*r]</b>                    |            |       |   |       |         |               |    |                           |     |   |   |  |
|   | 100-240ac  | 50/60 | 0 | 5     | 12 (#)  | 150.4 (#) (b) | 9  | 60601-1                   | 20B | 0 | 1 |  |
|   |            |       |   | 5     | 6 (*)   | 100.2 (*) (b) | 9  |                           |     |   |   |  |
|   |            |       |   | 24    | 3.6 (#) | -             | 9  |                           |     |   |   |  |
|   |            |       |   | 24    | 2.8 (*) | -             | 9  |                           |     |   |   |  |
|   |            |       |   | 5VSB  | 0.8 (#) | -             | 9  |                           |     |   |   |  |
|   |            |       |   | 5VSB  | 0.6 (*) | -             | 9  |                           |     |   |   |  |
| <b>RPD-160B@(A1\$)[*r]</b>                |            |       |   |       |         |               |    |                           |     |   |   |  |
|   | 100-240ac  | 50/60 | 0 | 5dc   | 6.0 (*) | 97.2 (*) (b)  | 16 | ES60601 & A1:2012         | 20B | 0 | 1 |  |
|   |            |       |   | 24dc  | 2.8 (*) | -             | 16 |                           |     |   |   |  |
|   |            |       |   | 5dc   | 12 (#)  | 146.4 (#)     | 16 |                           |     |   |   |  |
|   |            |       |   | 24dc  | 3.6 (#) | -             | 16 |                           |     |   |   |  |
| <b>RPD-160BFE@+</b>                       |            |       |   |       |         |               |    |                           |     |   |   |  |
|   | 100-240Vac | 50/60 | 0 | 24Vdc | 1.6A    | 38.4          | -  | 60601-1                   | 20B | 0 | 0 |  |
|   |            |       |   | 5Vdc  | 2.0     | 10            | 1  |                           |     |   |   |  |
| <b>RPD-60A@(A1\$)[*r]</b>                 |            |       |   |       |         |               |    |                           |     |   |   |  |
|   | 100-240ac  | 50/60 | 0 | -     | 2       | -             | 9  | ANSI/AAMIES 60601-1: 2005 | 20B | 0 | 2 |  |
| <b>RPD-60B@(A1\$)[*r]</b>                 |            |       |   |       |         |               |    |                           |     |   |   |  |
|   | 100-240ac  | 50/60 | 0 | -     | 1.5     | -             | 9  | ANSI/AAMIES 60601-1: 2005 | 20B | 0 | 2 |  |
| <b>RPD-75A [*r]</b>                       | 100-240ac  | 50/60 | 0 | 5     | 7       | 71.0          | 9  | 60601-1                   | 20B | 0 | 1 |  |
|   |            |       |   | 12    | 3       | -             | 9  |                           |     |   |   |  |
| <b>RPD-75A@(A1\$)[*r]</b>                 |            |       |   |       |         |               |    |                           |     |   |   |  |
|   | 100-240ac  | 50/60 | 0 | 5dc   | 7       | 71.0          | 16 | ES60601 & A1:2012         | 20B | 0 | 1 |  |
|   |            |       |   | 12dc  | 3       | -             | 16 |                           |     |   |   |  |
| <b>RPD-75B [*r]</b>                       | 100-240ac  | 50/60 | 0 | 5     | 5       | 73.0          | 9  | 60601-1                   | 20B | 0 | 1 |  |
|   |            |       |   | 12    | 1       | -             | 9  |                           |     |   |   |  |
| <b>RPD-75B@(A1\$)[*r]</b>                 |            |       |   |       |         |               |    |                           |     |   |   |  |

|                             |           |       |   |        |          |               |    |                   |     |   |   |
|-----------------------------|-----------|-------|---|--------|----------|---------------|----|-------------------|-----|---|---|
|                             | 100-240ac | 50/60 | 0 | 5dc    | 5        | 73.0          | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |
|                             |           |       |   | 12dc   | 1        | -             | 16 |                   |     |   |   |
| <b>RPDG-160B@(A1\$)[*r]</b> |           |       |   |        |          |               |    |                   |     |   |   |
|                             | 100-240ac | 50/60 | 0 | 5dc    | 6.0 (*)  | 100.2 (*) (b) | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |
|                             |           |       |   | 24dc   | 2.8 (*)  | -             | 16 |                   |     |   |   |
|                             |           |       |   | 5VSBdc | 0.6 (*)  | -             | 16 |                   |     |   |   |
|                             |           |       |   | 5dc    | 12 (#)   | 150.4 (#) (b) | 16 |                   |     |   |   |
|                             |           |       |   | 24dc   | 3.6 (#)  | -             | 16 |                   |     |   |   |
|                             |           |       |   | 5VSBdc | 0.8 (#)  | -             | 16 |                   |     |   |   |
| <b>RPS(G)-160-12[*r]</b>    |           |       |   |        |          |               |    |                   |     |   |   |
|                             | 100-240ac | 50/60 | 0 | 12     | 12.9 (#) | 158.8 (#) (b) | -  | 60601-1           | 20B | 0 | 1 |
|                             |           |       |   | 12     | 9.1 (*)  | 112.2 (*) (b) | -  |                   |     |   |   |
|                             |           |       |   | 5VSB   | 0.8 (#)  | -             | -  |                   |     |   |   |
|                             |           |       |   | 5VSB   | 0.6 (*)  | -             | -  |                   |     |   |   |
| <b>RPS(G)-160-15[*r]</b>    |           |       |   |        |          |               |    |                   |     |   |   |
|                             | 100-240ac | 50/60 | 0 | 15     | 10.3 (#) | 158.5 (#) (b) | 9  | 60601-1           | 20B | 0 | 1 |
|                             |           |       |   | 15     | 7.3 (*)  | 112.5 (*) (b) | 9  |                   |     |   |   |
|                             |           |       |   | 5VSB   | 0.8 (#)  | -             | 9  |                   |     |   |   |
|                             |           |       |   | 5VSB   | 0.6 (*)  | -             | 9  |                   |     |   |   |
| <b>RPS(G)-160-24[*r]</b>    |           |       |   |        |          |               |    |                   |     |   |   |
|                             | 100-240ac | 50/60 | 0 | 24     | 6.5 (#)  | 160 (#) (b)   | 9  | 60601-1           | 20B | 0 | 1 |
|                             |           |       |   | 24     | 4.6 (*)  | 113.4 (*) (b) | 9  |                   |     |   |   |
|                             |           |       |   | 5VSB   | 0.8 (#)  | -             | 9  |                   |     |   |   |
|                             |           |       |   | 5VSB   | 0.6 (*)  | -             | 9  |                   |     |   |   |
| <b>RPS(G)-160-48[*r]</b>    |           |       |   |        |          |               |    |                   |     |   |   |
|                             | 100-240ac | 50/60 | 0 | 48     | 3.25 (#) | 160 (#) (b)   | 9  | 60601-1           | 20B | 0 | 1 |
|                             |           |       |   | 48     | 2.1 (*)  | 103.8 (*) (b) | 9  |                   |     |   |   |
|                             |           |       |   | 5VSB   | 0.8 (#)  | -             | 9  |                   |     |   |   |
|                             |           |       |   | 5VSB   | 0.6 (*)  | -             | 9  |                   |     |   |   |
| <b>RPS(G)-160-5[*r]</b>     |           |       |   |        |          |               |    |                   |     |   |   |
|                             | 100-240ac | 50/60 | 0 | 5      | 30 (#)   | 154 (#) (b)   | 9  | 60601-1           | 20B | 0 | 1 |
|                             |           |       |   | 5      | 20 (*)   | 103 (*) (b)   | 9  |                   |     |   |   |
|                             |           |       |   | 5VSB   | 0.8 (#)  | -             | 9  |                   |     |   |   |
|                             |           |       |   | 5VSB   | 0.6 (*)  | -             | 9  |                   |     |   |   |
| <b>RPS-120-12 (c)</b>       |           |       |   |        |          |               |    |                   |     |   |   |
|                             | 100-240ac | 50/60 | 0 | 12dc   | 7        | -             | 16 | -                 | 20B | 0 | 0 |
| <b>RPS-120-12-C (c)</b>     |           |       |   |        |          |               |    |                   |     |   |   |
|                             | 100-240ac | 50/60 | 0 | 12dc   | 10       | -             | 16 | 60601-1           | 20B | 0 | 1 |
| <b>RPS-120-15 (c)</b>       |           |       |   |        |          |               |    |                   |     |   |   |
|                             | 100-240ac | 50/60 | 0 | 15dc   | 8        | -             | 16 | 60601-1           | 20B | 0 | 0 |

|                              |           |       |   |       |          |               |    |                   |     |   |   |
|------------------------------|-----------|-------|---|-------|----------|---------------|----|-------------------|-----|---|---|
| <b>RPS-120-15-C (c)</b>      |           |       |   |       |          |               |    |                   |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 15dc  | 8        | -             | 16 | 60601-1           | 20B | 0 | 1 |
| <b>RPS-120-24 (c)</b>        |           |       |   |       |          |               |    |                   |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 24dc  | 5        | -             | 16 | 60601-1           | 20B | 0 | 0 |
| <b>RPS-120-24-C (c)</b>      |           |       |   |       |          |               |    |                   |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 24dc  | 5        | -             | 16 | 60601-1           | 20B | 0 | 1 |
| <b>RPS-120-27 (c)</b>        |           |       |   |       |          |               |    |                   |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 27dc  | 4.5      | -             | 16 | 60601-1           | 20B | 0 | 0 |
| <b>RPS-120-27-C (c)</b>      |           |       |   |       |          |               |    |                   |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 27dc  | 4.5      | -             | 16 | 60601-1           | 20B | 0 | 1 |
| <b>RPS-120-48 (c)</b>        |           |       |   |       |          |               |    |                   |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 48dc  | 2.5      | -             | 16 | 60601-1           | 20B | 0 | 0 |
| <b>RPS-120-48-C (c)</b>      |           |       |   |       |          |               |    |                   |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 48dc  | 2.5      | -             | 16 | 60601-1           | 20B | 0 | 1 |
| <b>RPS-160-12@(A1\$)[*r]</b> |           |       |   |       |          |               |    |                   |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 12dc  | 9.1 (*)  | 109.2 (*) (b) | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |
|                              |           |       |   | 12dc  | 12.9 (#) | 154.8 (#) (b) | 16 |                   |     |   |   |
| <b>RPS-160-15@(A1\$)[*r]</b> |           |       |   |       |          |               |    |                   |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 15dc  | 7.3 (*)  | 109.5 (*) (b) | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |
|                              |           |       |   | 15dc  | 10.3 (#) | 154.5 (#) (b) | 16 |                   |     |   |   |
| <b>RPS-160-24@(A1\$)[*r]</b> |           |       |   |       |          |               |    |                   |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 24dc  | 4.6 (*)  | 110.4 (*) (b) | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |
|                              |           |       |   | 24dc  | 6.5 (#)  | 156.0 (#) (b) | 16 |                   |     |   |   |
| <b>RPS-160-48@(A1\$)[*r]</b> |           |       |   |       |          |               |    |                   |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 48dc  | 2.1 (*)  | 100.8 (*) (b) | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |
|                              |           |       |   | 48dc  | 3.25 (#) | 156.0 (#) (b) | 16 |                   |     |   |   |
| <b>RPS-160-5@(A1\$)[*r]</b>  |           |       |   |       |          |               |    |                   |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 5dc   | 20 (*)   | 100 (*) (b)   | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |
|                              |           |       |   | 5dc   | 30 (#)   | 150 (#)       | 16 |                   |     |   |   |
| <b>RPS-30-12</b>             |           |       |   |       |          |               |    |                   |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 12dc  | -        | -             | -  | 60601-1           | 20B | 0 | 2 |
| <b>RPS-30-15</b>             |           |       |   |       |          |               |    |                   |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 15dc  | -        | -             | -  | 60601-1           | 20B | 0 | 2 |
| <b>RPS-30-24</b>             |           |       |   |       |          |               |    |                   |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 24dc  | -        | -             | -  | 60601-1           | 20B | 0 | 2 |
| <b>RPS-30-3.3</b>            |           |       |   |       |          |               |    |                   |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 3.3dc | -        | -             | -  | 60601-1           | 20B | 0 | 2 |
| <b>RPS-30-48</b>             |           |       |   |       |          |               |    |                   |     |   |   |
|                              |           |       |   |       |          |               |    |                   |     |   |   |

|                               |           |       |   |        |          |        |    |                           |     |   |   |
|-------------------------------|-----------|-------|---|--------|----------|--------|----|---------------------------|-----|---|---|
|                               | 100-240ac | 50/60 | 0 | 48dc   | -        | -      | -  | 60601-1                   | 20B | 0 | 2 |
| <b>RPS-30-5</b>               |           |       |   |        |          |        |    |                           |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 5dc    | -        | -      | -  | 60601-1                   | 20B | 0 | 2 |
| <b>RPS-30-7.5</b>             |           |       |   |        |          |        |    |                           |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 7.5dc  | -        | -      | -  | 60601-1                   | 20B | 0 | 2 |
| <b>RPS-300-12[*r]</b>         |           |       |   |        |          |        |    |                           |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 12     | 25(#)    | 300(#) | 9  | ANSI/AAMIES 60601-1: 2005 | 2T  | 0 | 1 |
|                               |           |       |   | 12     | 16.67    | 200    | 9  |                           |     |   |   |
| <b>RPS-300-12@(A1\$)[*r]</b>  |           |       |   |        |          |        |    |                           |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 12dc   | 25(#)    | 300(#) | 16 | ES60601+A1                | 20B | 0 | 1 |
|                               |           |       |   | 12dc   | 16.67(*) | 200(*) | 16 |                           |     |   |   |
| <b>RPS-300-15[*r]</b>         |           |       |   |        |          |        |    |                           |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 15     | 20(#)    | 300(#) | 9  | ANSI/AAMIES 60601-1: 2005 | 2T  | 0 | 1 |
|                               |           |       |   | 15     | 13.33    | 200    | 9  |                           |     |   |   |
| <b>RPS-300-15@(A1\$)[*r]</b>  |           |       |   |        |          |        |    |                           |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 15dc   | 20(#)    | 300(#) | 16 | ES60601+A1                | 20B | 0 | 1 |
|                               |           |       |   | 15dc   | 13.33(*) | 200(*) | 16 |                           |     |   |   |
| <b>RPS-300-24[*r]</b>         |           |       |   |        |          |        |    |                           |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 24     | 12.5(#)  | 300(#) | 9  | ANSI/AAMIES 60601-1: 2005 | 2T  | 0 | 1 |
|                               |           |       |   | 24     | 8.33     | 200    | 9  |                           |     |   |   |
| <b>RPS-300-24@(A1\$)[*r]</b>  |           |       |   |        |          |        |    |                           |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 24dc   | 12.5(#)  | 300(#) | 16 | ES60601+A1                | 20B | 0 | 1 |
|                               |           |       |   | 24dc   | 8.33(*)  | 200(*) | 16 |                           |     |   |   |
| <b>RPS-300-27[*r]</b>         |           |       |   |        |          |        |    |                           |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 27     | 11.12(#) | 300(#) | 9  | ANSI/AAMIES 60601-1: 2005 | 2T  | 0 | 1 |
|                               |           |       |   | 27     | 7.4      | 200    | 9  |                           |     |   |   |
| <b>RPS-300-27@(A1\$)[*r]</b>  |           |       |   |        |          |        |    |                           |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 27dc   | 11.12(#) | 300(#) | 16 | ES60601+A1                | 20B | 0 | 1 |
|                               |           |       |   | 27dc   | 7.4(*)   | 200(*) | 16 |                           |     |   |   |
| <b>RPS-300-48[*r]</b>         |           |       |   |        |          |        |    |                           |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 48     | 6.25(#)  | 300(#) | 9  | ANSI/AAMIES 60601-1: 2005 | 2T  | 0 | 1 |
|                               |           |       |   | 48     | 4.17     | 200    | 9  |                           |     |   |   |
| <b>RPS-300-48@(A1\$)[*r]</b>  |           |       |   |        |          |        |    |                           |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 48dc   | 6.25(#)  | 300(#) | 16 | ES60601+A1                | 20B | 0 | 1 |
|                               |           |       |   | 48dc   | 4.17(*)  | 200(*) | 16 |                           |     |   |   |
| <b>RPS-40-18.2@(A1\$)[*r]</b> |           |       |   |        |          |        |    |                           |     |   |   |
|                               | 100-240ac | 50-60 | 0 | 18.2dc | 2.2      | 40.04  | 16 | ES60601-1                 | 20B | 0 | 1 |
| <b>RPS-45-12[*r]</b>          |           |       |   |        |          |        |    |                           |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 12dc   | 3.8      | -      | 16 | 60601-1                   | -   | 0 | 2 |
| <b>RPS-45-15[*r]</b>          |           |       |   |        |          |        |    |                           |     |   |   |
|                               |           | 50/60 | 0 | 15dc   | 3        | -      | 16 | 60601-1                   | -   | 0 | 2 |

|  |           |       |   |       |      |      |    |                            |     |   |   |  |  |
|--|-----------|-------|---|-------|------|------|----|----------------------------|-----|---|---|--|--|
|  | 100-240ac |       |   |       |      |      |    |                            |     |   |   |  |  |
| <b>RPS-45-24[*r]</b>                     |           |       |   |       |      |      |    |                            |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 24dc  | 1.9  | -    | 16 | 60601-1                    | -   | 0 | 2 |  |  |
| <b>RPS-45-3.3[*r]</b>                    |           |       |   |       |      |      |    |                            |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 3.3dc | 8    | -    | 16 | 60601-1                    | -   | 0 | 2 |  |  |
| <b>RPS-45-48[*r]</b>                     |           |       |   |       |      |      |    |                            |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 48dc  | 0.94 | -    | 16 | 60601-1                    | -   | 0 | 2 |  |  |
| <b>RPS-45-5[*r]</b>                      |           |       |   |       |      |      |    |                            |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 5dc   | 8    | -    | 16 | 60601-1                    | -   | 0 | 2 |  |  |
| <b>RPS-45-7.5[*r]</b>                    |           |       |   |       |      |      |    |                            |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 7.5dc | 5.4  | -    | 16 | 60601-1                    | -   | 0 | 2 |  |  |
| <b>RPS-60-12, RPS-60-12G@(A1\$)[*r]</b>  |           |       |   |       |      |      |    |                            |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | -     | 5    | 60   | 9  | ANSI/AAM IES 60601-1: 2005 | 20B | 0 | 2 |  |  |
| <b>RPS-60-15@(A1\$)[*r]</b>              |           |       |   |       |      |      |    |                            |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | -     | 4    | 60   | 9  | ANSI/AAM IES 60601-1: 2005 | 20B | 0 | 2 |  |  |
| <b>RPS-60-24, RPS-60-24CA@(A1\$)[*r]</b> |           |       |   |       |      |      |    |                            |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | -     | 2.5  | 60   | 9  | ANSI/AAM IES 60601-1: 2005 | 20B | 0 | 2 |  |  |
| <b>RPS-60-3.3@ (A1\$)[*r]</b>            |           |       |   |       |      |      |    |                            |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | -     | 10   | 33   | 9  | ANSI/AAM IES 60601-1: 2005 | 20B | 0 | 2 |  |  |
| <b>RPS-60-48@(A1\$)[*r]</b>              |           |       |   |       |      |      |    |                            |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | -     | 1.25 | 60   | 9  | ANSI/AAM IES 60601-1: 2005 | 20B | 0 | 2 |  |  |
| <b>RPS-60-5@(A1\$)[*r]</b>               |           |       |   |       |      |      |    |                            |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | -     | 10   | 50   | 9  | ANSI/AAM IES 60601-1: 2005 | 20B | 0 | 2 |  |  |
| <b>RPS-65-12[*r]</b>                     |           |       |   |       |      |      |    |                            |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 12dc  | 5.42 | -    | 16 | 60601-1                    | -   | 0 | 2 |  |  |
| <b>RPS-65-15[*r]</b>                     |           |       |   |       |      |      |    |                            |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 15dc  | 4.34 | -    | 16 | 60601-1                    | -   | 0 | 2 |  |  |
| <b>RPS-65-24[*r]</b>                     |           |       |   |       |      |      |    |                            |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 24dc  | 2.71 | -    | 16 | 60601-1                    | -   | 0 | 2 |  |  |
| <b>RPS-65-3.3[*r]</b>                    |           |       |   |       |      |      |    |                            |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 3.3dc | 11   | -    | 16 | 60601-1                    | -   | 0 | 2 |  |  |
| <b>RPS-65-48[*r]</b>                     |           |       |   |       |      |      |    |                            |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 48dc  | 1.36 | -    | 16 | 60601-1                    | -   | 0 | 2 |  |  |
| <b>RPS-65-5[*r]</b>                      |           |       |   |       |      |      |    |                            |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 5dc   | 10   | -    | 16 | 60601-1                    | -   | 0 | 2 |  |  |
| <b>RPS-65-7.5[*r]</b>                    |           |       |   |       |      |      |    |                            |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 7.5dc | 8    | -    | 16 | 60601-1                    | -   | 0 | 2 |  |  |
| <b>RPS-75-12[*r]</b>                     |           |       |   |       |      |      |    |                            |     |   |   |  |  |
|  |           | 50/60 | 0 | 12    | 6.3  | 75.6 | 9  | 60601-1                    | 20B | 0 | 1 |  |  |



|                              |           |       |   |        |          |               |    |                   |     |   |   |  |
|------------------------------|-----------|-------|---|--------|----------|---------------|----|-------------------|-----|---|---|--|
|                              | 100-240ac |       |   |        |          |               |    |                   |     |   |   |  |
| <b>RPS-75-12@(A1\$)*r]</b>   |           |       |   |        |          |               |    |                   |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 12dc   | 6.3      | 75.6          | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
| <b>RPS-75-15[*r]</b>         |           |       |   |        |          |               |    |                   |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 15     | 5        | 75            | 9  | 60601-1           | 20B | 0 | 1 |  |
| <b>RPS-75-15@(A1\$)*r]</b>   |           |       |   |        |          |               |    |                   |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 15dc   | 5        | 75            | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
| <b>RPS-75-24[*r]</b>         |           |       |   |        |          |               |    |                   |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 24     | 3.2      | 76.8          | 9  | 60601-1           | 20B | 0 | 1 |  |
| <b>RPS-75-24@(A1\$)*r]</b>   |           |       |   |        |          |               |    |                   |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 24dc   | 3.2      | 76.8          | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
| <b>RPS-75-3.3[*r]</b>        |           |       |   |        |          |               |    |                   |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 3.3    | 15       | 49.5          | 9  | 60601-1           | 20B | 0 | 2 |  |
| <b>RPS-75-3.3@(A1\$)*r]</b>  |           |       |   |        |          |               |    |                   |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 3.3dc  | 15       | 49.5          | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
| <b>RPS-75-36[*r]</b>         |           |       |   |        |          |               |    |                   |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 36     | 2.1      | 75.6          | 9  | 60601-1           | 20B | 0 | 1 |  |
| <b>RPS-75-36@(A1\$)*r]</b>   |           |       |   |        |          |               |    |                   |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 36dc   | 2.1      | 75.6          | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
| <b>RPS-75-48[*r]</b>         |           |       |   |        |          |               |    |                   |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 48     | 1.6      | 76.8          | 9  | 60601-1           | 20B | 0 | 1 |  |
| <b>RPS-75-48@(A1\$)*r]</b>   |           |       |   |        |          |               |    |                   |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 48dc   | 1.6      | 76.8          | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
| <b>RPS-75-5[*r]</b>          |           |       |   |        |          |               |    |                   |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 5      | 14       | 70            | 9  | 60601-1           | 20B | 0 | 2 |  |
| <b>RPS-75-5@(A1\$)*r]</b>    |           |       |   |        |          |               |    |                   |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 5dc    | 14       | 70            | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
| <b>RPSG-160-12@(A1\$)*r]</b> |           |       |   |        |          |               |    |                   |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 12dc   | 9.1 (*)  | 112.2 (*) (b) | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
|                              |           |       |   | 5VSBdc | 0.6 (*)  | -             | 16 |                   |     |   |   |  |
|                              |           |       |   | 12dc   | 12.9 (#) | 158.8 (#) (b) | 16 |                   |     |   |   |  |
|                              |           |       |   | 5VSBdc | 0.8 (#)  | -             | 16 |                   |     |   |   |  |
| <b>RPSG-160-15@(A1\$)*r]</b> |           |       |   |        |          |               |    |                   |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 15dc   | 7.3 (*)  | 112.5 (*) (b) | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |
|                              |           |       |   | 5VSBdc | 0.6 (*)  | -             | 16 |                   |     |   |   |  |
|                              |           |       |   | 15dc   | 10.3 (#) | 158.5 (#) (b) | 16 |                   |     |   |   |  |
|                              |           |       |   | 5VSBdc | 0.8 (#)  | -             | 16 |                   |     |   |   |  |
| <b>RPSG-160-24@(A1\$)*r]</b> |           |       |   |        |          |               |    |                   |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 24dc   | 4.6 (*)  | 113.4 (*) (b) | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |  |

|                               |           |       |   |        |          |               |    |                   |     |   |   |
|-------------------------------|-----------|-------|---|--------|----------|---------------|----|-------------------|-----|---|---|
|                               |           |       |   | 5VSBdc | 0.6 (*)  | -             | 16 |                   |     |   |   |
|                               |           |       |   | 24dc   | 6.5 (#)  | 160.0 (#) (b) | 16 |                   |     |   |   |
|                               |           |       |   | 5VSBdc | 0.8 (#)  | -             | 16 |                   |     |   |   |
| <b>RPSG-160-48@(A1\$)[*r]</b> |           |       |   |        |          |               |    |                   |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 48dc   | 2.1 (*)  | 103.8 (*) (b) | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |
|                               |           |       |   | 5VSBdc | 0.6 (*)  | -             | 16 |                   |     |   |   |
|                               |           |       |   | 48dc   | 3.25 (#) | 160.0 (#) (b) | 16 |                   |     |   |   |
|                               |           |       |   | 5VSBdc | 0.8 (#)  | -             | 16 |                   |     |   |   |
| <b>RPSG-160-5@(A1\$)[*r]</b>  |           |       |   |        |          |               |    |                   |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 5dc    | 20.0 (*) | 103.0 (*) (b) | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |
|                               |           |       |   | 5VSBdc | 0.6 (*)  | -             | 16 |                   |     |   |   |
|                               |           |       |   | 5dc    | 30.0 (#) | 154.0 (#) (b) | 16 |                   |     |   |   |
|                               |           |       |   | 5VSBdc | 0.8 (#)  | -             | 16 |                   |     |   |   |
| <b>RPT(G)-160A[*r]</b>        |           |       |   |        |          |               |    |                   |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 5      | 14 (#)   | 145 (#) (b)   | 9  | 60601-1           | 20B | 0 | 1 |
|                               |           |       |   | 5      | 9 (*)    | 98.6 (*) (b)  | 9  |                   |     |   |   |
|                               |           |       |   | 12     | 5.5 (#)  | -             | 9  |                   |     |   |   |
|                               |           |       |   | 12     | 3.8 (*)  | -             | 9  |                   |     |   |   |
|                               |           |       |   | -5     | 1.0 (#)  | -             | 9  |                   |     |   |   |
|                               |           |       |   | -5     | 1.0 (*)  | -             | 9  |                   |     |   |   |
|                               |           |       |   | 5VSB   | 0.8 (#)  | -             | 9  |                   |     |   |   |
|                               |           |       |   | 5VSB   | 0.6 (*)  | -             | 9  |                   |     |   |   |
| <b>RPT(G)-160B[*r]</b>        |           |       |   |        |          |               |    |                   |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 5      | 14 (#)   | 146 (#) (b)   | 9  | 60601-1           | 20B | 0 | 1 |
|                               |           |       |   | 5      | 9 (*)    | 98.4 (*) (b)  | 9  |                   |     |   |   |
|                               |           |       |   | 12     | 5.0 (#)  | -             | 9  |                   |     |   |   |
|                               |           |       |   | 12     | 3.4 (*)  | -             | 9  |                   |     |   |   |
|                               |           |       |   | -12    | 1.0 (#)  | -             | 9  |                   |     |   |   |
|                               |           |       |   | -12    | 0.8 (*)  | -             | 9  |                   |     |   |   |
|                               |           |       |   | 5VSB   | 0.8 (#)  | -             | 9  |                   |     |   |   |
|                               |           |       |   | 5VSB   | 0.6 (*)  | -             | 9  |                   |     |   |   |
| <b>RPT(G)-160C[*r]</b>        |           |       |   |        |          |               |    |                   |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 5      | 14 (#)   | 143 (#) (b)   | 9  | 60601-1           | 20B | 0 | 1 |
|                               |           |       |   | 5      | 9 (*)    | 99 (*) (b)    | 9  |                   |     |   |   |
|                               |           |       |   | 15     | 3.6 (#)  | -             | 9  |                   |     |   |   |
|                               |           |       |   | 15     | 2.6 (*)  | -             | 9  |                   |     |   |   |
|                               |           |       |   | -15    | 1.0 (#)  | -             | 9  |                   |     |   |   |
|                               |           |       |   | -15    | 0.8 (*)  | -             | 9  |                   |     |   |   |
|                               |           |       |   | 5VSB   | 0.8 (#)  | -             | 9  |                   |     |   |   |
|                               |           |       |   | 5VSB   | 0.6 (*)  | -             | 9  |                   |     |   |   |
| <b>RPT(G)-160D[*r]</b>        |           |       |   |        |          |               |    |                   |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 5      | 11 (#)   | 147.8 (#) (b) | 9  | 60601-1           | 20B | 0 | 1 |
|                               |           |       |   | 5      | 8 (*)    | -             | 9  |                   |     |   |   |

|                           |               |       |   |       |          |                  |    |                            |     |   |   |  |
|---------------------------|---------------|-------|---|-------|----------|------------------|----|----------------------------|-----|---|---|--|
|                           |               |       |   |       |          | 98.2 (*)<br>(b)  |    |                            |     |   |   |  |
|                           |               |       |   | 12    | 5.0 (#)  | -                | 9  |                            |     |   |   |  |
|                           |               |       |   | 12    | 2.6 (*)  | -                | 9  |                            |     |   |   |  |
|                           |               |       |   | 24    | 1.2 (#)  | -                | 9  |                            |     |   |   |  |
|                           |               |       |   | 24    | 1.0 (*)  | -                | 9  |                            |     |   |   |  |
|                           |               |       |   | 5VSB  | 0.8 (#)  | -                | 9  |                            |     |   |   |  |
|                           |               |       |   | 5VSB  | 0.6 (*)  | -                | 9  |                            |     |   |   |  |
| <b>RPT-160A@(A1\$)*r]</b> |               |       |   |       |          |                  |    |                            |     |   |   |  |
|                           | 100-<br>240ac | 50/60 | 0 | 5dc   | 9.0 (*)  | 95.6 (*)<br>(b)  | 16 | ES60601 & A1:2012          | 20B | 0 | 1 |  |
|                           |               |       |   | 12dc  | 3.8 (*)  | -                | 16 |                            |     |   |   |  |
|                           |               |       |   | -5dc  | 1.0 (*)  | -                | 16 |                            |     |   |   |  |
|                           |               |       |   | 5dc   | 14 (#)   | 141.0<br>(#) (b) | 16 |                            |     |   |   |  |
|                           |               |       |   | 12dc  | 5.5 (#)  | -                | 16 |                            |     |   |   |  |
|                           |               |       |   | -5dc  | 1.0 (#)  | -                | 16 |                            |     |   |   |  |
| <b>RPT-160B@(A1\$)*r]</b> |               |       |   |       |          |                  |    |                            |     |   |   |  |
|                           | 100-<br>240ac | 50/60 | 0 | 5dc   | 9.0 (*)  | 95.4 (*)<br>(b)  | 16 | ES60601 & A1:2012          | 20B | 0 | 1 |  |
|                           |               |       |   | 12dc  | 3.4 (*)  | -                | 16 |                            |     |   |   |  |
|                           |               |       |   | -12dc | 0.8 (*)  | -                | 16 |                            |     |   |   |  |
|                           |               |       |   | 5dc   | 14 (#)   | 142.0<br>(#) (b) | 16 |                            |     |   |   |  |
|                           |               |       |   | 12dc  | 3.4 (#)  | -                | 16 |                            |     |   |   |  |
|                           |               |       |   | -12dc | 1.0 (#)  | -                | 16 |                            |     |   |   |  |
| <b>RPT-160C@(A1\$)*r]</b> |               |       |   |       |          |                  |    |                            |     |   |   |  |
|                           | 100-<br>240ac | 50/60 | 0 | 5dc   | 9.0 (*)  | 96.0 (*)<br>(b)  | 16 | ES60601 & A1:2012          | 20B | 0 | 1 |  |
|                           |               |       |   | 15dc  | 2.6 (*)  | -                | 16 |                            |     |   |   |  |
|                           |               |       |   | -15dc | 0.8 (*)  | -                | 16 |                            |     |   |   |  |
|                           |               |       |   | 5dc   | 14.0 (#) | 139.0<br>(#) (b) | 16 |                            |     |   |   |  |
|                           |               |       |   | 15dc  | 3.6 (#)  | -                | 16 |                            |     |   |   |  |
|                           |               |       |   | -15dc | 1.0 (#)  | -                | 16 |                            |     |   |   |  |
| <b>RPT-160D@(A1\$)*r]</b> |               |       |   |       |          |                  |    |                            |     |   |   |  |
|                           | 100-<br>240ac | 50/60 | 0 | 5dc   | 8.0 (*)  | 95.2 (*)<br>(b)  | 16 | ES60601 & A1:2012          | 20B | 0 | 1 |  |
|                           |               |       |   | 12dc  | 2.6 (*)  | -                | 16 |                            |     |   |   |  |
|                           |               |       |   | 24dc  | 1.0 (*)  | -                | 16 |                            |     |   |   |  |
|                           |               |       |   | 5dc   | 11.0 (#) | 143.8<br>(#) (b) | 16 |                            |     |   |   |  |
|                           |               |       |   | 12dc  | 5.0 (#)  | -                | 16 |                            |     |   |   |  |
|                           |               |       |   | 24dc  | 1.2 (#)  | -                | 16 |                            |     |   |   |  |
| <b>RPT-6003@(A1\$)*r]</b> |               |       |   |       |          |                  |    |                            |     |   |   |  |
|                           | 100-<br>240ac | 50/60 | 0 | -     | 0.7      | -                | 9  | ANSI/AAM IES 60601-1: 2005 | 20B | 0 | 2 |  |
| <b>RPT-60A@(A1\$)*r]</b>  |               |       |   |       |          |                  |    |                            |     |   |   |  |
|                           | 100-<br>240ac | 50/60 | 0 | -     | 0.5      | -                | 9  | ANSI/AAM IES 60601-1: 2005 | 20B | 0 | 2 |  |
| <b>RPT-60B@(A1\$)*r]</b>  |               |       |   |       |          |                  |    |                            |     |   |   |  |
|                           | 100-<br>240ac | 50/60 | 0 | -     | 0.5      | -                | 9  | ANSI/AAM IES 60601-1: 2005 | 20B | 0 | 2 |  |
| <b>RPT-60C@(A1\$)*r]</b>  |               |       |   |       |          |                  |    |                            |     |   |   |  |
|                           |               | 50/60 | 0 | -     | 0.5      | -                | 9  | ANSI/AAM IES 60601-1: 2005 | 20B | 0 | 2 |  |

|                             |           |       |   |       |        |                |    |                           |     |   |   |  |
|-----------------------------|-----------|-------|---|-------|--------|----------------|----|---------------------------|-----|---|---|--|
|                             | 100-240ac |       |   |       |        |                |    |                           |     |   |   |  |
| <b>RPT-60D@(A1\$)[*r]</b>   |           |       |   |       |        |                |    |                           |     |   |   |  |
|                             | 100-240ac | 50/60 | 0 | -     | 0.5    | -              | 9  | ANSI/AAMIES 60601-1: 2005 | 20B | 0 | 2 |  |
| <b>RPT-7503[*r]</b>         |           |       |   |       |        |                |    |                           |     |   |   |  |
|                             | 100-240ac | 50/60 | 0 | 3.3   | 6      | 61.8           | 9  | 60601-1                   | 20B | 0 | 1 |  |
|                             |           |       |   | 5     | 6      | -              | 9  |                           |     |   |   |  |
|                             |           |       |   | 12    | 1      | -              | 9  |                           |     |   |   |  |
| <b>RPT-7503@(A1\$)[*r]</b>  |           |       |   |       |        |                |    |                           |     |   |   |  |
|                             | 100-240ac | 50/60 | 0 | 3.3dc | 6      | 61.8           | 16 | ES60601 & A1:2012         | 20B | 0 | 1 |  |
|                             |           |       |   | 5dc   | 6      | -              | 16 |                           |     |   |   |  |
|                             |           |       |   | 12dc  | 1      | -              | 16 |                           |     |   |   |  |
| <b>RPT-75A[*r]</b>          | 100-240ac | 50/60 | 0 | 5     | 6      | 68.5           | 9  | 60601-1                   | 20B | 0 | 1 |  |
|                             |           |       |   | 12    | 3      | -              | -  |                           |     |   |   |  |
|                             |           |       |   | -5    | 0.5    | -              | -  |                           |     |   |   |  |
| <b>RPT-75A@(A1\$)[*r]</b>   |           |       |   |       |        |                |    |                           |     |   |   |  |
|                             | 100-240ac | 50/60 | 0 | 5dc   | 6      | 68.5           | 16 | ES60601 & A1:2012         | 20B | 0 | 1 |  |
|                             |           |       |   | 12dc  | 3      | -              | 16 |                           |     |   |   |  |
|                             |           |       |   | -5dc  | 0.5    | -              | 16 |                           |     |   |   |  |
| <b>RPT-75B[*r]</b>          | 100-240ac | 50/60 | 0 | 5     | 6      | 72             | 9  | 60601-1                   | 20B | 0 | - |  |
|                             |           |       |   | 12    | 3      | -              | -  |                           |     |   |   |  |
|                             |           |       |   | -12   | 0.5    | -              | -  |                           |     |   |   |  |
| <b>RPT-75B@(A1\$)[*r]</b>   |           |       |   |       |        |                |    |                           |     |   |   |  |
|                             | 100-240ac | 50/60 | 0 | 5dc   | 6      | 72             | 16 | ES60601 & A1:2012         | 20B | 0 | 1 |  |
|                             |           |       |   | 12dc  | 3      | -              | 16 |                           |     |   |   |  |
|                             |           |       |   | -12dc | 0.5    | -              | 16 |                           |     |   |   |  |
| <b>RPT-75C[*r]</b>          | 100-240ac | 50/60 | 0 | 5     | 6      | 72             | 9  | 60601-1                   | 20B | 0 | 1 |  |
|                             |           |       |   | 15    | 2.3    | -              | -  |                           |     |   |   |  |
|                             |           |       |   | -15   | 0.5    | -              | -  |                           |     |   |   |  |
| <b>RPT-75C@(A1\$)[*r]</b>   |           |       |   |       |        |                |    |                           |     |   |   |  |
|                             | 100-240ac | 50/60 | 0 | 5dc   | 6      | 72             | 16 | ES60601 & A1:2012         | 20B | 0 | 1 |  |
|                             |           |       |   | 15dc  | 2.3    | -              | 16 |                           |     |   |   |  |
|                             |           |       |   | -15dc | 0.5    | -              | 16 |                           |     |   |   |  |
| <b>RPT-75D[*r]</b>          | 100-240ac | 50/60 | 0 | 5     | 5      | 73             | 9  | 60601-1                   | 20B | 0 | 1 |  |
|                             |           |       |   | 24    | 1.5    | -              | -  |                           |     |   |   |  |
|                             |           |       |   | 12    | 1      | -              | -  |                           |     |   |   |  |
| <b>RPT-75D@(A1\$)[*r]</b>   |           |       |   |       |        |                |    |                           |     |   |   |  |
|                             | 100-240ac | 50/60 | 0 | 5dc   | 5      | 73             | 16 | ES60601 & A1:2012         | 20B | 0 | 1 |  |
|                             |           |       |   | 24dc  | 1.5    | -              | 16 |                           |     |   |   |  |
|                             |           |       |   | 12dc  | 1      | -              | 16 |                           |     |   |   |  |
| <b>RPTG-160A@(A1\$)[*r]</b> |           |       |   |       |        |                |    |                           |     |   |   |  |
|                             | 100-240ac | 50/60 | 0 | -5dc  | 1.0(*) | 98.6(*)<br>(b) | 16 | ES60601 & A1:2012         | 20B | 0 | 1 |  |
|                             |           |       |   | 12dc  | 3.8(*) | -              | 16 |                           |     |   |   |  |

|                             |           |       |   |        |          |               |    |                   |     |   |   |
|-----------------------------|-----------|-------|---|--------|----------|---------------|----|-------------------|-----|---|---|
|                             |           |       |   | -5dc   | 1.0 (*)  | -             | 16 |                   |     |   |   |
|                             |           |       |   | 5VSBdc | 0.6 (*)  | -             | 16 |                   |     |   |   |
|                             |           |       |   | 5dc    | 14.0 (#) | 145.0 (#) (b) | 16 |                   |     |   |   |
|                             |           |       |   | 12dc   | 5.5 (#)  | -             | 16 |                   |     |   |   |
|                             |           |       |   | -5dc   | 1.0 (#)  | -             | 16 |                   |     |   |   |
|                             |           |       |   | 5VSBdc | 0.8 (#)  | -             | 16 |                   |     |   |   |
| <b>RPTG-160B@(A1\$)[*r]</b> |           |       |   |        |          |               |    |                   |     |   |   |
|                             | 100-240ac | 50/60 | 0 | 5dc    | 9.0 (*)  | 98.4 (*) (b)  | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |
|                             |           |       |   | 12dc   | 3.4 (*)  | -             | 16 |                   |     |   |   |
|                             |           |       |   | -12dc  | 0.8 (*)  | -             | 16 |                   |     |   |   |
|                             |           |       |   | 5VSBdc | 0.6 (*)  | -             | 16 |                   |     |   |   |
|                             |           |       |   | 5dc    | 14.0 (#) | 146.0 (#) (b) | 16 |                   |     |   |   |
|                             |           |       |   | 12dc   | 5.0 (#)  | -             | 16 |                   |     |   |   |
|                             |           |       |   | -12dc  | 1.0 (#)  | -             | 16 |                   |     |   |   |
|                             |           |       |   | 5VSBdc | 0.8 (#)  | -             | 16 |                   |     |   |   |
| <b>RPTG-160C@(A1\$)[*r]</b> |           |       |   |        |          |               |    |                   |     |   |   |
|                             | 100-240ac | 50/60 | 0 | 5dc    | 9.0 (*)  | 99.0 (*) (b)  | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |
|                             |           |       |   | 15dc   | 2.6 (*)  | -             | 16 |                   |     |   |   |
|                             |           |       |   | -15dc  | 0.8 (*)  | -             | 16 |                   |     |   |   |
|                             |           |       |   | 5VSBdc | 0.6 (*)  | -             | 16 |                   |     |   |   |
|                             |           |       |   | 5dc    | 14.0 (#) | 143.0 (#) (b) | 16 |                   |     |   |   |
|                             |           |       |   | 15dc   | 3.6 (#)  | -             | 16 |                   |     |   |   |
|                             |           |       |   | -15dc  | 1.0 (#)  | -             | 16 |                   |     |   |   |
|                             |           |       |   | 5VSBdc | 0.8 (#)  | -             | 16 |                   |     |   |   |
| <b>RPTG-160D@(A1\$)[*r]</b> |           |       |   |        |          |               |    |                   |     |   |   |
|                             | 100-240ac | 50/60 | 0 | 5dc    | 8.0 (*)  | 98.2 (*) (b)  | 16 | ES60601 & A1:2012 | 20B | 0 | 1 |
|                             |           |       |   | 12dc   | 2.6 (*)  | -             | 16 |                   |     |   |   |
|                             |           |       |   | 24dc   | 1.0 (*)  | -             | 16 |                   |     |   |   |
|                             |           |       |   | 5VSBdc | 0.6 (*)  | -             | 16 |                   |     |   |   |
|                             |           |       |   | 5dc    | 11.0 (#) | 147.8 (#) (b) | 16 |                   |     |   |   |
|                             |           |       |   | 12dc   | 5.0 (#)  | -             | 16 |                   |     |   |   |
|                             |           |       |   | 24dc   | 1.2 (#)  | -             | 16 |                   |     |   |   |
|                             |           |       |   | 5VSBdc | 0.8 (#)  | -             | 16 |                   |     |   |   |

[\*r] - Output values are rated.

# - Rated rating with 20.5CFM FAN cooling.

(a) - Where X may be A or C.

(A1\$) - product certified to ANSI/AAMI ES60601-1:2005 & A1:2012 and CAN/CSA-C22.2 No. 60601-1 (2014)

(b) - Ratings in W not VA.

(c) - Rating shown is the maximum rating when used with 10CFM cooling Fan.

(^) - Where x can be B, U or I; y can be 05, 07, 09, 12, 15, 18, 24, 28, 48; -zzz can be 0-9, A-Z or blank for marketing purpose; B = IEC-320 C8 AC Inlet, U = Wall mount American plug, I = American interchangeable plug

\* - Rated ratings without 20.5CFM FAN cooling.

+ - Class II SMPS

@ - product certified to ANSI/AAMI ES 60601-1: 2005; CAN/CSA-C22.2 No. 60601-1:08.

Marking: Company name and model designation.

Last Updated on 2016-04-22

---

[Questions?](#)[Print this page](#)[Terms of Use](#)[Page Top](#)

© 2016 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2016 UL LLC".



**QQHM8.E227340**  
**Power Supplies, Medical and Dental Certified for Canada - Component**

[Page Bottom](#)

**Power Supplies, Medical and Dental Certified for Canada - Component**

[See General Information for Power Supplies, Medical and Dental Certified for Canada - Component](#)

**MEAN WELL ENTERPRISES CO LTD**  
 28 W UQUAN 3RD RD WUGU DIST  
 NEW TAIPEI, 248 TAIWAN

E227340

| Model No.   | Rated Input |       |    | Max Output |           |       |        | SP                           | EP  | FC | GC |
|---|-------------|-------|----|------------|-----------|-------|--------|------------------------------|-----|----|----|
|   | Volts       | Hz    | SC | V          | A         | VA    | OC     |                              |     |    |    |
| <b>GEM18x05-zzz (^)</b>   |             |       |    |            |           |       |        |                              |     |    |    |
|   | 100-240Vac  | 50/60 | 0  | 5-6dc      | 3.00-2.50 | 15    | 16     | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0  | 2  |
| <b>GEM18x07-zzz (^)</b>   |             |       |    |            |           |       |        |                              |     |    |    |
|   | 100-240Vac  | 50/60 | 0  | 6-8dc      | 2.50-1.87 | 15    | 16     | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0  | 2  |
| <b>GEM18x09-zzz (^)[*r]</b>   |             |       |    |            |           |       |        |                              |     |    |    |
|   | 100-240Vac  | 50/60 | 0  | 8-11dc     | 2.25-1.64 | 18.04 | 16     | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0  | 2  |
| <b>GEM18x12-zzz (^)[*r]</b>   |             |       |    |            |           |       |        |                              |     |    |    |
|   | 100-240Vac  | 50/60 | 0  | 11-13dc    | 1.64-1.38 | 18.04 | 16     | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0  | 2  |
| <b>GEM18x15-zzz (^)[*r]</b>   |             |       |    |            |           |       |        |                              |     |    |    |
|   | 100-240Vac  | 50/60 | 0  | 13-16dc    | 1.38-1.13 | 18.08 | 16     | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0  | 2  |
| <b>GEM18x18-zzz (^)[*r]</b>   |             |       |    |            |           |       |        |                              |     |    |    |
|   | 100-240Vac  | 50/60 | 0  | 16-21dc    | 1.13-0.86 | 18.08 | 16     | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0  | 2  |
| <b>GEM18x24-zzz (^)[*r]</b>   |             |       |    |            |           |       |        |                              |     |    |    |
|   | 100-240Vac  | 50/60 | 0  | 21-27dc    | 0.86-0.67 | 18.09 | 16     | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0  | 2  |
| <b>GEM18x28-zzz (^)[*r]</b>   |             |       |    |            |           |       |        |                              |     |    |    |
|   | 100-240Vac  | 50/60 | 0  | 27-33dc    | 0.67-0.55 | 18.15 | 16     | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0  | 2  |
| <b>GEM18x48-zzz (^)[*r]</b>   |             |       |    |            |           |       |        |                              |     |    |    |
|   | 100-240Vac  | 50/60 | 0  | 33-58dc    | 0.55-0.32 | 18.56 | 16     | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0  | 2  |
| <b>GMS36U15 @ (A1\$)[*r]</b>  |             |       |    |            |           |       |        |                              |     |    |    |
|   | 100-240Vac  | 50/60 | 0  | 15dc       | 2.4       | -     | 16     | 60601-1:2008 & 60601-1:2014  | 20B | 0  | 2  |
| <b>GMS36U48 @ (A1\$)[*r]</b>  |             |       |    |            |           |       |        |                              |     |    |    |
|   | 100-240Vac  | 50/60 | 0  | 48dc       | 0.75      | -     | 16     | 60601-1:2008 & 60601-1:2014  | 20B | 0  | 2  |
| <b>GSM06Ux-zzz (x can be 05, 06, 07, 09, 12, 15, 18, 24; -zzz can be 0-9, A-Z or Blank for marketing purpose)</b> |             |       |    |            |           |       |        |                              |     |    |    |
|   | 100-240ac   | 50/60 | 0  | 27dc       | 1.2       | 6.24  | 16, 22 | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 8  | 2  |
| <b>GSM120A12 (A1\$)[*r]</b>   |             |       |    |            |           |       |        |                              |     |    |    |
|   | 100-240ac   | 50/60 | 0  | -          | -         | -     | -      | 60601-1:2014                 | 20B | 0  | 1  |
|   |             |       |    | 12dc       | 8.5       | 102   | 16     |                              |     |    |    |
| <b>GSM120A15 (A1\$)[*r]</b>   |             |       |    |            |           |       |        |                              |     |    |    |

|                              |            |       |   |       |      |         |    |                                  |     |   |   |
|------------------------------|------------|-------|---|-------|------|---------|----|----------------------------------|-----|---|---|
|                              | 100-240ac  | 50/60 | 0 | 15dc  | 7.0  | 105     | -  | 60601-1:2014                     | 20B | 0 | 1 |
| <b>GSM120A20 (A1\$)[*r]</b>  |            |       |   |       |      |         |    |                                  |     |   |   |
|                              | 100-240ac  | 50/60 | 0 | 20dc  | 6.0  | 120     | 16 | 60601-1:2008                     | 20B | 0 | 1 |
| <b>GSM120A24 (A1\$)[*r]</b>  |            |       |   |       |      |         |    |                                  |     |   |   |
|                              | 100-240ac  | 50/60 | 0 | 24dc  | 5.0  | 120     | 16 | 60601-1:2014                     | 20B | 0 | 1 |
| <b>GSM120A48 (A1\$)[*r]</b>  |            |       |   |       |      |         |    |                                  |     |   |   |
|                              | 100-240ac  | 50/60 | 0 | 24dc  | 5.0  | 120     | 16 | 60601-1:2014                     | 20B | 0 | 1 |
| <b>GSM120B12 (A1\$)[*r]</b>  |            |       |   |       |      |         |    |                                  |     |   |   |
|                              | 100-240ac  | 50/60 | 0 | 12    | 8.5  | 102     | 16 | 60601-1:2008                     | 20B | 0 | 2 |
| <b>GSM120B15 (A1\$)[*r]</b>  |            |       |   |       |      |         |    |                                  |     |   |   |
|                              | 100-240ac  | 50/60 | 0 | 15    | 7.0  | 10.5    | 16 | 60601-1:2008                     | 20B | 0 | 2 |
| <b>GSM120B20 (A1\$)[*r]</b>  |            |       |   |       |      |         |    |                                  |     |   |   |
|                              | 100-240ac  | 50/60 | 0 | 20    | 6.0  | 120     | 16 | 60601-1:2008                     | 20B | 0 | 2 |
| <b>GSM120B24 (A1\$)[*r]</b>  |            |       |   |       |      |         |    |                                  |     |   |   |
|                              | 100-240ac  | 50/60 | 0 | 24    | 5.0  | 120     | 16 | 60601-1:2008                     | 20B | 0 | 2 |
| <b>GSM120B48 (A1\$)[*r]</b>  |            |       |   |       |      |         |    |                                  |     |   |   |
|                              | 100-240ac  | 50/60 | 0 | 48    | 2.5  | 120     | 16 | 60601-1:2008                     | 20B | 0 | 2 |
| <b>GSM160B12(A1\$)[*r]</b>   |            |       |   |       |      |         |    |                                  |     |   |   |
|                              | 100-240ac  | 50/60 | 0 | 12dc  | 11.5 | 138 Max | 16 | CAN/CSA-C22.2 No. 60601-1 (2014) | 20B | 0 | 2 |
| <b>GSM160B15(A1\$)[*r]</b>   |            |       |   |       |      |         |    |                                  |     |   |   |
|                              | 100-240ac  | 50/60 | 0 | 15dc  | 9.6  | 144 Max | 16 | CAN/CSA-C22.2 No. 60601-1 (2014) | 20B | 0 | 2 |
| <b>GSM160B20(A1\$)[*r]</b>   |            |       |   |       |      |         |    |                                  |     |   |   |
|                              | 100-240ac  | 50/60 | 0 | 20dc  | 8    | 160 Max | 16 | CAN/CSA-C22.2 No. 60601-1 (2014) | 20B | 0 | 2 |
| <b>GSM160B24(A1\$)[*r]</b>   |            |       |   |       |      |         |    |                                  |     |   |   |
|                              | 100-240ac  | 50/60 | 0 | 24dc  | 6.67 | 160 Max | 16 | CAN/CSA-C22.2 No. 60601-1 (2014) | 20B | 0 | 2 |
| <b>GSM160B48(A1\$)[*r]</b>   |            |       |   |       |      |         |    |                                  |     |   |   |
|                              | 100-240ac  | 50/60 | 0 | 48dc  | 3.34 | 160 Max | 16 | CAN/CSA-C22.2 No. 60601-1 (2014) | 20B | 0 | 2 |
| <b>GSM18B05 @ (A1\$)[*r]</b> |            |       |   |       |      |         |    |                                  |     |   |   |
|                              | 100-240Vac | 50/60 | 0 | 5dc   | 3    | -       | 16 | 60601-1:2008 & 60601-1:2014      | 20B | 0 | 2 |
| <b>GSM18B07 @ (A1\$)[*r]</b> |            |       |   |       |      |         |    |                                  |     |   |   |
|                              | 100-240Vac | 50/60 | 0 | 7.5dc | 2    | -       | 16 | 60601-1:2008 & 60601-1:2014      | 20B | 0 | 2 |
| <b>GSM18B09 @ (A1\$)[*r]</b> |            |       |   |       |      |         |    |                                  |     |   |   |
|                              | 100-240Vac | 50/60 | 0 | 9dc   | 2    | -       | 16 | 60601-1:2008 & 60601-1:2014      | 20B | 0 | 2 |
| <b>GSM18B12 @ (A1\$)[*r]</b> |            |       |   |       |      |         |    |                                  |     |   |   |
|                              | 100-240Vac | 50/60 | 0 | 12dc  | 1.5  | -       | 16 | 60601-1:2008 & 60601-1:2014      | 20B | 0 | 2 |
| <b>GSM18B15 @ (A1\$)[*r]</b> |            |       |   |       |      |         |    |                                  |     |   |   |
|                              | 100-240Vac | 50/60 | 0 | 15dc  | 1.2  | -       | 16 | 60601-1:2008 & 60601-1:2014      | 20B | 0 | 2 |
| <b>GSM18B18 @ (A1\$)[*r]</b> |            |       |   |       |      |         |    |                                  |     |   |   |
|                              |            | 50/60 | 0 | 18dc  | 1    | -       | 16 | 60601-1:2008 & 60601-1:2014      | 20B | 0 | 2 |



|                              |            |       |   |       |       |   |    |                             |     |   |   |  |
|------------------------------|------------|-------|---|-------|-------|---|----|-----------------------------|-----|---|---|--|
|                              | 100-240Vac |       |   |       |       |   |    |                             |     |   |   |  |
| <b>GSM18B24 @ (A1\$)[*r]</b> |            |       |   |       |       |   |    |                             |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 24dc  | 0.75  | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM18B48 @ (A1\$)[*r]</b> |            |       |   |       |       |   |    |                             |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 48dc  | 0.375 | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM18U05 @ (A1\$)[*r]</b> |            |       |   |       |       |   |    |                             |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 5dc   | 3     | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM18U07 @ (A1\$)[*r]</b> |            |       |   |       |       |   |    |                             |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 7.5dc | 2     | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM18U09 @ (A1\$)[*r]</b> |            |       |   |       |       |   |    |                             |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 9dc   | 2     | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM18U12 @ (A1\$)[*r]</b> |            |       |   |       |       |   |    |                             |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 12dc  | 1.5   | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM18U15 @ (A1\$)[*r]</b> |            |       |   |       |       |   |    |                             |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 15dc  | 1.2   | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM18U18 @ (A1\$)[*r]</b> |            |       |   |       |       |   |    |                             |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 18dc  | 1     | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM18U24 @ (A1\$)[*r]</b> |            |       |   |       |       |   |    |                             |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 24dc  | 0.75  | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM18U48 @ (A1\$)[*r]</b> |            |       |   |       |       |   |    |                             |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 48dc  | 0.375 | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM220B12 (A1\$)</b>      |            |       |   |       |       |   |    |                             |     |   |   |  |
|                              | 100-240vac | 50/60 | 0 | -     | -     | - | -  | 60601-1:2008                | 20B | 0 | 2 |  |
| <b>GSM220B15 (A1\$)</b>      |            |       |   |       |       |   |    |                             |     |   |   |  |
|                              | 100-240vac | 50/60 | 0 | -     | -     | - | -  | 60601-1:2008                | 20B | 0 | 2 |  |
| <b>GSM220B20 (A1\$)</b>      |            |       |   |       |       |   |    |                             |     |   |   |  |
|                              | 100-240vac | 50/60 | 0 | -     | -     | - | -  | 60601-1:2008                | 20B | 0 | 2 |  |
| <b>GSM220B24 (A1\$)</b>      |            |       |   |       |       |   |    |                             |     |   |   |  |
|                              | 100-240vac | 50/60 | 0 | -     | -     | - | -  | 60601-1:2008                | 20B | 0 | 2 |  |
| <b>GSM220B48 (A1\$)</b>      |            |       |   |       |       |   |    |                             |     |   |   |  |
|                              | 100-240vac | 50/60 | 0 | -     | -     | - | -  | 60601-1:2008                | 20B | 0 | 2 |  |
| <b>GSM25B05 @ (A1\$)[*r]</b> |            |       |   |       |       |   |    |                             |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 5dc   | 4     | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM25B07 @ (A1\$)[*r]</b> |            |       |   |       |       |   |    |                             |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 7.5dc | 2.93  | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM25B09 @ (A1\$)[*r]</b> |            |       |   |       |       |   |    |                             |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 9dc   | 2.77  | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM25B12 @ (A1\$)[*r]</b> |            |       |   |       |       |   |    |                             |     |   |   |  |
|                              |            | 50/60 | 0 | 12dc  | 2.08  | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |

|                              |            |       |   |       |      |   |    |                             |     |   |   |  |
|------------------------------|------------|-------|---|-------|------|---|----|-----------------------------|-----|---|---|--|
|                              | 100-240Vac |       |   |       |      |   |    |                             |     |   |   |  |
| <b>GSM25B15 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                             |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 15dc  | 1.66 | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM25B18 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                             |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 18dc  | 1.38 | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM25B24 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                             |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 24dc  | 1.04 | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM25B48 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                             |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 48dc  | 0.52 | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM25U05 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                             |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 5dc   | 4    | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM25U07 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                             |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 7.5dc | 2.93 | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM25U09 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                             |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 9dc   | 2.77 | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM25U12 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                             |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 12dc  | 2.08 | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM25U15 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                             |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 15dc  | 1.66 | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM25U18 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                             |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 18dc  | 1.38 | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM25U24 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                             |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 24dc  | 1.04 | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM25U48 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                             |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 48dc  | 0.52 | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM36B05 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                             |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 5dc   | 4.5  | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM36B07 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                             |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 7dc   | 4.32 | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM36B09 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                             |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 9dc   | 4    | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM36B12 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                             |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 12dc  | 3    | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM36B15 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                             |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 15dc  | 2.4  | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM36B18 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                             |     |   |   |  |
|                              | 100-240Vac | 50/60 | 0 | 18dc  | 2    | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM36B24 @ (A1\$)[*r]</b> |            |       |   |       |      |   |    |                             |     |   |   |  |
|                              |            | 50/60 | 0 | 24dc  | 1.5  | - | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |

|                              |            |       |   |       |      |       |    |                             |     |   |   |  |  |
|------------------------------|------------|-------|---|-------|------|-------|----|-----------------------------|-----|---|---|--|--|
|                              | 100-240Vac |       |   |       |      |       |    |                             |     |   |   |  |  |
| <b>GSM36B48 @ (A1\$)[*r]</b> |            |       |   |       |      |       |    |                             |     |   |   |  |  |
|                              | 100-240Vac | 50/60 | 0 | 48dc  | 0.75 | -     | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |  |
| <b>GSM36U05 @ (A1\$)[*r]</b> |            |       |   |       |      |       |    |                             |     |   |   |  |  |
|                              | 100-240Vac | 50/60 | 0 | 5dc   | 4.5  | -     | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |  |
| <b>GSM36U07 @ (A1\$)[*r]</b> |            |       |   |       |      |       |    |                             |     |   |   |  |  |
|                              | 100-240Vac | 50/60 | 0 | 7dc   | 4.32 | -     | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |  |
| <b>GSM36U09 @ (A1\$)[*r]</b> |            |       |   |       |      |       |    |                             |     |   |   |  |  |
|                              | 100-240Vac | 50/60 | 0 | 9dc   | 4    | -     | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |  |
| <b>GSM36U12 @ (A1\$)[*r]</b> |            |       |   |       |      |       |    |                             |     |   |   |  |  |
|                              | 100-240Vac | 50/60 | 0 | 12dc  | 3    | -     | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |  |
| <b>GSM36U18 @ (A1\$)[*r]</b> |            |       |   |       |      |       |    |                             |     |   |   |  |  |
|                              | 100-240Vac | 50/60 | 0 | 18dc  | 2    | -     | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |  |
| <b>GSM36U24 @ (A1\$)[*r]</b> |            |       |   |       |      |       |    |                             |     |   |   |  |  |
|                              | 100-240Vac | 50/60 | 0 | 24dc  | 1.5  | -     | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 2 |  |  |
| <b>GSM40A05</b>              |            |       |   |       |      |       |    |                             |     |   |   |  |  |
|                              | 100-240ac  | 50/60 | 0 | 5dc   | 5    | 24    | 16 | ES60601-1                   | 20B | 0 | 1 |  |  |
| <b>GSM40A05(A1\$)[*r]</b>    |            |       |   |       |      |       |    |                             |     |   |   |  |  |
|                              | 100-240ac  | 50/60 | 0 | 5dc   | 5    | 25    | 16 | 60601-1:2014                | 20B | 0 | 1 |  |  |
| <b>GSM40A07</b>              |            |       |   |       |      |       |    |                             |     |   |   |  |  |
|                              | 100-240ac  | 50/60 | 0 | 7.5dc | 5.34 | 40.05 | 16 | ES60601-1                   | 20B | 0 | 1 |  |  |
| <b>GSM40A07(A1\$)[*r]</b>    |            |       |   |       |      |       |    |                             |     |   |   |  |  |
|                              | 100-240ac  | 50/60 | 0 | 7.5dc | 5.34 | 40.05 | 16 | 60601-1:2014                | 20B | 0 | 1 |  |  |
| <b>GSM40A09</b>              |            |       |   |       |      |       |    |                             |     |   |   |  |  |
|                              | 100-240ac  | 50/60 | 0 | 9dc   | 4.45 | 40.05 | 16 | ES60601-1                   | 20B | 0 | 1 |  |  |
| <b>GSM40A09(A1\$)[*r]</b>    |            |       |   |       |      |       |    |                             |     |   |   |  |  |
|                              | 100-240ac  | 50/60 | 0 | 9dc   | 4.45 | 40.05 | 16 | 60601-1:2014                | 20B | 0 | 1 |  |  |
| <b>GSM40A12</b>              |            |       |   |       |      |       |    |                             |     |   |   |  |  |
|                              | 100-240ac  | 50/60 | 0 | 12dc  | 3.34 | 40.08 | 16 | ES60601-1                   | 20B | 0 | 1 |  |  |
| <b>GSM40A12(A1\$)[*r]</b>    |            |       |   |       |      |       |    |                             |     |   |   |  |  |
|                              | 100-240ac  | 50/60 | 0 | 12dc  | 3.34 | 40.08 | 16 | 60601-1:2014                | 20B | 0 | 1 |  |  |
| <b>GSM40A15</b>              |            |       |   |       |      |       |    |                             |     |   |   |  |  |
|                              | 100-240ac  | 50/60 | 0 | 15dc  | 2.67 | 40.05 | 16 | ES60601-1                   | 20B | 0 | 1 |  |  |
| <b>GSM40A15(A1\$)[*r]</b>    |            |       |   |       |      |       |    |                             |     |   |   |  |  |
|                              | 100-240ac  | 50/60 | 0 | 15dc  | 2.67 | 40.05 | 16 | 60601-1:2014                | 20B | 0 | 1 |  |  |
| <b>GSM40A18</b>              |            |       |   |       |      |       |    |                             |     |   |   |  |  |
|                              | 100-240ac  | 50/60 | 0 | 18dc  | 2.22 | 39.96 | 16 | ES60601-1                   | 20B | 0 | 1 |  |  |
| <b>GSM40A18(A1\$)[*r]</b>    |            |       |   |       |      |       |    |                             |     |   |   |  |  |
|                              |            | 50/60 | 0 | 18dc  | 2.22 | 39.96 | 16 | 60601-1:2014                | 20B | 0 | 1 |  |  |

|                          |            |       |   |       |      |       |    |              |     |   |   |  |
|--------------------------|------------|-------|---|-------|------|-------|----|--------------|-----|---|---|--|
|                          | 100-240ac  |       |   |       |      |       |    |              |     |   |   |  |
| <b>GSM40A24</b>          |            |       |   |       |      |       |    |              |     |   |   |  |
|                          | 100-240ac  | 50/60 | 0 | 24dc  | 1.67 | 40.08 | 16 | ES60601-1    | 20B | 0 | 1 |  |
| <b>GSM40A24(A1\$)*r]</b> |            |       |   |       |      |       |    |              |     |   |   |  |
|                          | 100-240ac  | 50/60 | 0 | 24dc  | 1.67 | 40.08 | 16 | 60601-1:2014 | 20B | 0 | 1 |  |
| <b>GSM40A48</b>          |            |       |   |       |      |       |    |              |     |   |   |  |
|                          | 100-240ac  | 50/60 | 0 | 48dc  | 0.84 | 40.32 | 16 | ES60601-1    | 20B | 0 | 1 |  |
| <b>GSM40A48(A1\$)*r]</b> |            |       |   |       |      |       |    |              |     |   |   |  |
|                          | 100-240ac  | 50/60 | 0 | 48dc  | 0.84 | 40.32 | 16 | 60601-1:2014 | 20B | 0 | 1 |  |
| <b>GSM40B05</b>          |            |       |   |       |      |       |    |              |     |   |   |  |
|                          | 100-240Vac | 50/60 | 0 | 5dc   | 5    | 25    | 16 | 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM40B07</b>          |            |       |   |       |      |       |    |              |     |   |   |  |
|                          | 100-240Vac | 50/60 | 0 | 7.5dc | 5.34 | 40    | 16 | 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM40B09</b>          |            |       |   |       |      |       |    |              |     |   |   |  |
|                          | 100-240Vac | 50/60 | 0 | 9dc   | 4.45 | 40    | 16 | 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM40B12</b>          |            |       |   |       |      |       |    |              |     |   |   |  |
|                          | 100-240Vac | 50/60 | 0 | 12dc  | 3.34 | 40    | 16 | 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM40B15</b>          |            |       |   |       |      |       |    |              |     |   |   |  |
|                          | 100-240Vac | 50/60 | 0 | 15dc  | 2.67 | 40    | 16 | 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM40B18</b>          |            |       |   |       |      |       |    |              |     |   |   |  |
|                          | 100-240Vac | 50/60 | 0 | 18dc  | 2.22 | 40    | 16 | 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM40B24</b>          |            |       |   |       |      |       |    |              |     |   |   |  |
|                          | 100-240Vac | 50/60 | 0 | 24dc  | 1.67 | 40    | 16 | 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM40B48</b>          |            |       |   |       |      |       |    |              |     |   |   |  |
|                          | 100-240Vac | 50/60 | 0 | 48dc  | 0.84 | 40    | 16 | 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM60A05</b>          |            |       |   |       |      |       |    |              |     |   |   |  |
|                          | 100-240ac  | 50/60 | 0 | 5dc   | 6    | 30    | 16 | ES60601-1    | 20B | 0 | 1 |  |
| <b>GSM60A05(A1\$)*r]</b> |            |       |   |       |      |       |    |              |     |   |   |  |
|                          | 100-240ac  | 50/60 | 0 | 5dc   | 6    | 30    | 16 | 60601-1:2014 | 20B | 0 | 1 |  |
| <b>GSM60A07</b>          |            |       |   |       |      |       |    |              |     |   |   |  |
|                          | 100-240ac  | 50/60 | 0 | 7.5dc | 6    | 45    | 16 | ES60601-1    | 20B | 0 | 1 |  |
| <b>GSM60A07(A1\$)*r]</b> |            |       |   |       |      |       |    |              |     |   |   |  |
|                          | 100-240ac  | 50/60 | 0 | 7.5dc | 6    | 45    | 16 | 60601-1:2014 | 20B | 0 | 1 |  |
| <b>GSM60A09</b>          |            |       |   |       |      |       |    |              |     |   |   |  |
|                          | 100-240ac  | 50/60 | 0 | 9dc   | 6    | 54    | 16 | ES60601-1    | 20B | 0 | 1 |  |
| <b>GSM60A09(A1\$)*r]</b> |            |       |   |       |      |       |    |              |     |   |   |  |
|                          | 100-240ac  | 50/60 | 0 | 9dc   | 6    | 54    | 16 | 60601-1:2014 | 20B | 0 | 1 |  |
| <b>GSM60A12</b>          |            |       |   |       |      |       |    |              |     |   |   |  |
|                          |            | 50/60 | 0 | 12dc  | 5    | 60    | 16 | ES60601-1    | 20B | 0 | 1 |  |

|                            |            |       |   |       |      |       |    |              |     |   |   |  |
|----------------------------|------------|-------|---|-------|------|-------|----|--------------|-----|---|---|--|
|                            | 100-240ac  |       |   |       |      |       |    |              |     |   |   |  |
| <b>GSM60A12(A1\$)[*r]</b>  |            |       |   |       |      |       |    |              |     |   |   |  |
|                            | 100-240ac  | 50/60 | 0 | 12dc  | 5    | 60    | 16 | 60601-1:2014 | 20B | 0 | 1 |  |
| <b>GSM60A15</b>            |            |       |   |       |      |       |    |              |     |   |   |  |
|                            | 100-240ac  | 50/60 | 0 | 15dc  | 4    | 60    | 16 | ES60601-1    | 20B | 0 | 1 |  |
| <b>GSM60A18</b>            |            |       |   |       |      |       |    |              |     |   |   |  |
|                            | 100-240ac  | 50/60 | 0 | 18dc  | 3.33 | 59.94 | 16 | ES60601-1    | 20B | 0 | 1 |  |
| <b>GSM60A18(A1\$)[*r]</b>  |            |       |   |       |      |       |    |              |     |   |   |  |
|                            | 100-240ac  | 50/60 | 0 | 18dc  | 3.33 | 59.94 | 16 | 60601-1:2014 | 20B | 0 | 1 |  |
| <b>GSM60A24</b>            |            |       |   |       |      |       |    |              |     |   |   |  |
|                            | 100-240ac  | 50/60 | 0 | 24dc  | 2.5  | 60    | 16 | ES60601-1    | 20B | 0 | 1 |  |
| <b>GSM60A24(A1\$)[*r]</b>  |            |       |   |       |      |       |    |              |     |   |   |  |
|                            | 100-240ac  | 50/60 | 0 | 24dc  | 2.5  | 60    | 16 | 60601-1:2014 | 20B | 0 | 1 |  |
| <b>GSM60A48</b>            |            |       |   |       |      |       |    |              |     |   |   |  |
|                            | 100-240ac  | 50/60 | 0 | 48dc  | 1.25 | 60    | 16 | ES60601-1    | 20B | 0 | 1 |  |
| <b>GSM60A48(A1\$)[*r]</b>  |            |       |   |       |      |       |    |              |     |   |   |  |
|                            | 100-240ac  | 50/60 | 0 | 48dc  | 1.25 | 60    | 16 | 60601-1:2014 | 20B | 0 | 1 |  |
| <b>GSM60B05</b>            |            |       |   |       |      |       |    |              |     |   |   |  |
|                            | 100-240Vac | 50/60 | 0 | 5dc   | 6    | 30    | 16 | 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM60B07</b>            |            |       |   |       |      |       |    |              |     |   |   |  |
|                            | 100-240Vac | 50/60 | 0 | 7.5dc | 6    | 45    | 16 | 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM60B09</b>            |            |       |   |       |      |       |    |              |     |   |   |  |
|                            | 100-240Vac | 50/60 | 0 | 9dc   | 6    | 54    | 16 | 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM60B12</b>            |            |       |   |       |      |       |    |              |     |   |   |  |
|                            | 100-240Vac | 50/60 | 0 | 12dc  | 5    | 60    | 16 | 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM60B15</b>            |            |       |   |       |      |       |    |              |     |   |   |  |
|                            | 100-240Vac | 50/60 | 0 | 15dc  | 4    | 60    | 16 | 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM60B18</b>            |            |       |   |       |      |       |    |              |     |   |   |  |
|                            | 100-240Vac | 50/60 | 0 | 18dc  | 3.33 | 60    | 16 | 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM60B24</b>            |            |       |   |       |      |       |    |              |     |   |   |  |
|                            | 100-240Vac | 50/60 | 0 | 24dc  | 2.5  | 60    | 16 | 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM60B48</b>            |            |       |   |       |      |       |    |              |     |   |   |  |
|                            | 100-240Vac | 50/60 | 0 | 48dc  | 1.25 | 60    | 16 | 60601-1:2014 | 20B | 0 | 2 |  |
| <b>GSM90A12 (A1\$)[*r]</b> |            |       |   |       |      |       |    |              |     |   |   |  |
|                            | 100-240Vac | 50/60 | 0 | 12dc  | 6.67 | 80W   | 16 | 60601-1:2008 | 20B | 0 | 1 |  |
| <b>GSM90A15 (A1\$)[*r]</b> |            |       |   |       |      |       |    |              |     |   |   |  |
|                            | 100-240Vac | 50/60 | 0 | 15dc  | 6    | 90W   | 16 | 60601-1:2008 | 20B | 0 | 1 |  |
| <b>GSM90A19 (A1\$)[*r]</b> |            |       |   |       |      |       |    |              |     |   |   |  |
|                            |            | 50/60 | 0 | 19dc  | 4.74 | 90W   | 16 | 60601-1:2008 | 20B | 0 | 1 |  |

|   |            |       |   |       |           |      |    |              |     |   |   |  |
|---|------------|-------|---|-------|-----------|------|----|--------------|-----|---|---|--|
|   | 100-240Vac |       |   |       |           |      |    |              |     |   |   |  |
| <b>GSM90A24 (A1\$)[*r]</b>                              |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240Vac | 50/60 | 0 | 24dc  | 3.75      | 90W  | 16 | 60601-1:2008 | 20B | 0 | 1 |  |
| <b>GSM90A48 (A1\$)[*r]</b>                              |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240Vac | 50/60 | 0 | 48dc  | 1.87      | 90W  | 16 | 60601-1:2008 | 20B | 0 | 1 |  |
| <b>GSM90B12 (A1\$)[*r]</b>                              |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240Vac | 50/60 | 0 | 12dc  | 6.67      | 80   | 16 | 60601-1:2008 | 20B | 0 | 2 |  |
| <b>GSM90B15 (A1\$)[*r]</b>                              |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240Vac | 50/60 | 0 | 15dc  | 6..0      | 90   | 16 | 60601-1:2008 | 20B | 0 | 2 |  |
| <b>GSM90B19 (A1\$)[*r]</b>                              |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240Vac | 50/60 | 0 | 19dc  | 4.74      | 90   | 16 | 60601-1:2008 | 20B | 0 | 2 |  |
| <b>GSM90B24 (A1\$)[*r]</b>                              |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240Vac | 50/60 | 0 | 24dc  | 3.75      | 90   | 16 | 60601-1:2008 | 20B | 0 | 2 |  |
| <b>GSM90B48 (A1\$)[*r]</b>                              |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240Vac | 50/60 | 0 | 48dc  | 1.87      | 90   | 16 | 60601-1:2008 | 20B | 0 | 2 |  |
| <b>MES30A-0, MES30B-0, MES30C-0, MES30D-0-U</b>         |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240ac  | 50-60 | 0 | 3-5   | 5.0       | 25   | 9  | 60601-1      | 2T  | 0 | 1 |  |
| <b>MES30A-1, MES30B-1, MES30C-1, MES30D-1-U</b>         |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240ac  | 50-60 | 0 | 5-6   | 5.0-4.17  | 25   | 9  | 60601-1      | 2T  | 0 | 1 |  |
| <b>MES30A-1-1, MES30B-1-1, MES30C-1-1, MES30D-1-1-U</b> |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240ac  | 50-60 | 0 | 6-8   | 4.17-3.13 | 25   | 9  | 60601-1      | 2T  | 0 | 1 |  |
| <b>MES30A-1-2, MES30B-1-2, MES30C-1-2, MES30D-2-U</b>   |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240ac  | 50-60 | 0 | 8-11  | 3.75-2.73 | 30   | 9  | 60601-1      | 2T  | 0 | 1 |  |
| <b>MES30A-2, MES30C-2[*r]</b>                           |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240ac  | 50-60 | 0 | 8-11  | 3.75-2.73 | 30   | 9  | ES60601-1    | 20B | 0 | 1 |  |
| <b>MES30A-3, MES30B-3, MES30C-3, MES30D-3-U</b>         |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240ac  | 50-60 | 0 | 11-13 | 2.73-2.30 | 30   | 9  | 60601-1      | 2T  | 0 | 1 |  |
| <b>MES30A-4, MES30B-4, MES30C-4, MES30D-4-U</b>         |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240ac  | 50-60 | 0 | 13-16 | 2.30-1.88 | 30   | 9  | 60601-1      | 2T  | 0 | 1 |  |
| <b>MES30A-5, MES30B-5, MES30C-5, MES30D-5-U</b>         |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240ac  | 50-60 | 0 | 16-21 | 1.88-1.43 | 30   | 9  | 60601-1      | 2T  | 0 | 1 |  |
| <b>MES30A-6, MES30B-6, MES30C-6, MES30D-6-U</b>         |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240ac  | 50-60 | 0 | 21-27 | 1.43-1.11 | 30   | 9  | 60601-1      | 2T  | 0 | 1 |  |
| <b>MES30A-7, MES30B-7, MES30C-7, MES30D-7-U</b>         |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240ac  | 50-60 | 0 | 27-33 | 1.11-0.90 | 30   | 9  | 60601-1      | 2T  | 0 | 1 |  |
| <b>MES30A-8, MES30B-8, MES30C-8, MES30D-8-U</b>         |            |       |   |       |           |      |    |              |     |   |   |  |
|   | 100-240ac  | 50-60 | 0 | 33-48 | 0.9-0.63  | 30   | 9  | 60601-1      | 2T  | 0 | 1 |  |
| <b>MES50X-0 (a)[*r]</b>                                 |            |       |   |       |           |      |    |              |     |   |   |  |
|   |            | 50/60 | 0 | 3-5   | 7.5       | 37.5 | 9  | 60601-1      | 20B | 8 | 1 |  |

|                            |           |       |   |       |           |      |    |                             |     |   |   |  |
|----------------------------|-----------|-------|---|-------|-----------|------|----|-----------------------------|-----|---|---|--|
|                            | 100-240ac |       |   |       |           |      |    |                             |     |   |   |  |
| <b>MES50X-1 (a)[*r]</b>    |           |       |   |       |           |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5-6   | 7.50-6.25 | 37.5 | 9  | 60601-1                     | 20B | 8 | 1 |  |
| <b>MES50X-1-1 (a)[*r]</b>  |           |       |   |       |           |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 6-8   | 6.66-5.00 | 40   | 9  | 60601-1                     | 20B | 8 | 1 |  |
| <b>MES50X-2 (a)[*r]</b>    |           |       |   |       |           |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 8-11  | 5.62-4.09 | 45   | 9  | 60601-1                     | 20B | 8 | 1 |  |
| <b>MES50X-3 (a)[*r]</b>    |           |       |   |       |           |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 11-13 | 4.54-3.84 | 50   | 9  | 60601-1                     | 20B | 8 | 1 |  |
| <b>MES50X-4 (a)[*r]</b>    |           |       |   |       |           |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 13-16 | 3.84-3.12 | 50   | 9  | 60601-1                     | 20B | 8 | 1 |  |
| <b>MES50X-5 (a)[*r]</b>    |           |       |   |       |           |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 16-21 | 3.12-2.38 | 50   | 9  | 60601-1                     | 20B | 8 | 1 |  |
| <b>MES50X-6 (a)[*r]</b>    |           |       |   |       |           |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 21-27 | 2.38-1.85 | 50   | 9  | 60601-1                     | 20B | 8 | 1 |  |
| <b>MES50X-7 (a)[*r]</b>    |           |       |   |       |           |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 27-33 | 1.85-1.51 | 50   | 9  | 60601-1                     | 20B | 8 | 1 |  |
| <b>MES50X-8 (a)[*r]</b>    |           |       |   |       |           |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 33-48 | 1.51-1.04 | 50   | 9  | 60601-1                     | 20B | 8 | 1 |  |
| <b>MPD-120A[*r]</b>        |           |       |   |       |           |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5     | 10        | -    | 9  | 60601-1                     | 20B | 0 | 1 |  |
|                            |           |       |   | 12    | 5         | -    | 9  |                             |     |   |   |  |
| <b>MPD-120B[*r]</b>        |           |       |   |       |           |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5     | 10        | -    | 9  | 60601-1                     | 20B | 0 | 1 |  |
|                            |           |       |   | 24    | 2.9       | -    | 9  |                             |     |   |   |  |
| <b>MPD-200A@(A1\$)[*r]</b> |           |       |   |       |           |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5dc   | 20        | -    | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
|                            |           |       |   | 12dc  | 8         | -    | 16 |                             |     |   |   |  |
| <b>MPD-200B@(A1\$)[*r]</b> |           |       |   |       |           |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5dc   | 20        | -    | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
|                            |           |       |   | 24dc  | 4         | -    | 16 |                             |     |   |   |  |
| <b>MPD-45A[*r]</b>         |           |       |   |       |           |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5     | 3.2       | 16.0 | 9  | 2601                        | -   | 0 | 0 |  |
|                            |           |       |   | 12    | 2         | 24   | 9  |                             |     |   |   |  |
| <b>MPD-45A@(A1\$)[*r]</b>  |           |       |   |       |           |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5dc   | 3.2       | -    | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
|                            |           |       |   | 12dc  | 2         | -    | 16 |                             |     |   |   |  |
| <b>MPD-45B[*r]</b>         |           |       |   |       |           |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5     | 3.2       | 16.0 | 9  | 2601                        | -   | 0 | 0 |  |
|                            |           |       |   | 24    | 1.2       | 28.8 | 9  |                             |     |   |   |  |
| <b>MPD-45B@(A1\$)[*r]</b>  |           |       |   |       |           |      |    |                             |     |   |   |  |
|                            |           | 50/60 | 0 | 5dc   | 3.2       | -    | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |

|                            |           |       |   |       |     |      |    |                             |     |   |   |  |
|----------------------------|-----------|-------|---|-------|-----|------|----|-----------------------------|-----|---|---|--|
|                            | 100-240ac |       |   |       |     |      |    |                             |     |   |   |  |
|                            |           |       |   | 24dc  | 1.2 | -    | 16 |                             |     |   |   |  |
| <b>MPD-65A[*r]</b>         | 100-240ac | 50/60 | 0 | 5     | 5.5 | 27.5 | 9  | 2601                        | -   | 0 | 0 |  |
|                            |           |       |   | 12    | 2.8 | 33.6 | 9  |                             |     |   |   |  |
| <b>MPD-65A@(A1\$)[*r]</b>  |           |       |   |       |     |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5dc   | 5.5 | -    | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
|                            |           |       |   | 12dc  | 2.8 | -    | 16 |                             |     |   |   |  |
| <b>MPD-65B[*r]</b>         | 100-240ac | 50/60 | 0 | 5     | 3.5 | 17.5 | 9  | 2601                        | -   | 0 | 0 |  |
|                            |           |       |   | 24    | 2   | 48   | 9  |                             |     |   |   |  |
| <b>MPD-65B@(A1\$)[*r]</b>  |           |       |   |       |     |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5dc   | 3.5 | -    | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
|                            |           |       |   | 24dc  | 2   | -    | 16 |                             |     |   |   |  |
| <b>MPQ-120B[*r]</b>        |           |       |   |       |     |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5     | 10  | -    | 9  | 60601-1                     | 20B | 0 | 1 |  |
|                            |           |       |   | 12    | 4.2 | -    | 9  |                             |     |   |   |  |
|                            |           |       |   | -5    | 0.6 | -    | 9  |                             |     |   |   |  |
|                            |           |       |   | -12   | 0.6 | -    | 9  |                             |     |   |   |  |
| <b>MPQ-120C[*r]</b>        |           |       |   |       |     |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5     | 10  | -    | 9  | 60601-1                     | 20B | 0 | 1 |  |
|                            |           |       |   | 15    | 3.2 | -    | 9  |                             |     |   |   |  |
|                            |           |       |   | -5    | 0.6 | -    | 9  |                             |     |   |   |  |
|                            |           |       |   | -15   | 0.6 | -    | 9  |                             |     |   |   |  |
| <b>MPQ-120D[*r]</b>        |           |       |   |       |     |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5     | 10  | -    | 9  | 60601-1                     | 20B | 0 | 1 |  |
|                            |           |       |   | 12    | 1   | -    | 9  |                             |     |   |   |  |
|                            |           |       |   | 24    | 2.1 | -    | 9  |                             |     |   |   |  |
|                            |           |       |   | -12   | 0.6 | -    | 9  |                             |     |   |   |  |
| <b>MPQ-120E[*r]</b>        |           |       |   |       |     |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5     | 10  | -    | 9  | 60601-1                     | 20B | 0 | 1 |  |
|                            |           |       |   | 12    | 3   | -    | 9  |                             |     |   |   |  |
|                            |           |       |   | 15    | 0.6 | -    | 9  |                             |     |   |   |  |
|                            |           |       |   | 24    | 0.6 | -    | 9  |                             |     |   |   |  |
| <b>MPQ-200B@(A1\$)[*r]</b> |           |       |   |       |     |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5dc   | 15  | -    | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
|                            |           |       |   | 12dc  | 7   | -    | 16 |                             |     |   |   |  |
|                            |           |       |   | -5dc  | 2   | -    | 16 |                             |     |   |   |  |
|                            |           |       |   | -12dc | 2   | -    | 16 |                             |     |   |   |  |
| <b>MPQ-200C@(A1\$)[*r]</b> |           |       |   |       |     |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5dc   | 15  | -    | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
|                            |           |       |   | 15dc  | 5   | -    | 16 |                             |     |   |   |  |
|                            |           |       |   | -5dc  | 2   | -    | 16 |                             |     |   |   |  |
|                            |           |       |   | -15dc | 2   | -    | 16 |                             |     |   |   |  |
| <b>MPQ-200D@(A1\$)[*r]</b> |           |       |   |       |     |      |    |                             |     |   |   |  |



|                              |           |       |   |       |      |    |    |                              |     |   |   |
|------------------------------|-----------|-------|---|-------|------|----|----|------------------------------|-----|---|---|
|                              | 100-240ac | 50/60 | 0 | 5dc   | 15   | -  | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |
|                              |           |       |   | 12dc  | 2    | -  | 16 |                              |     |   |   |
|                              |           |       |   | 24dc  | 3    | -  | 16 |                              |     |   |   |
|                              |           |       |   | -12dc | 2    | -  | 16 |                              |     |   |   |
| <b>MPQ-200F@(A1\$)*r</b>     |           |       |   |       |      |    |    |                              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 5dc   | 15   | -  | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |
|                              |           |       |   | 15dc  | 2    | -  | 16 |                              |     |   |   |
|                              |           |       |   | -15dc | 2    | -  | 16 |                              |     |   |   |
|                              |           |       |   | 24dc  | 2.7  | -  | 16 |                              |     |   |   |
| <b>MPS-120-12*r</b>          |           |       |   |       |      |    |    |                              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 12    | 10   | -  | 9  | 60601-1                      | 20B | 0 | 1 |
| <b>MPS-120-15*r</b>          |           |       |   |       |      |    |    |                              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 15    | 8    | -  | 9  | 60601-1                      | 20B | 0 | 1 |
| <b>MPS-120-24*r</b>          |           |       |   |       |      |    |    |                              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 24    | 5    | -  | 9  | 60601-1                      | 20B | 0 | 1 |
| <b>MPS-120-3.3*r</b>         |           |       |   |       |      |    |    |                              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 3.3   | 24   | -  | 9  | 60601-1                      | 20B | 0 | 1 |
| <b>MPS-120-48*r</b>          |           |       |   |       |      |    |    |                              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 48    | 2.5  | -  | 9  | 60601-1                      | 20B | 0 | 1 |
| <b>MPS-120-5*r</b>           |           |       |   |       |      |    |    |                              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 5     | 22   | -  | 9  | 60601-1                      | 20B | 0 | 1 |
| <b>MPS-200-12@(A1\$)*r</b>   |           |       |   |       |      |    |    |                              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 12dc  | 16.7 | -  | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |
| <b>MPS-200-15@(A1\$)*r</b>   |           |       |   |       |      |    |    |                              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 15dc  | 13.4 | -  | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |
| <b>MPS-200-24@(A1\$)*r</b>   |           |       |   |       |      |    |    |                              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 24dc  | 8.4  | -  | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |
| <b>MPS-200-3.3@(A1\$)*r</b>  |           |       |   |       |      |    |    |                              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 3.3dc | 40   | -  | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |
| <b>MPS-200-32PE@(A1\$)*r</b> |           |       |   |       |      |    |    |                              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 32dc  | 6.3  | -  | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |
| <b>MPS-200-48@(A1\$)*r</b>   |           |       |   |       |      |    |    |                              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 48dc  | 4.2  | -  | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |
| <b>MPS-200-5@(A1\$)*r</b>    |           |       |   |       |      |    |    |                              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 5dc   | 40   | -  | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |
| <b>MPS-200-7.5@(A1\$)*r</b>  |           |       |   |       |      |    |    |                              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 7.5dc | 26.6 | -  | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |
| <b>MPS-30-12*r</b>           |           |       |   |       |      |    |    |                              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | -     | 2.5  | 30 | 9  | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 0 |
| <b>MPS-30-15*r</b>           |           |       |   |       |      |    |    |                              |     |   |   |

|                               |           |       |   |        |     |      |    |                              |     |   |   |
|-------------------------------|-----------|-------|---|--------|-----|------|----|------------------------------|-----|---|---|
|                               | 100-240ac | 50/60 | 0 | -      | 2   | 30   | 9  | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 0 |
| <b>MPS-30-24[*r]</b>          |           |       |   |        |     |      |    |                              |     |   |   |
|                               | 100-240ac | 50/60 | 0 | -      | 1.2 | 28.8 | 9  | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 0 |
| <b>MPS-30-27[*r]</b>          |           |       |   |        |     |      |    |                              |     |   |   |
|                               | 100-240ac | 50/60 | 0 | -      | 1.1 | 29.7 | 9  | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 0 |
| <b>MPS-30-48[*r]</b>          |           |       |   |        |     |      |    |                              |     |   |   |
|                               | 100-240ac | 50/60 | 0 | -      | 0.6 | 28.8 | 9  | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 0 |
| <b>MPS-30-5[*r]</b>           |           |       |   |        |     |      |    |                              |     |   |   |
|                               | 100-240ac | 50/60 | 0 | -      | 6   | 30   | 9  | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 0 |
| <b>MPS-30-5SI[*r]</b>         |           |       |   |        |     |      |    |                              |     |   |   |
|                               | 100-240ac | 50/60 | 0 | -      | 6   | 30   | 9  | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 0 |
| <b>MPS-45-12[*r]</b>          |           |       |   |        |     |      |    |                              |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 12     | 3.7 | 44.4 | 9  | 2601                         | -   | 0 | 0 |
| <b>MPS-45-12@(A1\$)[*r]</b>   |           |       |   |        |     |      |    |                              |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 12dc   | 3.7 | -    | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |
| <b>MPS-45-13.5[*r]</b>        |           |       |   |        |     |      |    |                              |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 13.5   | 3.3 | 44.6 | 9  | 2601                         | -   | 0 | 0 |
| <b>MPS-45-13.5@(A1\$)[*r]</b> |           |       |   |        |     |      |    |                              |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 13.5dc | 3.3 | -    | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |
| <b>MPS-45-15[*r]</b>          |           |       |   |        |     |      |    |                              |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 15     | 3   | 45   | 9  | 2601                         | -   | 0 | 0 |
| <b>MPS-45-15@(A1\$)[*r]</b>   |           |       |   |        |     |      |    |                              |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 15dc   | 3   | -    | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |
| <b>MPS-45-24[*r]</b>          |           |       |   |        |     |      |    |                              |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 24     | 1.9 | 45.6 | 9  | 2601                         | -   | 0 | 0 |
| <b>MPS-45-24@(A1\$)[*r]</b>   |           |       |   |        |     |      |    |                              |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 24dc   | 1.9 | -    | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |
| <b>MPS-45-27[*r]</b>          |           |       |   |        |     |      |    |                              |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 27     | 1.7 | 45.9 | 9  | 2601                         | -   | 0 | 0 |
| <b>MPS-45-27@(A1\$)[*r]</b>   |           |       |   |        |     |      |    |                              |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 27dc   | 1.7 | -    | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |
| <b>MPS-45-3.3[*r]</b>         |           |       |   |        |     |      |    |                              |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 3.3    | 8   | 26.4 | 9  | 2601                         | -   | 0 | 0 |
| <b>MPS-45-3.3@(A1\$)[*r]</b>  |           |       |   |        |     |      |    |                              |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 3.3dc  | 8   | -    | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |
| <b>MPS-45-48[*r]</b>          |           |       |   |        |     |      |    |                              |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 48     | 1   | 48   | 9  | 2601                         | -   | 0 | 0 |
| <b>MPS-45-48@(A1\$)[*r]</b>   |           |       |   |        |     |      |    |                              |     |   |   |
|                               |           | 50/60 | 0 | 48dc   | 1   | -    | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |

|                               |           |       |   |        |      |      |    |                             |     |   |   |  |
|-------------------------------|-----------|-------|---|--------|------|------|----|-----------------------------|-----|---|---|--|
|                               | 100-240ac |       |   |        |      |      |    |                             |     |   |   |  |
| <b>MPS-45-5[*r]</b>           |           |       |   |        |      |      |    |                             |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 5      | 8    | 40   | 9  | 2601                        | -   | 0 | 0 |  |
| <b>MPS-45-5@(A1\$)[*r]</b>    |           |       |   |        |      |      |    |                             |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 5dc    | 8    | -    | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
| <b>MPS-45-7.5[*r]</b>         |           |       |   |        |      |      |    |                             |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 7.5    | 5.5  | 41.3 | 9  | 2601                        | -   | 0 | 0 |  |
| <b>MPS-45-7.5@(A1\$)[*r]</b>  |           |       |   |        |      |      |    |                             |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 7.5dc  | 5.4  | -    | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
| <b>MPS-65-12[*r]</b>          |           |       |   |        |      |      |    |                             |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 12     | 5.2  | 62.4 | 9  | 2601                        | -   | 0 | 0 |  |
| <b>MPS-65-12@(A1\$)[*r]</b>   |           |       |   |        |      |      |    |                             |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 12dc   | 5.2  | -    | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
| <b>MPS-65-13.5[*r]</b>        |           |       |   |        |      |      |    |                             |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 13.5   | 4.7  | 63.5 | 9  | 2601                        | -   | 0 | 0 |  |
| <b>MPS-65-13.5@(A1\$)[*r]</b> |           |       |   |        |      |      |    |                             |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 13.5dc | 4.7  | -    | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
| <b>MPS-65-15[*r]</b>          |           |       |   |        |      |      |    |                             |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 15     | 4.2  | 63.0 | 9  | 2601                        | -   | 0 | 0 |  |
| <b>MPS-65-15@(A1\$)[*r]</b>   |           |       |   |        |      |      |    |                             |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 15dc   | 4.2  | -    | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
| <b>MPS-65-24[*r]</b>          |           |       |   |        |      |      |    |                             |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 24     | 2.7  | 64.8 | 9  | 2601                        | -   | 0 | 0 |  |
| <b>MPS-65-24@(A1\$)[*r]</b>   |           |       |   |        |      |      |    |                             |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 24dc   | 2.7  | -    | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
| <b>MPS-65-27[*r]</b>          |           |       |   |        |      |      |    |                             |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 27     | 2.4  | 64.8 | 9  | 2601                        | -   | 0 | 0 |  |
| <b>MPS-65-27@(A1\$)[*r]</b>   |           |       |   |        |      |      |    |                             |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 27dc   | 2.4  | -    | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
| <b>MPS-65-3.3[*r]</b>         |           |       |   |        |      |      |    |                             |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 3.3    | 12   | 39.6 | 9  | 2601                        | -   | 0 | 0 |  |
| <b>MPS-65-3.3@(A1\$)[*r]</b>  |           |       |   |        |      |      |    |                             |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 3.3dc  | 12   | -    | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
| <b>MPS-65-48[*r]</b>          |           |       |   |        |      |      |    |                             |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 48     | 1.35 | 64.8 | 9  | 2601                        | -   | 0 | 0 |  |
| <b>MPS-65-48@(A1\$)[*r]</b>   |           |       |   |        |      |      |    |                             |     |   |   |  |
|                               | 100-240ac | 50/60 | 0 | 48dc   | 1.35 | -    | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
| <b>MPS-65-5[*r]</b>           |           |       |   |        |      |      |    |                             |     |   |   |  |
|                               |           | 50/60 | 0 | 5      | 12   | 60.0 | 9  | 2601                        | -   | 0 | 0 |  |

|                            |           |       |   |       |     |      |    |                             |     |   |   |  |
|----------------------------|-----------|-------|---|-------|-----|------|----|-----------------------------|-----|---|---|--|
|                            | 100-240ac |       |   |       |     |      |    |                             |     |   |   |  |
| <b>MPS-65-5@(A1\$)*r</b>   |           |       |   |       |     |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5dc   | 12  | -    | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
| <b>MPS-65-7.5)*r</b>       |           |       |   |       |     |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 7.5   | 8   | 60.0 | 9  | 2601                        | -   | 0 | 0 |  |
| <b>MPS-65-7.5@(A1\$)*r</b> |           |       |   |       |     |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 7.5dc | 8   | 60.0 | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 0 |  |
| <b>MPT-120A)*r</b>         |           |       |   |       |     |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5     | 10  | -    | 9  | 60601-1                     | 20B | 0 | 1 |  |
|                            |           |       |   | 12    | 4.8 | -    | 9  |                             |     |   |   |  |
|                            |           |       |   | -5    | 0.6 | -    | 9  |                             |     |   |   |  |
| <b>MPT-120B)*r</b>         |           |       |   |       |     |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5     | 10  | -    | 9  | 60601-1                     | 20B | 0 | 1 |  |
|                            |           |       |   | 12    | 4.4 | -    | 9  |                             |     |   |   |  |
|                            |           |       |   | -12   | 0.6 | -    | 9  |                             |     |   |   |  |
| <b>MPT-120BC88)*r</b>      |           |       |   |       |     |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5     | 7   | -    | 9  | 60601-1                     | 20B | 0 | 1 |  |
|                            |           |       |   | 12    | 4   | -    | 9  |                             |     |   |   |  |
|                            |           |       |   | 24    | 1   | -    | 9  |                             |     |   |   |  |
| <b>MPT-120C)*r</b>         |           |       |   |       |     |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5     | 10  | -    | 9  | 60601-1                     | 20B | 0 | 1 |  |
|                            |           |       |   | 15    | 4   | -    | 9  |                             |     |   |   |  |
|                            |           |       |   | -15   | 0.6 | -    | 9  |                             |     |   |   |  |
| <b>MPT-120D)*r</b>         |           |       |   |       |     |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5     | 10  | -    | 9  | 60601-1                     | 20B | 0 | 1 |  |
|                            |           |       |   | 24    | 2.2 | -    | 9  |                             |     |   |   |  |
|                            |           |       |   | 12    | 0.6 | -    | 9  |                             |     |   |   |  |
| <b>MPT-200A@(A1\$)*r</b>   |           |       |   |       |     |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5dc   | 20  | -    | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
|                            |           |       |   | 12dc  | 7.5 | -    | 16 |                             |     |   |   |  |
|                            |           |       |   | -5dc  | 2   | -    | 16 |                             |     |   |   |  |
| <b>MPT-200B@(A1\$)*r</b>   |           |       |   |       |     |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5dc   | 20  | -    | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
|                            |           |       |   | 12dc  | 6   | -    | 16 |                             |     |   |   |  |
|                            |           |       |   | -12dc | 2   | -    | 16 |                             |     |   |   |  |
| <b>MPT-200C@(A1\$)*r</b>   |           |       |   |       |     |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5dc   | 20  | -    | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
|                            |           |       |   | 15dc  | 4.7 | -    | 16 |                             |     |   |   |  |
|                            |           |       |   | -15dc | 2   | -    | 16 |                             |     |   |   |  |
| <b>MPT-200D@(A1\$)*r</b>   |           |       |   |       |     |      |    |                             |     |   |   |  |
|                            | 100-240ac | 50/60 | 0 | 5dc   | 20  | -    | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
|                            |           |       |   | 24dc  | 3   | -    | 16 |                             |     |   |   |  |

|                           |               |       |   |       |     |      |    |                             |     |   |   |  |
|---------------------------|---------------|-------|---|-------|-----|------|----|-----------------------------|-----|---|---|--|
|                           |               |       |   | 12dc  | 2   | -    | 16 |                             |     |   |   |  |
| <b>MPT-45A</b><br>[*r]    | 100-<br>240ac | 50/60 | 0 | 5     | 3.5 | 15   | 9  | 2601                        | -   | 0 | 0 |  |
|                           |               |       |   | 12    | 2   | 24   | 9  |                             |     |   |   |  |
|                           |               |       |   | 12    | 2   | 24   | 9  |                             |     |   |   |  |
| <b>MPT-45A@(A1\$)[*r]</b> |               |       |   |       |     |      |    |                             |     |   |   |  |
|                           | 100-<br>240ac | 50/60 | 0 | 5dc   | 3   | -    | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
|                           |               |       |   | 12dc  | 2   | -    | 16 |                             |     |   |   |  |
|                           |               |       |   | -5dc  | 0.3 | -    | 16 |                             |     |   |   |  |
| <b>MPT-45B</b><br>[*r]    | 100-<br>240ac | 50/60 | 0 | 5     | 3.5 | 15   | 9  | 2601                        | -   | 0 | 0 |  |
|                           |               |       |   | 12    | 2   | 24   | 9  |                             |     |   |   |  |
|                           |               |       |   | -12   | 0.3 | 3.6  | 9  |                             |     |   |   |  |
| <b>MPT-45B@(A1\$)[*r]</b> |               |       |   |       |     |      |    |                             |     |   |   |  |
|                           | 100-<br>240ac | 50/60 | 0 | 5dc   | 3   | -    | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
|                           |               |       |   | 12dc  | 2   | -    | 16 |                             |     |   |   |  |
|                           |               |       |   | -12dc | 0.3 | -    | 16 |                             |     |   |   |  |
| <b>MPT-45C</b><br>[*r]    | 100-<br>240ac | 50/60 | 0 | 5     | 3.5 | 15   | 9  | 2601                        | -   | 0 | 0 |  |
|                           |               |       |   | 15    | 1.6 | 24   | 9  |                             |     |   |   |  |
|                           |               |       |   | -15   | 0.3 | 4.5  | 9  |                             |     |   |   |  |
| <b>MPT-45C@(A1\$)[*r]</b> |               |       |   |       |     |      |    |                             |     |   |   |  |
|                           | 100-<br>240ac | 50/60 | 0 | 5dc   | 3   | -    | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
|                           |               |       |   | 15dc  | 1.6 | -    | 16 |                             |     |   |   |  |
|                           |               |       |   | -15dc | 0.3 | -    | 16 |                             |     |   |   |  |
| <b>MPT-65A</b><br>[*r]    | 100-<br>240ac | 50/60 | 0 | 5     | 5.5 | 27.5 | 9  | 2601                        | -   | 0 | 0 |  |
|                           |               |       |   | 12    | 2.5 | 30   | 9  |                             |     |   |   |  |
|                           |               |       |   | -5    | 0.5 | 2.5  | 9  |                             |     |   |   |  |
| <b>MPT-65A@(A1\$)[*r]</b> |               |       |   |       |     |      |    |                             |     |   |   |  |
|                           | 100-<br>240ac | 50/60 | 0 | 5dc   | 5.5 | -    | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
|                           |               |       |   | 12dc  | 2.5 | -    | 16 |                             |     |   |   |  |
|                           |               |       |   | -5dc  | 0.5 | -    | 16 |                             |     |   |   |  |
| <b>MPT-65B</b><br>[*r]    | 100-<br>240ac | 50/60 | 0 | 5     | 5.5 | 27.5 | 9  | 2601                        | -   | 0 | 0 |  |
|                           |               |       |   | 12    | 2.5 | 30   | 9  |                             |     |   |   |  |
|                           |               |       |   | -12   | 0.5 | 6    | 9  |                             |     |   |   |  |
| <b>MPT-65B@(A1\$)[*r]</b> |               |       |   |       |     |      |    |                             |     |   |   |  |
|                           | 100-<br>240ac | 50/60 | 0 | 5dc   | 5.5 | -    | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
|                           |               |       |   | 12dc  | 2.5 | -    | 16 |                             |     |   |   |  |
|                           |               |       |   | -12dc | 0.5 | -    | 16 |                             |     |   |   |  |
| <b>MPT-65C</b><br>[*r]    | 100-<br>240ac | 50/60 | 0 | 5     | 5.5 | 27.5 | 9  | 2601                        | -   | 0 | 0 |  |
|                           |               |       |   | 15    | 2   | 30   | 9  |                             |     |   |   |  |
|                           |               |       |   | -15   | 0.5 | 7.5  | 9  |                             |     |   |   |  |
| <b>MPT-65C@(A1\$)[*r]</b> |               |       |   |       |     |      |    |                             |     |   |   |  |
|                           | 100-<br>240ac | 50/60 | 0 | 5dc   | 5.5 | -    | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
|                           |               |       |   | 15dc  | 2   | -    | 16 |                             |     |   |   |  |
|                           |               |       |   | -15dc | 0.5 | -    | 16 |                             |     |   |   |  |

|                              |           |       |   |       |      |       |    |              |     |   |   |
|------------------------------|-----------|-------|---|-------|------|-------|----|--------------|-----|---|---|
| <b>MSP-100-12(A1\$)[*r]</b>  |           |       |   |       |      |       |    |              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 12dc  | 8.5  | 102   | 14 | 60601-1:2014 | 20B | 0 | 1 |
| <b>MSP-100-12@[*r]</b>       |           |       |   |       |      |       |    |              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 12dc  | 8.5  | 102   | 14 | ES60601-1    | 20B | 0 | 1 |
| <b>MSP-100-15(A1\$)[*r]</b>  |           |       |   |       |      |       |    |              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 15dc  | 7    | 105   | 14 | 60601-1:2014 | 20B | 0 | 1 |
| <b>MSP-100-15@[*r]</b>       |           |       |   |       |      |       |    |              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 15dc  | 7    | 105   | 14 | ES60601-1    | 20B | 0 | 1 |
| <b>MSP-100-24(A1\$)[*r]</b>  |           |       |   |       |      |       |    |              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 24dc  | 4.5  | 108   | 14 | 60601-1:2014 | 20B | 0 | 1 |
| <b>MSP-100-24@[*r]</b>       |           |       |   |       |      |       |    |              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 24dc  | 4.5  | 108   | 14 | ES60601-1    | 20B | 0 | 1 |
| <b>MSP-100-3.3(A1\$)[*r]</b> |           |       |   |       |      |       |    |              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 3.3dc | 20   | 66    | 14 | 60601-1:2014 | 20B | 0 | 1 |
| <b>MSP-100-3.3@[*r]</b>      |           |       |   |       |      |       |    |              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 3.3dc | 20   | 66    | 14 | ES60601-1    | 20B | 0 | 1 |
| <b>MSP-100-36(A1\$)[*r]</b>  |           |       |   |       |      |       |    |              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 36dc  | 2.9  | 104.4 | 14 | 60601-1:2014 | 20B | 0 | 1 |
| <b>MSP-100-36@[*r]</b>       |           |       |   |       |      |       |    |              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 36dc  | 2.9  | 104.4 | 14 | ES60601-1    | 20B | 0 | 1 |
| <b>MSP-100-48(A1\$)[*r]</b>  |           |       |   |       |      |       |    |              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 48dc  | 2.2  | 105.6 | 14 | 60601-1:2014 | 20B | 0 | 1 |
| <b>MSP-100-48@[*r]</b>       |           |       |   |       |      |       |    |              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 48dc  | 2.2  | 105.6 | 14 | ES60601-1    | 20B | 0 | 1 |
| <b>MSP-100-5(A1\$)[*r]</b>   |           |       |   |       |      |       |    |              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 5dc   | 17   | 85    | 14 | 60601-1:2014 | 20B | 0 | 1 |
| <b>MSP-100-5@[*r]</b>        |           |       |   |       |      |       |    |              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 5dc   | 17   | 85    | 14 | ES60601-1    | 20B | 0 | 1 |
| <b>MSP-100-7.5(A1\$)[*r]</b> |           |       |   |       |      |       |    |              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 7.5dc | 13.5 | 101.3 | 14 | 60601-1:2014 | 20B | 0 | 1 |
| <b>MSP-100-7.5@[*r]</b>      |           |       |   |       |      |       |    |              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 7.5dc | 13.5 | 101.3 | 14 | ES60601-1    | 20B | 0 | 1 |
| <b>MSP-200-12(A1\$)[*r]</b>  |           |       |   |       |      |       |    |              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 12dc  | 16.7 | -     | 14 | 60601-1:2014 | 20B | 0 | 1 |
| <b>MSP-200-12@</b>           |           |       |   |       |      |       |    |              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 12dc  | 16.7 | -     | 14 | 60601-1:2008 | 20B | 0 | 1 |
| <b>MSP-200-15(A1\$)[*r]</b>  |           |       |   |       |      |       |    |              |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 15dc  | 13.4 | -     | 14 | 60601-1:2014 | 20B | 0 | 1 |
| <b>MSP-200-15@</b>           |           |       |   |       |      |       |    |              |     |   |   |

|                               |           |       |   |       |      |      |    |                             |     |   |   |
|-------------------------------|-----------|-------|---|-------|------|------|----|-----------------------------|-----|---|---|
|                               | 100-240ac | 50/60 | 0 | 15dc  | 13.4 | -    | 14 | 60601-1:2008                | 20B | 0 | 1 |
| <b>MSP-200-24(A1\$)[*r]</b>   |           |       |   |       |      |      |    |                             |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 24dc  | 8.4  | -    | 14 | 60601-1:2014                | 20B | 0 | 1 |
| <b>MSP-200-24@</b>            |           |       |   |       |      |      |    |                             |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 24dc  | 8.4  | -    | 14 | 60601-1:2008                | 20B | 0 | 1 |
| <b>MSP-200-3.3(A1\$)[*r]</b>  |           |       |   |       |      |      |    |                             |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 3.3dc | 40   | -    | 14 | 60601-1:2014                | 20B | 0 | 1 |
| <b>MSP-200-3.3@</b>           |           |       |   |       |      |      |    |                             |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 3.3dc | 40   | -    | 14 | 60601-1:2008                | 20B | 0 | 1 |
| <b>MSP-200-36(A1\$)[*r]</b>   |           |       |   |       |      |      |    |                             |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 36dc  | 5.7  | -    | 14 | 60601-1:2014                | 20B | 0 | 1 |
| <b>MSP-200-36@</b>            |           |       |   |       |      |      |    |                             |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 36dc  | 5.7  | -    | 14 | 60601-1:2008                | 20B | 0 | 1 |
| <b>MSP-200-48(A1\$)[*r]</b>   |           |       |   |       |      |      |    |                             |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 48dc  | 4.3  | -    | 14 | 60601-1:2014                | 20B | 0 | 1 |
| <b>MSP-200-48@</b>            |           |       |   |       |      |      |    |                             |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 48dc  | 4.3  | -    | 14 | 60601-1:2008                | 20B | 0 | 1 |
| <b>MSP-200-5(A1\$)[*r]</b>    |           |       |   |       |      |      |    |                             |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 5dc   | 35   | -    | 14 | 60601-1:2014                | 20B | 0 | 1 |
| <b>MSP-200-5@</b>             |           |       |   |       |      |      |    |                             |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 5dc   | 35   | -    | 14 | 60601-1:2008                | 20B | 0 | 1 |
| <b>MSP-200-7.5(A1\$)[*r]</b>  |           |       |   |       |      |      |    |                             |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 7.5dc | 26.7 | -    | 14 | 60601-1:2014                | 20B | 0 | 1 |
| <b>MSP-200-7.5@</b>           |           |       |   |       |      |      |    |                             |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 7.5dc | 26.7 | -    | 14 | 60601-1:2008                | 20B | 0 | 1 |
| <b>MSP-30-12 @(A1\$)[*r]</b>  |           |       |   |       |      |      |    |                             |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 12dc  | 2.5  | 30   | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |
| <b>MSP-30-15 @(A1\$)[*r]</b>  |           |       |   |       |      |      |    |                             |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 15dc  | 2    | 30   | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |
| <b>MSP-30-24 @(A1\$)[*r]</b>  |           |       |   |       |      |      |    |                             |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 24dc  | 1.2  | 28.8 | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |
| <b>MSP-30-27 @(A1\$)[*r]</b>  |           |       |   |       |      |      |    |                             |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 27dc  | 1.1  | 29.7 | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |
| <b>MSP-30-48 @(A1\$)[*r]</b>  |           |       |   |       |      |      |    |                             |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 48dc  | 0.6  | 28.8 | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |
| <b>MSP-30-5@(A1\$)[*r]</b>    |           |       |   |       |      |      |    |                             |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 5dc   | 5    | 25   | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |
| <b>MSP-30-5SI @(A1\$)[*r]</b> |           |       |   |       |      |      |    |                             |     |   |   |
|                               |           | 50/60 | 0 | 5dc   | 5    | 25   | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |

|                                    |            |       |   |       |      |         |        |                             |     |   |   |  |
|------------------------------------|------------|-------|---|-------|------|---------|--------|-----------------------------|-----|---|---|--|
|                                    | 100-240ac  |       |   |       |      |         |        |                             |     |   |   |  |
| <b>MSP-300-12@(A1\$)[*r]</b>       |            |       |   |       |      |         |        |                             |     |   |   |  |
|                                    | 100-240ac  | 50/60 | 0 | 12    | 27   | 324 (b) | 14, 19 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
| <b>MSP-300-15@(A1\$)[*r]</b>       |            |       |   |       |      |         |        |                             |     |   |   |  |
|                                    | 100-240ac  | 50/60 | 0 | 15    | 22   | 330 (b) | 14, 19 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
| <b>MSP-300-24@(A1\$)[*r]</b>       |            |       |   |       |      |         |        |                             |     |   |   |  |
|                                    | 100-240ac  | 50/60 | 0 | 24    | 14   | 336 (b) | 14, 19 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
| <b>MSP-300-3.3@(A1\$)[*r]</b>      |            |       |   |       |      |         |        |                             |     |   |   |  |
|                                    | 100-240ac  | 50/60 | 0 | 3.3   | 60   | 198 (b) | 14, 19 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
| <b>MSP-300-36@(A1\$)[*r]</b>       |            |       |   |       |      |         |        |                             |     |   |   |  |
|                                    | 100-240ac  | 50/60 | 0 | 36    | 9    | 324 (b) | 14, 19 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
| <b>MSP-300-48@(A1\$)[*r]</b>       |            |       |   |       |      |         |        |                             |     |   |   |  |
|                                    | 100-240ac  | 50/60 | 0 | 48    | 7    | 336 (b) | 14, 19 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
| <b>MSP-300-5@(A1\$)[*r]</b>        |            |       |   |       |      |         |        |                             |     |   |   |  |
|                                    | 100-240ac  | 50/60 | 0 | 5     | 60   | 300 (b) | 14, 19 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
| <b>MSP-300-7.5@(A1\$)[*r]</b>      |            |       |   |       |      |         |        |                             |     |   |   |  |
|                                    | 100-240ac  | 50/60 | 0 | 7.5   | 40   | 300 (b) | 14, 19 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
| <b>MSP-450-12@[*r] (A1\$)[*r]</b>  |            |       |   |       |      |         |        |                             |     |   |   |  |
|                                    | 100-240Vac | 50/60 | 0 | 12dc  | 37.5 | 450     | 14     | 60601-1:2008                | 20B | 0 | 1 |  |
| <b>MSP-450-15@[*r] (A1\$)[*r]</b>  |            |       |   |       |      |         |        |                             |     |   |   |  |
|                                    | 100-240Vac | 50/60 | 0 | 15dc  | 30   | 450     | 14     | 60601-1:2008                | 20B | 0 | 1 |  |
| <b>MSP-450-24@[*r] (A1\$)[*r]</b>  |            |       |   |       |      |         |        |                             |     |   |   |  |
|                                    | 100-240Vac | 50/60 | 0 | 24dc  | 18.8 | 451.2   | 14     | 60601-1:2008                | 20B | 0 | 1 |  |
| <b>MSP-450-3.3@[*r] (A1\$)[*r]</b> |            |       |   |       |      |         |        |                             |     |   |   |  |
|                                    | 100-240Vac | 50/60 | 0 | 3.3dc | 90   | 297     | 14     | 60601-1:2008                | 20B | 0 | 1 |  |
| <b>MSP-450-36@[*r] (A1\$)[*r]</b>  |            |       |   |       |      |         |        |                             |     |   |   |  |
|                                    | 100-240Vac | 50/60 | 0 | 36dc  | 12.5 | 450     | 14     | 60601-1:2008                | 20B | 0 | 1 |  |
| <b>MSP-450-48@[*r] (A1\$)[*r]</b>  |            |       |   |       |      |         |        |                             |     |   |   |  |
|                                    | 100-240Vac | 50/60 | 0 | 48dc  | 9.5  | 456     | 14     | 60601-1:2008                | 20B | 0 | 1 |  |
| <b>MSP-450-5@[*r] (A1\$)[*r]</b>   |            |       |   |       |      |         |        |                             |     |   |   |  |
|                                    | 100-240Vac | 50/60 | 0 | 5dc   | 90   | 450     | 14     | 60601-1:2008                | 20B | 0 | 1 |  |
| <b>MSP-450-7.5@[*r]</b>            |            |       |   |       |      |         |        |                             |     |   |   |  |
|                                    | 100-240Vac | 50/60 | 0 | 7.5dc | 60   | 450     | 14     | 60601-1:2008                | 20B | 0 | 1 |  |
| <b>MSP-600-12 @ (A1\$)[*r]</b>     |            |       |   |       |      |         |        |                             |     |   |   |  |
|                                    | 100-240ac  | 50/60 | 0 | 12dc  | 53   | 636     | 14     | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
| <b>MSP-600-15 @ (A1\$)[*r]</b>     |            |       |   |       |      |         |        |                             |     |   |   |  |
|                                    | 100-240ac  | 50/60 | 0 | 15dc  | 43   | 645     | 14     | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
| <b>MSP-600-24 @ (A1\$)[*r]</b>     |            |       |   |       |      |         |        |                             |     |   |   |  |
|                                    |            | 50/60 | 0 | 24dc  | 27   | 648     | 14     | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |



|  |           |       |   |       |      |       |    |   |     |   |   |  |
|--|-----------|-------|---|-------|------|-------|----|---|-----|---|---|--|
|  | 100-240ac |       |   |       |      |       |    |   |     |   |   |  |
| <b>MSP-600-3.3 @ (A1\$)*r]</b>           |           |       |   |       |      |       |    |   |     |   |   |  |
|  | 100-240ac | 50/60 | 0 | 3.3dc | 120  | 396   | 14 | 60601-1:2008 & 60601-1:2014                                 | 20B | 0 | 1 |  |
| <b>MSP-600-36 @ (A1\$)*r]</b>            |           |       |   |       |      |       |    |   |     |   |   |  |
|  | 100-240ac | 50/60 | 0 | 36dc  | 17.5 | 630   | 14 | 60601-1:2008 & 60601-1:2014                                 | 20B | 0 | 1 |  |
| <b>MSP-600-48 @ (A1\$)*r]</b>            |           |       |   |       |      |       |    |   |     |   |   |  |
|  | 100-240ac | 50/60 | 0 | 48dc  | 13   | 624   | 14 | 60601-1:2008 & 60601-1:2014                                 | 20B | 0 | 1 |  |
| <b>MSP-600-5 @ (A1\$)*r]</b>             |           |       |   |       |      |       |    |   |     |   |   |  |
|  | 100-240ac | 50/60 | 0 | 5dc   | 120  | 600   | 14 | 60601-1:2008 & 60601-1:2014                                 | 20B | 0 | 1 |  |
| <b>MSP-600-7.5 @ (A1\$)*r]</b>           |           |       |   |       |      |       |    |   |     |   |   |  |
|  | 100-240ac | 50/60 | 0 | 7.5dc | 80   | 600   | 14 | 60601-1:2008 & 60601-1:2014                                 | 20B | 0 | 1 |  |
| <b>PM-05-12, NFM-05-12 @ (A1\$)*r]</b>   |           |       |   |       |      |       |    |   |     |   |   |  |
|  | 100-240ac | 50/60 | 0 | 12dc  | 0.42 | 5.04  | 16 | 60601-1:2008 & 60601-1:2014                                 | 20B | 0 | 2 |  |
| <b>PM-05-15, NFM-05-15 @ (A1\$)*r]</b>   |           |       |   |       |      |       |    |   |     |   |   |  |
|  | 100-240ac | 50/60 | 0 | 15dc  | 0.33 | 4.95  | 16 | 60601-1:2008 & 60601-1:2014                                 | 20B | 0 | 2 |  |
| <b>PM-05-24, NFM-05-24 @ (A1\$)*r]</b>   |           |       |   |       |      |       |    |   |     |   |   |  |
|  | 100-240ac | 50/60 | 0 | 24dc  | 0.23 | 5.52  | 16 | 60601-1:2008 & 60601-1:2014                                 | 20B | 0 | 2 |  |
| <b>PM-05-3.3, NFM-05-3.3 @ (A1\$)*r]</b> |           |       |   |       |      |       |    |   |     |   |   |  |
|  | 100-240ac | 50/60 | 0 | 3.3dc | 1.25 | 4.125 | 16 | 60601-1:2008 & 60601-1:2014                                 | 20B | 0 | 2 |  |
| <b>PM-05-5, NFM-05-5 @ (A1\$)*r]</b>     |           |       |   |       |      |       |    |   |     |   |   |  |
|  | 100-240ac | 50/60 | 0 | 5dc   | 1.0  | 5.0   | 16 | 60601-1:2008 & 60601-1:2014                                 | 20B | 0 | 2 |  |
| <b>PM-10-12, NFM-10-12 (A1\$)*r]</b>     |           |       |   |       |      |       |    |   |     |   |   |  |
|  | 100-240ac | 50/60 | 0 | 12    | 0.85 | 10.2  | 9  | ANSI/AAM IES 60601-1: 2005;<br>CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |  |
| <b>PM-10-15, NFM-10-15 (A1\$)*r]</b>     |           |       |   |       |      |       |    |   |     |   |   |  |
|  | 100-240ac | 50/60 | 0 | 15    | 0.67 | 10.05 | 9  | ANSI/AAM IES 60601-1: 2005;<br>CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |  |
| <b>PM-10-24, NFM-10-24 (A1\$)*r]</b>     |           |       |   |       |      |       |    |   |     |   |   |  |
|  | 100-240ac | 50/60 | 0 | 24    | 0.42 | 10.08 | 9  | ANSI/AAM IES 60601-1: 2005;<br>CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |  |
| <b>PM-10-3.3, NFM-10-3.3 (A1\$)*r]</b>   |           |       |   |       |      |       |    |   |     |   |   |  |
|  | 100-240ac | 50/60 | 0 | 3.3   | 2.5  | 8.25  | 9  | ANSI/AAM IES 60601-1: 2005;<br>CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |  |
| <b>PM-10-5, NFM-10-5 (A1\$)*r]</b>       |           |       |   |       |      |       |    |   |     |   |   |  |
|  | 100-240ac | 50/60 | 0 | 5     | 2.0  | 10    | 9  | ANSI/AAM IES 60601-1: 2005;<br>CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |  |
| <b>PM-15-12, NFM-15-12 @ (A1\$)*r]</b>   |           |       |   |       |      |       |    |   |     |   |   |  |
|  | 100-240ac | 50/60 | 0 | 12dc  | 1.25 | 15    | 16 | 60601-1:2008 & 60601-1:2014                                 | 20B | 0 | 2 |  |
| <b>PM-15-15, NFM-15-15 @ (A1\$)*r]</b>   |           |       |   |       |      |       |    |   |     |   |   |  |
|  | 100-240ac | 50/60 | 0 | 15dc  | 1.0  | 15    | 16 | 60601-1:2008 & 60601-1:2014                                 | 20B | 0 | 2 |  |
| <b>PM-15-24, NFM-15-24 @ (A1\$)*r]</b>   |           |       |   |       |      |       |    |   |     |   |   |  |
|  | 100-240ac | 50/60 | 0 | 24dc  | 0.63 | 15.12 | 16 | 60601-1:2008 & 60601-1:2014                                 | 20B | 0 | 2 |  |
| <b>PM-15-3.3, NFM-15-3.3 @ (A1\$)*r]</b> |           |       |   |       |      |       |    |   |     |   |   |  |
|  |           | 50/60 | 0 | 3.3dc | 3.5  | 11.55 | 16 | 60601-1:2008 & 60601-1:2014                                 | 20B | 0 | 2 |  |

|  |            |       |   |       |         |               |    |                              |     |   |   |  |
|--|------------|-------|---|-------|---------|---------------|----|------------------------------|-----|---|---|--|
|  | 100-240ac  |       |   |       |         |               |    |                              |     |   |   |  |
| <b>PM-15-5, NFM-15-5 @ (A1\$)*r]</b>     |            |       |   |       |         |               |    |                              |     |   |   |  |
|  | 100-240ac  | 50/60 | 0 | 5dc   | 3       | 15            | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 2 |  |
| <b>PM-20-12, NFM-20-12 @ (A1\$)*r]</b>   |            |       |   |       |         |               |    |                              |     |   |   |  |
|  | 100-240ac  | 50/60 | 0 | 12dc  | 1.8     | 21.6          | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |  |
| <b>PM-20-15, NFM-20-15 @ (A1\$)*r]</b>   |            |       |   |       |         |               |    |                              |     |   |   |  |
|  | 100-240ac  | 50/60 | 0 | 15dc  | 1.4     | 21.0          | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |  |
| <b>PM-20-24, NFM-20-24 @ (A1\$)*r]</b>   |            |       |   |       |         |               |    |                              |     |   |   |  |
|  | 100-240ac  | 50/60 | 0 | 24dc  | 0.92    | 22.08         | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |  |
| <b>PM-20-3.3, NFM-20-3.3 @ (A1\$)*r]</b> |            |       |   |       |         |               |    |                              |     |   |   |  |
|  | 100-240ac  | 50/60 | 0 | 3.3dc | 4.5     | 14.85         | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |  |
| <b>PM-20-5, NFM-20-5 @ (A1\$)*r]</b>     |            |       |   |       |         |               |    |                              |     |   |   |  |
|  | 100-240ac  | 50/60 | 0 | 5dc   | 4.4     | 22.0          | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |  |
| <b>RPD(G)-160B[*r]</b>                   |            |       |   |       |         |               |    |                              |     |   |   |  |
|  | 100-240ac  | 50/60 | 0 | 5     | 12 (#)  | 150.4 (#) (b) | 9  | 60601-1                      | 20B | 0 | 1 |  |
|  |            |       |   | 5     | 6 (*)   | 100.2 (*) (b) | 9  |                              |     |   |   |  |
|  |            |       |   | 24    | 3.6 (#) | -             | 9  |                              |     |   |   |  |
|  |            |       |   | 24    | 2.8 (*) | -             | 9  |                              |     |   |   |  |
|  |            |       |   | 5VSB  | 0.8 (#) | -             | 9  |                              |     |   |   |  |
|  |            |       |   | 5VSB  | 0.6 (*) | -             | 9  |                              |     |   |   |  |
| <b>RPD-160B@(A1\$)*r]</b>                |            |       |   |       |         |               |    |                              |     |   |   |  |
|  | 100-240ac  | 50/60 | 0 | 5dc   | 6.0 (*) | 97.2 (*) (b)  | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |  |
|  |            |       |   | 24dc  | 2.8 (*) | -             | 16 |                              |     |   |   |  |
|  |            |       |   | 5dc   | 12 (#)  | 146.4 (#)     | 16 |                              |     |   |   |  |
|  |            |       |   | 24dc  | 3.6 (#) | -             | 16 |                              |     |   |   |  |
| <b>RPD-160BFE@+</b>                      |            |       |   |       |         |               |    |                              |     |   |   |  |
|  | 100-240Vac | 50/60 | 0 | 24Vdc | 1.6A    | 38.4          | -  | 60601-1:2008                 | 20B | 0 | 0 |  |
|  |            |       |   | 5Vdc  | 2.0     | 10            | 1  |                              |     |   |   |  |
| <b>RPD-60A@(A1\$)*r]</b>                 |            |       |   |       |         |               |    |                              |     |   |   |  |
|  | 100-240ac  | 50/60 | 0 | -     | 2       | -             | 9  | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |  |
| <b>RPD-60B@(A1\$)*r]</b>                 |            |       |   |       |         |               |    |                              |     |   |   |  |
|  | 100-240ac  | 50/60 | 0 | -     | 1.5     | -             | 9  | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |  |
| <b>RPD-75A [*r]</b>                      | 100-240ac  | 50/60 | 0 | 5     | 7       | 71.0          | 9  | 60601-1                      | 20B | 0 | 1 |  |
|  |            |       |   | 12    | 3       | -             | 9  |                              |     |   |   |  |
| <b>RPD-75A@(A1\$)*r]</b>                 |            |       |   |       |         |               |    |                              |     |   |   |  |
|  | 100-240ac  | 50/60 | 0 | 5dc   | 7       | 71.0          | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |  |
|  |            |       |   | 12dc  | 3       | -             | 16 |                              |     |   |   |  |
| <b>RPD-75B [*r]</b>                      | 100-240ac  | 50/60 | 0 | 5     | 5       | 73.0          | 9  | 60601-1                      | 20B | 0 | 1 |  |
|  |            |       |   | 12    | 1       | -             | 9  |                              |     |   |   |  |
| <b>RPD-75B@(A1\$)*r]</b>                 |            |       |   |       |         |               |    |                              |     |   |   |  |

|                             |           |       |   |        |          |               |    |                             |     |   |   |
|-----------------------------|-----------|-------|---|--------|----------|---------------|----|-----------------------------|-----|---|---|
|                             | 100-240ac | 50/60 | 0 | 5dc    | 5        | 73.0          | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |
|                             |           |       |   | 12dc   | 1        | -             | 16 |                             |     |   |   |
| <b>RPDG-160B@(A1\$)[*r]</b> |           |       |   |        |          |               |    |                             |     |   |   |
|                             | 100-240ac | 50/60 | 0 | 5dc    | 6.0 (*)  | 100.2 (*) (b) | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |
|                             |           |       |   | 24dc   | 2.8 (*)  | -             | 16 |                             |     |   |   |
|                             |           |       |   | 5VSBdc | 0.6 (*)  | -             | 16 |                             |     |   |   |
|                             |           |       |   | 5dc    | 12 (#)   | 150.4 (#) (b) | 16 |                             |     |   |   |
|                             |           |       |   | 24dc   | 3.6 (#)  | -             | 16 |                             |     |   |   |
|                             |           |       |   | 5VSBdc | 0.8 (#)  | -             | 16 |                             |     |   |   |
| <b>RPS(G)-160-12[*r]</b>    |           |       |   |        |          |               |    |                             |     |   |   |
|                             | 100-240ac | 50/60 | 0 | 12     | 12.9 (#) | 158.8 (#) (b) | -  | 60601-1                     | 20B | 0 | 1 |
|                             |           |       |   | 12     | 9.1 (*)  | 112.2 (*) (b) | -  |                             |     |   |   |
|                             |           |       |   | 5VSB   | 0.8 (#)  | -             | -  |                             |     |   |   |
|                             |           |       |   | 5VSB   | 0.6 (*)  | -             | -  |                             |     |   |   |
| <b>RPS(G)-160-15[*r]</b>    |           |       |   |        |          |               |    |                             |     |   |   |
|                             | 100-240ac | 50/60 | 0 | 15     | 10.3 (#) | 158.5 (#) (b) | 9  | 60601-1                     | 20B | 0 | 1 |
|                             |           |       |   | 15     | 7.3 (*)  | 112.5 (*) (b) | 9  |                             |     |   |   |
|                             |           |       |   | 5VSB   | 0.8 (#)  | -             | 9  |                             |     |   |   |
|                             |           |       |   | 5VSB   | 0.6 (*)  | -             | 9  |                             |     |   |   |
| <b>RPS(G)-160-24[*r]</b>    |           |       |   |        |          |               |    |                             |     |   |   |
|                             | 100-240ac | 50/60 | 0 | 24     | 6.5 (#)  | 160 (#) (b)   | 9  | 60601-1                     | 20B | 0 | 1 |
|                             |           |       |   | 24     | 4.6 (*)  | 113.4 (*) (b) | 9  |                             |     |   |   |
|                             |           |       |   | 5VSB   | 0.8 (#)  | -             | 9  |                             |     |   |   |
|                             |           |       |   | 5VSB   | 0.6 (*)  | -             | 9  |                             |     |   |   |
| <b>RPS(G)-160-48[*r]</b>    |           |       |   |        |          |               |    |                             |     |   |   |
|                             | 100-240ac | 50/60 | 0 | 48     | 3.25 (#) | 160 (#) (b)   | 9  | 60601-1                     | 20B | 0 | 1 |
|                             |           |       |   | 48     | 2.1 (*)  | 103.8 (*) (b) | 9  |                             |     |   |   |
|                             |           |       |   | 5VSB   | 0.8 (#)  | -             | 9  |                             |     |   |   |
|                             |           |       |   | 5VSB   | 0.6 (*)  | -             | 9  |                             |     |   |   |
| <b>RPS(G)-160-5[*r]</b>     |           |       |   |        |          |               |    |                             |     |   |   |
|                             | 100-240ac | 50/60 | 0 | 5      | 30 (#)   | 154 (#) (b)   | 9  | 60601-1                     | 20B | 0 | 1 |
|                             |           |       |   | 5      | 20 (*)   | 103 (*) (b)   | 9  |                             |     |   |   |
|                             |           |       |   | 5VSB   | 0.8 (#)  | -             | 9  |                             |     |   |   |
|                             |           |       |   | 5VSB   | 0.6 (*)  | -             | 9  |                             |     |   |   |
| <b>RPS-120-12 (c)</b>       |           |       |   |        |          |               |    |                             |     |   |   |
|                             | 100-240ac | 50/60 | 0 | 12dc   | 7        | -             | 16 | -                           | 20B | 0 | 0 |
| <b>RPS-120-12-C (c)</b>     |           |       |   |        |          |               |    |                             |     |   |   |
|                             | 100-240ac | 50/60 | 0 | 12dc   | 10       | -             | 16 | 60601-1                     | 20B | 0 | 1 |
| <b>RPS-120-15 (c)</b>       |           |       |   |        |          |               |    |                             |     |   |   |
|                             | 100-240ac | 50/60 | 0 | 15dc   | 8        | -             | 16 | 60601-1                     | 20B | 0 | 0 |

|                              |           |       |   |       |          |               |    |                             |     |   |   |
|------------------------------|-----------|-------|---|-------|----------|---------------|----|-----------------------------|-----|---|---|
| <b>RPS-120-15-C (c)</b>      |           |       |   |       |          |               |    |                             |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 15dc  | 8        | -             | 16 | 60601-1                     | 20B | 0 | 1 |
| <b>RPS-120-24 (c)</b>        |           |       |   |       |          |               |    |                             |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 24dc  | 5        | -             | 16 | 60601-1                     | 20B | 0 | 0 |
| <b>RPS-120-24-C (c)</b>      |           |       |   |       |          |               |    |                             |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 24dc  | 5        | -             | 16 | 60601-1                     | 20B | 0 | 1 |
| <b>RPS-120-27 (c)</b>        |           |       |   |       |          |               |    |                             |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 27dc  | 4.5      | -             | 16 | 60601-1                     | 20B | 0 | 0 |
| <b>RPS-120-27-C (c)</b>      |           |       |   |       |          |               |    |                             |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 27dc  | 4.5      | -             | 16 | 60601-1                     | 20B | 0 | 1 |
| <b>RPS-120-48 (c)</b>        |           |       |   |       |          |               |    |                             |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 48dc  | 2.5      | -             | 16 | 60601-1                     | 20B | 0 | 0 |
| <b>RPS-120-48-C (c)</b>      |           |       |   |       |          |               |    |                             |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 48dc  | 2.5      | -             | 16 | 60601-1                     | 20B | 0 | 1 |
| <b>RPS-160-12@(A1\$)[*r]</b> |           |       |   |       |          |               |    |                             |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 12dc  | 9.1 (*)  | 109.2 (*) (b) | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |
|                              |           |       |   | 12dc  | 12.9 (#) | 154.8 (#) (b) | 16 |                             |     |   |   |
| <b>RPS-160-15@(A1\$)[*r]</b> |           |       |   |       |          |               |    |                             |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 15dc  | 7.3 (*)  | 109.5 (*) (b) | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |
|                              |           |       |   | 15dc  | 10.3 (#) | 154.5 (#) (b) | 16 |                             |     |   |   |
| <b>RPS-160-24@(A1\$)[*r]</b> |           |       |   |       |          |               |    |                             |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 24dc  | 4.6 (*)  | 110.4 (*) (b) | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |
|                              |           |       |   | 24dc  | 6.5 (#)  | 156.0 (#) (b) | 16 |                             |     |   |   |
| <b>RPS-160-48@(A1\$)[*r]</b> |           |       |   |       |          |               |    |                             |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 48dc  | 2.1 (*)  | 100.8 (*) (b) | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |
|                              |           |       |   | 48dc  | 3.25 (#) | 156.0 (#) (b) | 16 |                             |     |   |   |
| <b>RPS-160-5@(A1\$)[*r]</b>  |           |       |   |       |          |               |    |                             |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 5dc   | 20 (*)   | 100 (*) (b)   | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |
|                              |           |       |   | 5dc   | 30 (#)   | 150 (#)       | 16 |                             |     |   |   |
| <b>RPS-30-12</b>             |           |       |   |       |          |               |    |                             |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 12dc  | -        | -             | -  | 60601-1                     | 20B | 0 | 2 |
| <b>RPS-30-15</b>             |           |       |   |       |          |               |    |                             |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 15dc  | -        | -             | -  | 60601-1                     | 20B | 0 | 2 |
| <b>RPS-30-24</b>             |           |       |   |       |          |               |    |                             |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 24dc  | -        | -             | -  | 60601-1                     | 20B | 0 | 2 |
| <b>RPS-30-3.3</b>            |           |       |   |       |          |               |    |                             |     |   |   |
|                              | 100-240ac | 50/60 | 0 | 3.3dc | -        | -             | -  | 60601-1                     | 20B | 0 | 2 |
| <b>RPS-30-48</b>             |           |       |   |       |          |               |    |                             |     |   |   |
|                              |           |       |   |       |          |               |    |                             |     |   |   |

|                                 |           |       |   |        |           |         |    |                              |     |   |   |
|---------------------------------|-----------|-------|---|--------|-----------|---------|----|------------------------------|-----|---|---|
|                                 | 100-240ac | 50/60 | 0 | 48dc   | -         | -       | -  | 60601-1                      | 20B | 0 | 2 |
| <b>RPS-30-5</b>                 |           |       |   |        |           |         |    |                              |     |   |   |
|                                 | 100-240ac | 50/60 | 0 | 5dc    | -         | -       | -  | 60601-1                      | 20B | 0 | 2 |
| <b>RPS-30-7.5</b>               |           |       |   |        |           |         |    |                              |     |   |   |
|                                 | 100-240ac | 50/60 | 0 | 7.5dc  | -         | -       | -  | 60601-1                      | 20B | 0 | 2 |
| <b>RPS-300-12[*r]</b>           |           |       |   |        |           |         |    |                              |     |   |   |
|                                 | 100-240ac | 50/60 | 0 | 12     | 25 (#)    | 300 (#) | 9  | CAN/CSA-C22.2 No. 60601-1:08 | 2T  | 0 | 1 |
|                                 |           |       |   | 12     | 16.67     | 200     | 9  |                              |     |   |   |
| <b>RPS-300-12@(A1\$)[*r]</b>    |           |       |   |        |           |         |    |                              |     |   |   |
|                                 | 100-240ac | 50/60 | 0 | 12dc   | 25 (#)    | 300 (#) | 16 | 60601-1:2014                 | 20B | 0 | 1 |
|                                 |           |       |   | 12dc   | 16.67 (*) | 200 (*) | 16 |                              |     |   |   |
| <b>RPS-300-15[*r]</b>           |           |       |   |        |           |         |    |                              |     |   |   |
|                                 | 100-240ac | 50/60 | 0 | 15     | 20 (#)    | 300 (#) | 9  | CAN/CSA-C22.2 No. 60601-1:08 | 2T  | 0 | 1 |
|                                 |           |       |   | 15     | 13.33     | 200     | 9  |                              |     |   |   |
| <b>RPS-300-15@(A1\$)[*r]</b>    |           |       |   |        |           |         |    |                              |     |   |   |
|                                 | 100-240ac | 50/60 | 0 | 15dc   | 20 (#)    | 300 (#) | 16 | 60601-1:2014                 | 20B | 0 | 1 |
|                                 |           |       |   | 15dc   | 13.33 (*) | 200 (*) | 16 |                              |     |   |   |
| <b>RPS-300-24[*r]</b>           |           |       |   |        |           |         |    |                              |     |   |   |
|                                 | 100-240ac | 50/60 | 0 | 24     | 12.5 (#)  | 300 (#) | 9  | CAN/CSA-C22.2 No. 60601-1:08 | 2T  | 0 | 1 |
|                                 |           |       |   | 24     | 8.33      | 200     | 9  |                              |     |   |   |
| <b>RPS-300-24@(A1\$)[*r]</b>    |           |       |   |        |           |         |    |                              |     |   |   |
|                                 | 100-240ac | 50/60 | 0 | 24dc   | 12.5 (#)  | 300 (#) | 16 | 60601-1:2014                 | 20B | 0 | 1 |
|                                 |           |       |   | 24dc   | 8.33 (*)  | 200 (*) | 16 |                              |     |   |   |
| <b>RPS-300-27[*r]</b>           |           |       |   |        |           |         |    |                              |     |   |   |
|                                 | 100-240ac | 50/60 | 0 | 27     | 11.12 (#) | 300 (#) | 9  | CAN/CSA-C22.2 No. 60601-1:08 | 2T  | 0 | 1 |
|                                 |           |       |   | 27     | 7.4       | 200     | 9  |                              |     |   |   |
| <b>RPS-300-27@(A1\$)[*r]</b>    |           |       |   |        |           |         |    |                              |     |   |   |
|                                 | 100-240ac | 50/60 | 0 | 27dc   | 11.12 (#) | 300 (#) | 16 | 60601-1:2014                 | 20B | 0 | 1 |
|                                 |           |       |   | 27dc   | 7.4 (*)   | 200 (*) | 16 |                              |     |   |   |
| <b>RPS-300-48[*r]</b>           |           |       |   |        |           |         |    |                              |     |   |   |
|                                 | 100-240ac | 50/60 | 0 | 48     | 6.25 (#)  | 300 (#) | 9  | CAN/CSA-C22.2 No. 60601-1:08 | 2T  | 0 | 1 |
|                                 |           |       |   | 48     | 4.17      | 200     | 9  |                              |     |   |   |
| <b>RPS-300-48@(A1\$)[*r]</b>    |           |       |   |        |           |         |    |                              |     |   |   |
|                                 | 100-240ac | 50/60 | 0 | 48dc   | 6.25 (#)  | 300 (#) | 16 | 60601-1:2014                 | 20B | 0 | 1 |
|                                 |           |       |   | 48dc   | 4.17 (*)  | 200 (*) | 16 |                              |     |   |   |
| <b>RPS-40-18.2 @ (A1\$)[*r]</b> |           |       |   |        |           |         |    |                              |     |   |   |
|                                 | 100-240ac | 50-60 | 0 | 18.2dc | 2.2       | 40.04   | 16 | 60601-1:2008                 | 20B | 0 | 1 |
| <b>RPS-45-12[*r]</b>            |           |       |   |        |           |         |    |                              |     |   |   |
|                                 | 100-240ac | 50/60 | 0 | 12dc   | 3.8       | -       | 16 | 60601-1                      | -   | 0 | 2 |
| <b>RPS-45-15[*r]</b>            |           |       |   |        |           |         |    |                              |     |   |   |
|                                 |           | 50/60 | 0 | 15dc   | 3         | -       | 16 | 60601-1                      | -   | 0 | 2 |

|  |           |       |   |       |      |      |    |                              |     |   |   |  |  |
|--|-----------|-------|---|-------|------|------|----|------------------------------|-----|---|---|--|--|
|  | 100-240ac |       |   |       |      |      |    |                              |     |   |   |  |  |
| <b>RPS-45-24[*r]</b>                     |           |       |   |       |      |      |    |                              |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 24dc  | 1.9  | -    | 16 | 60601-1                      | -   | 0 | 2 |  |  |
| <b>RPS-45-3.3[*r]</b>                    |           |       |   |       |      |      |    |                              |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 3.3dc | 8    | -    | 16 | 60601-1                      | -   | 0 | 2 |  |  |
| <b>RPS-45-48[*r]</b>                     |           |       |   |       |      |      |    |                              |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 48dc  | 0.94 | -    | 16 | 60601-1                      | -   | 0 | 2 |  |  |
| <b>RPS-45-5[*r]</b>                      |           |       |   |       |      |      |    |                              |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 5dc   | 8    | -    | 16 | 60601-1                      | -   | 0 | 2 |  |  |
| <b>RPS-45-7.5[*r]</b>                    |           |       |   |       |      |      |    |                              |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 7.5dc | 5.4  | -    | 16 | 60601-1                      | -   | 0 | 2 |  |  |
| <b>RPS-60-12, RPS-60-12G@(A1\$)[*r]</b>  |           |       |   |       |      |      |    |                              |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | -     | 5    | 60   | 9  | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |  |  |
| <b>RPS-60-15@(A1\$)[*r]</b>              |           |       |   |       |      |      |    |                              |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | -     | 4    | 60   | 9  | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |  |  |
| <b>RPS-60-24, RPS-60-24CA@(A1\$)[*r]</b> |           |       |   |       |      |      |    |                              |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | -     | 2.5  | 60   | 9  | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |  |  |
| <b>RPS-60-3.3@ (A1\$)[*r]</b>            |           |       |   |       |      |      |    |                              |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | -     | 10   | 33   | 9  | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |  |  |
| <b>RPS-60-48@(A1\$)[*r]</b>              |           |       |   |       |      |      |    |                              |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | -     | 1.25 | 60   | 9  | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |  |  |
| <b>RPS-60-5@(A1\$)[*r]</b>               |           |       |   |       |      |      |    |                              |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | -     | 10   | 50   | 9  | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |  |  |
| <b>RPS-65-12[*r]</b>                     |           |       |   |       |      |      |    |                              |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 12dc  | 5.42 | -    | 16 | 60601-1                      | -   | 0 | 2 |  |  |
| <b>RPS-65-15[*r]</b>                     |           |       |   |       |      |      |    |                              |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 15dc  | 4.34 | -    | 16 | 60601-1                      | -   | 0 | 2 |  |  |
| <b>RPS-65-24[*r]</b>                     |           |       |   |       |      |      |    |                              |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 24dc  | 2.71 | -    | 16 | 60601-1                      | -   | 0 | 2 |  |  |
| <b>RPS-65-3.3[*r]</b>                    |           |       |   |       |      |      |    |                              |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 3.3dc | 11   | -    | 16 | 60601-1                      | -   | 0 | 2 |  |  |
| <b>RPS-65-48[*r]</b>                     |           |       |   |       |      |      |    |                              |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 48dc  | 1.36 | -    | 16 | 60601-1                      | -   | 0 | 2 |  |  |
| <b>RPS-65-5[*r]</b>                      |           |       |   |       |      |      |    |                              |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 5dc   | 10   | -    | 16 | 60601-1                      | -   | 0 | 2 |  |  |
| <b>RPS-65-7.5[*r]</b>                    |           |       |   |       |      |      |    |                              |     |   |   |  |  |
|  | 100-240ac | 50/60 | 0 | 7.5dc | 8    | -    | 16 | 60601-1                      | -   | 0 | 2 |  |  |
| <b>RPS-75-12[*r]</b>                     |           |       |   |       |      |      |    |                              |     |   |   |  |  |
|  |           | 50/60 | 0 | 12    | 6.3  | 75.6 | 9  | 60601-1                      | 20B | 0 | 1 |  |  |

|                              |           |       |   |        |          |               |    |                             |     |   |   |  |
|------------------------------|-----------|-------|---|--------|----------|---------------|----|-----------------------------|-----|---|---|--|
|                              | 100-240ac |       |   |        |          |               |    |                             |     |   |   |  |
| <b>RPS-75-12@(A1\$)*r]</b>   |           |       |   |        |          |               |    |                             |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 12dc   | 6.3      | 75.6          | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
| <b>RPS-75-15[*r]</b>         |           |       |   |        |          |               |    |                             |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 15     | 5        | 75            | 9  | 60601-1                     | 20B | 0 | 1 |  |
| <b>RPS-75-15@(A1\$)*r]</b>   |           |       |   |        |          |               |    |                             |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 15dc   | 5        | 75            | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
| <b>RPS-75-24[*r]</b>         |           |       |   |        |          |               |    |                             |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 24     | 3.2      | 76.8          | 9  | 60601-1                     | 20B | 0 | 1 |  |
| <b>RPS-75-24@(A1\$)*r]</b>   |           |       |   |        |          |               |    |                             |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 24dc   | 3.2      | 76.8          | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
| <b>RPS-75-3.3[*r]</b>        |           |       |   |        |          |               |    |                             |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 3.3    | 15       | 49.5          | 9  | 60601-1                     | 20B | 0 | 2 |  |
| <b>RPS-75-3.3@(A1\$)*r]</b>  |           |       |   |        |          |               |    |                             |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 3.3dc  | 15       | 49.5          | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
| <b>RPS-75-36[*r]</b>         |           |       |   |        |          |               |    |                             |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 36     | 2.1      | 75.6          | 9  | 60601-1                     | 20B | 0 | 1 |  |
| <b>RPS-75-36@(A1\$)*r]</b>   |           |       |   |        |          |               |    |                             |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 36dc   | 2.1      | 75.6          | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
| <b>RPS-75-48[*r]</b>         |           |       |   |        |          |               |    |                             |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 48     | 1.6      | 76.8          | 9  | 60601-1                     | 20B | 0 | 1 |  |
| <b>RPS-75-48@(A1\$)*r]</b>   |           |       |   |        |          |               |    |                             |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 48dc   | 1.6      | 76.8          | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
| <b>RPS-75-5[*r]</b>          |           |       |   |        |          |               |    |                             |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 5      | 14       | 70            | 9  | 60601-1                     | 20B | 0 | 2 |  |
| <b>RPS-75-5@(A1\$)*r]</b>    |           |       |   |        |          |               |    |                             |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 5dc    | 14       | 70            | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
| <b>RPSG-160-12@(A1\$)*r]</b> |           |       |   |        |          |               |    |                             |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 12dc   | 9.1 (*)  | 112.2 (*) (b) | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
|                              |           |       |   | 5VSBdc | 0.6 (*)  | -             | 16 |                             |     |   |   |  |
|                              |           |       |   | 12dc   | 12.9 (#) | 158.8 (#) (b) | 16 |                             |     |   |   |  |
|                              |           |       |   | 5VSBdc | 0.8 (#)  | -             | 16 |                             |     |   |   |  |
| <b>RPSG-160-15@(A1\$)*r]</b> |           |       |   |        |          |               |    |                             |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 15dc   | 7.3 (*)  | 112.5 (*) (b) | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |
|                              |           |       |   | 5VSBdc | 0.6 (*)  | -             | 16 |                             |     |   |   |  |
|                              |           |       |   | 15dc   | 10.3 (#) | 158.5 (#) (b) | 16 |                             |     |   |   |  |
|                              |           |       |   | 5VSBdc | 0.8 (#)  | -             | 16 |                             |     |   |   |  |
| <b>RPSG-160-24@(A1\$)*r]</b> |           |       |   |        |          |               |    |                             |     |   |   |  |
|                              | 100-240ac | 50/60 | 0 | 24dc   | 4.6 (*)  | 113.4 (*) (b) | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |  |

|                               |           |       |   |        |          |               |    |                             |     |   |   |
|-------------------------------|-----------|-------|---|--------|----------|---------------|----|-----------------------------|-----|---|---|
|                               |           |       |   | 5VSBdc | 0.6 (*)  | -             | 16 |                             |     |   |   |
|                               |           |       |   | 24dc   | 6.5 (#)  | 160.0 (#) (b) | 16 |                             |     |   |   |
|                               |           |       |   | 5VSBdc | 0.8 (#)  | -             | 16 |                             |     |   |   |
| <b>RPSG-160-48@(A1\$)[*r]</b> |           |       |   |        |          |               |    |                             |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 48dc   | 2.1 (*)  | 103.8 (*) (b) | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |
|                               |           |       |   | 5VSBdc | 0.6 (*)  | -             | 16 |                             |     |   |   |
|                               |           |       |   | 48dc   | 3.25 (#) | 160.0 (#) (b) | 16 |                             |     |   |   |
|                               |           |       |   | 5VSBdc | 0.8 (#)  | -             | 16 |                             |     |   |   |
| <b>RPSG-160-5@(A1\$)[*r]</b>  |           |       |   |        |          |               |    |                             |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 5dc    | 20.0 (*) | 103.0 (*) (b) | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |
|                               |           |       |   | 5VSBdc | 0.6 (*)  | -             | 16 |                             |     |   |   |
|                               |           |       |   | 5dc    | 30.0 (#) | 154.0 (#) (b) | 16 |                             |     |   |   |
|                               |           |       |   | 5VSBdc | 0.8 (#)  | -             | 16 |                             |     |   |   |
| <b>RPT(G)-160A[*r]</b>        |           |       |   |        |          |               |    |                             |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 5      | 14 (#)   | 145 (#) (b)   | 9  | 60601-1                     | 20B | 0 | 1 |
|                               |           |       |   | 5      | 9 (*)    | 98.6 (*) (b)  | 9  |                             |     |   |   |
|                               |           |       |   | 12     | 5.5 (#)  | -             | 9  |                             |     |   |   |
|                               |           |       |   | 12     | 3.8 (*)  | -             | 9  |                             |     |   |   |
|                               |           |       |   | -5     | 1.0 (#)  | -             | 9  |                             |     |   |   |
|                               |           |       |   | -5     | 1.0 (*)  | -             | 9  |                             |     |   |   |
|                               |           |       |   | 5VSB   | 0.8 (#)  | -             | 9  |                             |     |   |   |
|                               |           |       |   | 5VSB   | 0.6 (*)  | -             | 9  |                             |     |   |   |
| <b>RPT(G)-160B[*r]</b>        |           |       |   |        |          |               |    |                             |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 5      | 14 (#)   | 146 (#) (b)   | 9  | 60601-1                     | 20B | 0 | 1 |
|                               |           |       |   | 5      | 9 (*)    | 98.4 (*) (b)  | 9  |                             |     |   |   |
|                               |           |       |   | 12     | 5.0 (#)  | -             | 9  |                             |     |   |   |
|                               |           |       |   | 12     | 3.4 (*)  | -             | 9  |                             |     |   |   |
|                               |           |       |   | -12    | 1.0 (#)  | -             | 9  |                             |     |   |   |
|                               |           |       |   | -12    | 0.8 (*)  | -             | 9  |                             |     |   |   |
|                               |           |       |   | 5VSB   | 0.8 (#)  | -             | 9  |                             |     |   |   |
|                               |           |       |   | 5VSB   | 0.6 (*)  | -             | 9  |                             |     |   |   |
| <b>RPT(G)-160C[*r]</b>        |           |       |   |        |          |               |    |                             |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 5      | 14 (#)   | 143 (#) (b)   | 9  | 60601-1                     | 20B | 0 | 1 |
|                               |           |       |   | 5      | 9 (*)    | 99 (*) (b)    | 9  |                             |     |   |   |
|                               |           |       |   | 15     | 3.6 (#)  | -             | 9  |                             |     |   |   |
|                               |           |       |   | 15     | 2.6 (*)  | -             | 9  |                             |     |   |   |
|                               |           |       |   | -15    | 1.0 (#)  | -             | 9  |                             |     |   |   |
|                               |           |       |   | -15    | 0.8 (*)  | -             | 9  |                             |     |   |   |
|                               |           |       |   | 5VSB   | 0.8 (#)  | -             | 9  |                             |     |   |   |
|                               |           |       |   | 5VSB   | 0.6 (*)  | -             | 9  |                             |     |   |   |
| <b>RPT(G)-160D[*r]</b>        |           |       |   |        |          |               |    |                             |     |   |   |
|                               | 100-240ac | 50/60 | 0 | 5      | 11 (#)   | 147.8 (#) (b) | 9  | 60601-1                     | 20B | 0 | 1 |
|                               |           |       |   | 5      | 8 (*)    | -             | 9  |                             |     |   |   |



|                           |               |       |   |       |          |                  |    |                              |     |   |   |
|---------------------------|---------------|-------|---|-------|----------|------------------|----|------------------------------|-----|---|---|
|                           |               |       |   |       |          | 98.2 (*)<br>(b)  |    |                              |     |   |   |
|                           |               |       |   | 12    | 5.0 (#)  | -                | 9  |                              |     |   |   |
|                           |               |       |   | 12    | 2.6 (*)  | -                | 9  |                              |     |   |   |
|                           |               |       |   | 24    | 1.2 (#)  | -                | 9  |                              |     |   |   |
|                           |               |       |   | 24    | 1.0 (*)  | -                | 9  |                              |     |   |   |
|                           |               |       |   | 5VSB  | 0.8 (#)  | -                | 9  |                              |     |   |   |
|                           |               |       |   | 5VSB  | 0.6 (*)  | -                | 9  |                              |     |   |   |
| <b>RPT-160A@(A1\$)*r]</b> |               |       |   |       |          |                  |    |                              |     |   |   |
|                           | 100-<br>240ac | 50/60 | 0 | 5dc   | 9.0 (*)  | 95.6 (*)<br>(b)  | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |
|                           |               |       |   | 12dc  | 3.8 (*)  | -                | 16 |                              |     |   |   |
|                           |               |       |   | -5dc  | 1.0 (*)  | -                | 16 |                              |     |   |   |
|                           |               |       |   | 5dc   | 14 (#)   | 141.0<br>(#) (b) | 16 |                              |     |   |   |
|                           |               |       |   | 12dc  | 5.5 (#)  | -                | 16 |                              |     |   |   |
|                           |               |       |   | -5dc  | 1.0 (#)  | -                | 16 |                              |     |   |   |
| <b>RPT-160B@(A1\$)*r]</b> |               |       |   |       |          |                  |    |                              |     |   |   |
|                           | 100-<br>240ac | 50/60 | 0 | 5dc   | 9.0 (*)  | 95.4 (*)<br>(b)  | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |
|                           |               |       |   | 12dc  | 3.4 (*)  | -                | 16 |                              |     |   |   |
|                           |               |       |   | -12dc | 0.8 (*)  | -                | 16 |                              |     |   |   |
|                           |               |       |   | 5dc   | 14 (#)   | 142.0<br>(#) (b) | 16 |                              |     |   |   |
|                           |               |       |   | 12dc  | 3.4 (#)  | -                | 16 |                              |     |   |   |
|                           |               |       |   | -12dc | 1.0 (#)  | -                | 16 |                              |     |   |   |
| <b>RPT-160C@(A1\$)*r]</b> |               |       |   |       |          |                  |    |                              |     |   |   |
|                           | 100-<br>240ac | 50/60 | 0 | 5dc   | 9.0 (*)  | 96.0 (*)<br>(b)  | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |
|                           |               |       |   | 15dc  | 2.6 (*)  | -                | 16 |                              |     |   |   |
|                           |               |       |   | -15dc | 0.8 (*)  | -                | 16 |                              |     |   |   |
|                           |               |       |   | 5dc   | 14.0 (#) | 139.0<br>(#) (b) | 16 |                              |     |   |   |
|                           |               |       |   | 15dc  | 3.6 (#)  | -                | 16 |                              |     |   |   |
|                           |               |       |   | -15dc | 1.0 (#)  | -                | 16 |                              |     |   |   |
| <b>RPT-160D@(A1\$)*r]</b> |               |       |   |       |          |                  |    |                              |     |   |   |
|                           | 100-<br>240ac | 50/60 | 0 | 5dc   | 8.0 (*)  | 95.2 (*)<br>(b)  | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |
|                           |               |       |   | 12dc  | 2.6 (*)  | -                | 16 |                              |     |   |   |
|                           |               |       |   | 24dc  | 1.0 (*)  | -                | 16 |                              |     |   |   |
|                           |               |       |   | 5dc   | 11.0 (#) | 143.8<br>(#) (b) | 16 |                              |     |   |   |
|                           |               |       |   | 12dc  | 5.0 (#)  | -                | 16 |                              |     |   |   |
|                           |               |       |   | 24dc  | 1.2 (#)  | -                | 16 |                              |     |   |   |
| <b>RPT-6003@(A1\$)*r]</b> |               |       |   |       |          |                  |    |                              |     |   |   |
|                           | 100-<br>240ac | 50/60 | 0 | -     | 0.7      | -                | 9  | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |
| <b>RPT-60A@(A1\$)*r]</b>  |               |       |   |       |          |                  |    |                              |     |   |   |
|                           | 100-<br>240ac | 50/60 | 0 | -     | 0.5      | -                | 9  | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |
| <b>RPT-60B@(A1\$)*r]</b>  |               |       |   |       |          |                  |    |                              |     |   |   |
|                           | 100-<br>240ac | 50/60 | 0 | -     | 0.5      | -                | 9  | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |
| <b>RPT-60C@(A1\$)*r]</b>  |               |       |   |       |          |                  |    |                              |     |   |   |
|                           |               | 50/60 | 0 | -     | 0.5      | -                | 9  | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |

|                             |           |       |   |       |        |                |    |                              |     |   |   |  |
|-----------------------------|-----------|-------|---|-------|--------|----------------|----|------------------------------|-----|---|---|--|
|                             | 100-240ac |       |   |       |        |                |    |                              |     |   |   |  |
| <b>RPT-60D@(A1\$)[*r]</b>   |           |       |   |       |        |                |    |                              |     |   |   |  |
|                             | 100-240ac | 50/60 | 0 | -     | 0.5    | -              | 9  | CAN/CSA-C22.2 No. 60601-1:08 | 20B | 0 | 2 |  |
| <b>RPT-7503[*r]</b>         |           |       |   |       |        |                |    |                              |     |   |   |  |
|                             | 100-240ac | 50/60 | 0 | 3.3   | 6      | 61.8           | 9  | 60601-1                      | 20B | 0 | 1 |  |
|                             |           |       |   | 5     | 6      | -              | 9  |                              |     |   |   |  |
|                             |           |       |   | 12    | 1      | -              | 9  |                              |     |   |   |  |
| <b>RPT-7503@(A1\$)[*r]</b>  |           |       |   |       |        |                |    |                              |     |   |   |  |
|                             | 100-240ac | 50/60 | 0 | 3.3dc | 6      | 61.8           | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |  |
|                             |           |       |   | 5dc   | 6      | -              | 16 |                              |     |   |   |  |
|                             |           |       |   | 12dc  | 1      | -              | 16 |                              |     |   |   |  |
| <b>RPT-75A[*r]</b>          | 100-240ac | 50/60 | 0 | 5     | 6      | 68.5           | 9  | 60601-1                      | 20B | 0 | 1 |  |
|                             |           |       |   | 12    | 3      | -              | -  |                              |     |   |   |  |
|                             |           |       |   | -5    | 0.5    | -              | -  |                              |     |   |   |  |
| <b>RPT-75A@(A1\$)[*r]</b>   |           |       |   |       |        |                |    |                              |     |   |   |  |
|                             | 100-240ac | 50/60 | 0 | 5dc   | 6      | 68.5           | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |  |
|                             |           |       |   | 12dc  | 3      | -              | 16 |                              |     |   |   |  |
|                             |           |       |   | -5dc  | 0.5    | -              | 16 |                              |     |   |   |  |
| <b>RPT-75B[*r]</b>          | 100-240ac | 50/60 | 0 | 5     | 6      | 72             | 9  | 60601-1                      | 20B | 0 | - |  |
|                             |           |       |   | 12    | 3      | -              | -  |                              |     |   |   |  |
|                             |           |       |   | -12   | 0.5    | -              | -  |                              |     |   |   |  |
| <b>RPT-75B@(A1\$)[*r]</b>   |           |       |   |       |        |                |    |                              |     |   |   |  |
|                             | 100-240ac | 50/60 | 0 | 5dc   | 6      | 72             | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |  |
|                             |           |       |   | 12dc  | 3      | -              | 16 |                              |     |   |   |  |
|                             |           |       |   | -12dc | 0.5    | -              | 16 |                              |     |   |   |  |
| <b>RPT-75C[*r]</b>          | 100-240ac | 50/60 | 0 | 5     | 6      | 72             | 9  | 60601-1                      | 20B | 0 | 1 |  |
|                             |           |       |   | 15    | 2.3    | -              | -  |                              |     |   |   |  |
|                             |           |       |   | -15   | 0.5    | -              | -  |                              |     |   |   |  |
| <b>RPT-75C@(A1\$)[*r]</b>   |           |       |   |       |        |                |    |                              |     |   |   |  |
|                             | 100-240ac | 50/60 | 0 | 5dc   | 6      | 72             | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |  |
|                             |           |       |   | 15dc  | 2.3    | -              | 16 |                              |     |   |   |  |
|                             |           |       |   | -15dc | 0.5    | -              | 16 |                              |     |   |   |  |
| <b>RPT-75D[*r]</b>          | 100-240ac | 50/60 | 0 | 5     | 5      | 73             | 9  | 60601-1                      | 20B | 0 | 1 |  |
|                             |           |       |   | 24    | 1.5    | -              | -  |                              |     |   |   |  |
|                             |           |       |   | 12    | 1      | -              | -  |                              |     |   |   |  |
| <b>RPT-75D@(A1\$)[*r]</b>   |           |       |   |       |        |                |    |                              |     |   |   |  |
|                             | 100-240ac | 50/60 | 0 | 5dc   | 5      | 73             | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |  |
|                             |           |       |   | 24dc  | 1.5    | -              | 16 |                              |     |   |   |  |
|                             |           |       |   | 12dc  | 1      | -              | 16 |                              |     |   |   |  |
| <b>RPTG-160A@(A1\$)[*r]</b> |           |       |   |       |        |                |    |                              |     |   |   |  |
|                             | 100-240ac | 50/60 | 0 | -5dc  | 1.0(*) | 98.6(*)<br>(b) | 16 | 60601-1:2008 & 60601-1:2014  | 20B | 0 | 1 |  |
|                             |           |       |   | 12dc  | 3.8(*) | -              | 16 |                              |     |   |   |  |

|                             |           |       |   |        |          |               |    |                             |     |   |   |
|-----------------------------|-----------|-------|---|--------|----------|---------------|----|-----------------------------|-----|---|---|
|                             |           |       |   | -5dc   | 1.0 (*)  | -             | 16 |                             |     |   |   |
|                             |           |       |   | 5VSBdc | 0.6 (*)  | -             | 16 |                             |     |   |   |
|                             |           |       |   | 5dc    | 14.0 (#) | 145.0 (#) (b) | 16 |                             |     |   |   |
|                             |           |       |   | 12dc   | 5.5 (#)  | -             | 16 |                             |     |   |   |
|                             |           |       |   | -5dc   | 1.0 (#)  | -             | 16 |                             |     |   |   |
|                             |           |       |   | 5VSBdc | 0.8 (#)  | -             | 16 |                             |     |   |   |
| <b>RPTG-160B@(A1\$)[*r]</b> |           |       |   |        |          |               |    |                             |     |   |   |
|                             | 100-240ac | 50/60 | 0 | 5dc    | 9.0 (*)  | 98.4 (*) (b)  | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |
|                             |           |       |   | 12dc   | 3.4 (*)  | -             | 16 |                             |     |   |   |
|                             |           |       |   | -12dc  | 0.8 (*)  | -             | 16 |                             |     |   |   |
|                             |           |       |   | 5VSBdc | 0.6 (*)  | -             | 16 |                             |     |   |   |
|                             |           |       |   | 5dc    | 14.0 (#) | 146.0 (#) (b) | 16 |                             |     |   |   |
|                             |           |       |   | 12dc   | 5.0 (#)  | -             | 16 |                             |     |   |   |
|                             |           |       |   | -12dc  | 1.0 (#)  | -             | 16 |                             |     |   |   |
|                             |           |       |   | 5VSBdc | 0.8 (#)  | -             | 16 |                             |     |   |   |
| <b>RPTG-160C@(A1\$)[*r]</b> |           |       |   |        |          |               |    |                             |     |   |   |
|                             | 100-240ac | 50/60 | 0 | 5dc    | 9.0 (*)  | 99.0 (*) (b)  | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |
|                             |           |       |   | 15dc   | 2.6 (*)  | -             | 16 |                             |     |   |   |
|                             |           |       |   | -15dc  | 0.8 (*)  | -             | 16 |                             |     |   |   |
|                             |           |       |   | 5VSBdc | 0.6 (*)  | -             | 16 |                             |     |   |   |
|                             |           |       |   | 5dc    | 14.0 (#) | 143.0 (#) (b) | 16 |                             |     |   |   |
|                             |           |       |   | 15dc   | 3.6 (#)  | -             | 16 |                             |     |   |   |
|                             |           |       |   | -15dc  | 1.0 (#)  | -             | 16 |                             |     |   |   |
|                             |           |       |   | 5VSBdc | 0.8 (#)  | -             | 16 |                             |     |   |   |
| <b>RPTG-160D@(A1\$)[*r]</b> |           |       |   |        |          |               |    |                             |     |   |   |
|                             | 100-240ac | 50/60 | 0 | 5dc    | 8.0 (*)  | 98.2 (*) (b)  | 16 | 60601-1:2008 & 60601-1:2014 | 20B | 0 | 1 |
|                             |           |       |   | 12dc   | 2.6 (*)  | -             | 16 |                             |     |   |   |
|                             |           |       |   | 24dc   | 1.0 (*)  | -             | 16 |                             |     |   |   |
|                             |           |       |   | 5VSBdc | 0.6 (*)  | -             | 16 |                             |     |   |   |
|                             |           |       |   | 5dc    | 11.0 (#) | 147.8 (#) (b) | 16 |                             |     |   |   |
|                             |           |       |   | 12dc   | 5.0 (#)  | -             | 16 |                             |     |   |   |
|                             |           |       |   | 24dc   | 1.2 (#)  | -             | 16 |                             |     |   |   |
|                             |           |       |   | 5VSBdc | 0.8 (#)  | -             | 16 |                             |     |   |   |

[\*r] - Output values are rated.

# - Rated rating with 20.5CFM FAN cooling.

(a) - Where X may be A or C.

(A1\$) - product certified to ANSI/AAMIES 60601-1:2005 & A1:2012 and CAN/CSA-C22.2 No. 60601-1 (2014)

(b) - Ratings in W not VA.

(c) - Rating shown is the maximum rating when used with 10CFM cooling Fan.


(^) - Where x can be B, U or I; y can be 05, 07, 09, 12, 15, 18, 24, 28, 48; -zzz can be 0-9, A-Z or blank for marketing purpose; B = IEC-320 C8 AC Inlet, U = Wallmount American plug, I = American interchangeable plug

\* - Rated ratings without 20.5CFM FAN cooling.

+ - Class II SMPS

@ - product certified to ANSI/AAMIES 60601-1:2005; CAN/CSA-C22.2 No. 60601-1:08.



Marking: Company name, model designation and the Recognized Component Mark for Canada, .  
Last Updated on 2016-04-22

---

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2016 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2016 UL LLC".